2024 APR 11 PH 3: 15

Email and Phone Number

## **City of Worcester Planning Board**



### **DEFINITIVE SITE PLAN APPLICATION**

**Division of Planning & Regulatory Services** 

	Phone: (508) 799-1400 x 31440 – Fax: (508) 799-1406 – E-mail: <u>planning@worcesterma.gov</u> (preferred)
1.	PROPERTY INFORMATION
a.	99 Ararat Street
	Address(es) – please list all addresses the subject property is known by
b.	37-007-46+48
	Parcel ID or Map-Block-Lot (MBL) Number
c.	Worcester District Registry of Deeds, Book 4289, 4371 Page 440, 577
	Current Owner(s) Recorded Deed/Title Reference(s)
d.	RS-7
	Zoning District and all Zoning Overlay Districts (if any)
2.	APPLICANT INFORMATION
a.	Athanasios Engonidis
	Name(s)
b.	133 Fisher Road, Holden, MA 01520
	Mailing Address(es)
c.	kostaangelis@hotmail.com, (508) 826-1728
	Email and Phone Number(s)
d.	Purchaser
	Interest in Property (e.g., Lessee, Purchaser, etc.)
	I certify that I am requesting the Worcester Planning Board grant the Definitive Site Plan as
	described below
Y	A CONTRACTOR OF THE CONTRACTOR
V	(Signature)
3.	OWNER OF RECORD INFORMATION (IF DIFFERENT FROM APPLICANT)
a.	Robert D + Alma Mae Purcell C/o RHANDA COTTON
	Name(s)
b.	93 Ararat Street, Worcester, MA 01606 109 SLOUGH PD, HARVERD MA 0145
	Mailing Address(es)
d.	cotton family a verizon net

Division of Planning & Regulatory Services 455 Main St., 4th Floor, Worcester, MA 01608 Office 508-799-1400 - Fax 508-799-1406

4.	REPRESENTATIVE INFORMATION
a.	Christopher Keenan, Quinn Engineering, Inc.
b.	Signature(s)
c.	PO Box 107, Paxton, MA 01612  Mailing Address(es)
d.	ckeenan@qeicivil.com, (508) 753-7999 x4  Email and Phone Number
e.	Engineer  Relation to Project (Architect/Attorney/Engineer/Contractor, etc.)
Aut	horization I, Rhonda Cotton  Owner of Record of the property listed with the essing Division of the City of Worcester, Massachusetts as Map 37 Block 007 Lot(s) 46+48 do hereby horize  Athanasios Engonidis to file this application with the Division of Planning & Regulatory
	vices of the City of Worcester on this the 6th day of March , 2024.
_/	this 6 day of 20 H, before me personally appeared  Rhonda (often), to me known to be the person described in and who executed the foregoing rument and acknowledged that they executed the same as their free act and deed.
	NOTARY PUBLIC  CHAD T. CARTER  Notary Public  COMMONWEATH OF MASSACHUSETTS  My Commission Expires  June 20, 2025  there is more than one owner of the land to be considered in this application, a notarized authorization is required for the owner.)

6.	<u>PLA</u>	OVIDE THE FOLLOWING ITEMS, 1 DIGITAL COPY IN PDF FORMAT VIA EMAIL TO  NNING@WORCESTERMA.GOV AND CONFIRM WITH STAFF BEFORE SUBMISSION OF 1 PHYSICAL  Y BY HAND DELIVERY OR MAIL:
		<b>Zoning Determination Form</b> obtained from the Inspectional Services Division (email <u>inspections@worcesterma.gov</u> or call 508 – 799 – 1198 for more information)
		Completed Site Plan Application, signed by all parties involved.
		Completed Tax Certification for the Applicant and Owner (if different) are attached (page 4)
		If the applicant is NOT the Owner, the Owner(s) Authorization for the applicant to apply is attached (page 2)
		A <b>Certified Abutters List(s)</b> issued within 3 months of this application's filing date which includes all properties affected and includes any contiguous, commonly owned property(s). This can be <u>obtained from the Assessor's Office</u> and includes all abutters and abutters to abutters within 300' of the edge of the land owner's property.
		Note: if the property(s) is within 300 ft. of another town an abutters list from that town may be required
		<b>Project Impact Statement</b> describing the proposed project and analyzing how the project and site layout were designed with consideration for and to be compatible with the review criteria in the Zoning Ordinance.
		<b>Site Plan</b> showing the full project scope and all elements listed in Item 11 of this application, stamped and signed by all applicable professionals
		Architectural drawings showing exterior elevation, height in feet and stories, exterior materials for all structures, and corresponding floor plans stamped and signed by all applicable professionals
		<b>Stormwater Report</b> demonstrating compliance with Massachusetts Stormwater Standards for the project, as applicable based on project type and scope <i>(contact staff to confirm)</i>
		Traffic Study, if necessary based on expected traffic generation (contact staff to confirm)
7.	PRO	OVIDE 1 PHYSICAL COPY OF THE FOLLOWING ITEMS:
		One stamped (i.e. postage paid) pre-addressed envelope for each party on the Abutters List and the applicant (if different from the owner), with the following return address:
		Division of Planning and Regulatory Services 455 Main Street (City Hall), Room 404 Worcester, MA 01608
		Filing Fee of \$ 250.00 is enclosed (see fee schedule or contact staff to confirm amount).

# 8. TAX CERTIFICATION This certification must be completed by all applicants and owners of the property, certifying payment of all local taxes, fees, assessments, betterments, or any other municipal charges of any kind. Failure to include a completed certification shall result in the application being deemed incomplete. If a Single Owner or Proprietorship: a. Name b. Signature certifying payment of all municipal charges **Mailing Address** d. **Email and Phone Number** 9. IF A PARTNERSHIP OR MULTIPLE OWNERS: e. Robert D and Alma Mae Purcell **Names** Signatures certifying payment of all municipal charges g. 93 Ararat Street, Worcester, MA 01606 MAILTO: 109 SLOUGHED, HARVELD, MA 01451 **Mailing Address** 1. cottonfamily Querizon net 978-456 8680 Applicant, if different from owner: Printed Name & Signature of Applicant, certifying payment of all municipal charges If a Corporation or Trust: Athanasios k. State of Incorporation **Principal Place of Business** Ι. Mailing Address or Place of Business in Massachusetts Printed Name & Signature of Owner or Trustee, certifying payment of all municipal charges n. Printed Name & Signature of Owner or Trustee, certifying payment of all municipal charges 0.

Printed Name & Signature of Owner or Trustee, certifying payment of all municipal charges

Printed Name & Signature of Owner or Trustee, certifying payment of all municipal charges

p.

#### 10. PROJECT TYPE AND DESCRIPTION

a. Existing Conditions. Describe the current/existing use of the property

b. Proposed Conditions. Check the box for all of the categories that describe the proposed project:

Proposed Project Type	146	THE SECTION OF THE PROPERTY OF THE PERSON OF	CHW C	an was in a Call and the	1
Residential	<b>V</b>	New Construction	Lodging House		
Industrial/manufacturing		Rehabilitation/Renovation		Historic Property	
Business		Expansion/Addition		Abuts Historic Property Billboard	
Mixed Use		Change of use			
Subdivision		Drive-through		Airport Environs Overlay	
		Gas station		≥15% Slope Disturbed	<b>V</b>

c. Describe the proposed use of the property (attach separate narrative if needed)

Construction of a single family home with associated site work (driveway, utilities, grading,

landscaping, etc.)

d. Fill in all information relevant to the proposed project

All Projects	Existing	Change +/-	Total
Overall lot size in square feet	13,605	0	13,605
Number of buildings	0	1	1
Total square footage of building(s)	0	1,300	1,300
Number of stories of building(s)	0	2	2
Number of parking spaces	0	2	2
Number of loading spaces	0	0	0
Changes to on-street parking	0	0	0
Total vehicle daily trips. Please consult staff for specific thresholds requiring review.	0	10	10
Square feet of wetlands	27	0	27
Square feet of surface (open) water	0	0	0
Square feet of area vegetated/wooded	13,605	- 9,264	4,341
Number of trees over 9" in caliper	unknown	unknown	unknown
Cubic yards of fill material to be imported/ exported	0	less than 500	less than 500
Square feet of property in floodplain	0	0	0
Length of roadway (in feet or miles)	0	0	0
Residential	Existing	Change +/-	Total
Number of units	0	1	1
If multi-family, number of bedrooms per unit	NA	NA	NA
Number of accessible units	0	0	0
Number of affordable units	0	0	0
Business/ Industrial	Existing	Change +/-	Total
Gross square feet of floor area	NA	NA	NA
			_ <del>.</del>

#### 11. ZONING

If this	project has	already been	granted Zonin	g Relief by t	the Zoning	Board of A	oppeals,	please lis	t the r	elief bel	low:

Type of Relief	Date Approved
None	

#### 12. PERMITS REQUIRED

List any **Federal, State, or City of Worcester** agencies from which permits or other actions have been or will be sought. Please continue list on an attached sheet if needed.

Agency Name	Permit Type	Date Filed	File Number
Planning Board	Site Plan Approval	TBD	
Conservation Commission	Notice of Intent	TBD	
DPW	Street opening	TBD	
DPW	Sewer Connection	TBD	

#### **13. PLAN REQUIREMENTS**

The following information is required of all applications submitted for Site Plan Review. If you are not providing one of these, please check "waiver requested" next to the item.

	ature		Location in Set d (Sheet/ page #)
a.	Site Plan at a minimum 1" = 40'-0" scale, legend, & properly oriented north arrow		1
b.	Locus plan with zoning information shown		Cover
c.	Existing utilities		1
d.	Existing and proposed grading using differing linetypes, showing 2' contours		1
e.	Soil types identified on the plan (including test-pit/boring locations)		1
f.	Location of all trees over 9" caliper inches on existing conditions plan	<b>√</b>	
g.	Architectural elevations or renderings (including exterior materials)		A-1
h.	Landscape plan including plantings, and details for all landscape elements		1,2
i.	Shade trees to reduce heat island effect. (1 tree required per dwelling unit and a minimum of 1 tree required for every 10 interior parking spaces, 3.5" caliper size)		1,2
j.	Stormwater mitigation measures for the 2, 10, 25, & 100-year design storm.		
	Provide a stamped Stormwater Checklist & Calculations. All projects shall comply with Massachusetts Stormwater Standards, as applicable to project scale.		
k.	For multi-family residential dwellings in B zones, 10% of site area has been provided for recreation. <i>Note: See Article IV, Section 2, Table 4.2, footnote 3.</i>		

#### 14. REVIEW STANDARDS

The following standards shall be used by the Planning Board in reviewing all applications for site plan review. These standards are intended to provide a frame of reference for the applicant in development of applications. These standards shall not be regarded as inflexible requirements. They are not intended to discourage creativity, invention or innovation. Applicants are encouraged to evaluate the extent to which the site plan, its immediate and general locus and the City more generally can tolerate the development being proposed and adjust their proposals accordingly.

Applicants should additionally <u>provide a narrative "project impact statement"</u> summarizing how the proposed project has been designed with the following criteria in mind by evaluating their proposal on the basis of the following 16 review standards, as outlined in the Zoning Ordinance per Article V, Section 5, B.

Provide the following information about the proposed project in relation to the review standards. If you are not providing one of these features please check "none" next to the item.

1. Adequacy and arrangement of pedestrian traffic access and circulation, walkway structures, control of intersections with vehicular traffic and overall pedestrian convenience.

	Feature Feature	None	Page/ sheet #
a.	Pedestrian pathways internal to the site, with dimensions of path widths		1
b.	Pedestrian pathways connecting to sidewalks or nearby amenities		1
Ξ.	Doors/egress to all existing and proposed buildings		1, A-1, A-2
ı.	Pedestrian paving and surface treatment details		2
e.	Safe, ADA accessible pedestrian crossings at driveways and intersections		2

2. Adequacy and arrangement of vehicular traffic access and circulation including intersections, road widths, pavement surfaces, dividers and traffic controls.

	Feature	None	Page/ sheet #
a.	Driveway layout & materials		1,2
b.	Dimensions of all drives and curb cut widths, minimizing the number and width of curb-cuts (see Note 5 to Table 4.4)		1
c.	Access control and directional signage (e.g. gates, pavement markings, etc.))	<b>✓</b>	
d.	Pavement and curb details, including level sidewalks at driveways		2
e.	Permeable or porous paving, and/ or cool pavements/ treatments	1	

3. Location, arrangement, appearance and sufficiency of off-street parking and loading.

Feature	None	Page/ sheet#
Number of parking spaces provided (9 x 18)		1 (GARAGE)
Number of compact parking spaces (8 x16)	<b>√</b>	
ADA parking spaces	<b>√</b>	
Parking aisle width (24 feet for 90° parking; see policy for angled spaces)	<b>V</b>	
Parking is outside front & exterior side yard/setback (except residential drives)		1
Loading spaces or docks (see Table 4.5 and related notes)	<b>V</b>	
Screen planting between parking and edge of property or pedestrian paths	<b>1</b>	
Number of electric vehicle charging stations or "ready" (conduit run) spaces	<b>√</b>	
Bicycle parking (is it covered, or provided inside the building? Circle: YES NO)	1	

	a.	Building entrance fronting on the sidewalk	LL	10	1, A-1
	b.	Front façade with features to add visual interest and activate street (e.g., window placement, variation of materials, reduction in massing, etc.)			A-1
	c.	Green roof, blue roof, rooftop solar, or use of high-albedo roof treatments	١		
	d.	Light levels appropriate for safety (1 foot candle) where pedestrians and vehicles will meet	Ţ	7	
	e.	Parking and circulation directional signage	,	7	
	f.	Signage facing the street	,	/	
5.	Adeq	juacy of stormwater and drainage facilities.			
		Feature	N	one	Page/ sheet #
	a.	Flood Zones, wetlands, watercourses, and water quality and wellhead protection areas			1
	b.	Bioswale or other open stormwater infiltration area planted with native vegetation (rain garden, etc.)	[,	/	
	c.	Infiltration of clean runoff to maintain groundwater supply			1
	d.	Overflow or other connection to City stormwater infrastructure***	·	/	
	4	***Contact DWP&P to determine any applicable sewer connection or use change	e fe	es.	
6.	Adeo	quacy of water supply and sewerage disposal facilities.			
		Feature		one	Page/ sheet #
	a.	Connections to or extensions of city sanitary sewer and water utilities. Contact DWP&P to determine any applicable sewer connection or use change fees.			1
	b.	Connections to or extensions of city storm drainage infrastructure		<b>/</b>	
	b. c.	Connections to or extensions of city storm drainage infrastructure  Footing or foundation drainage for a proposed structure or wall		<b>✓</b>	1,3
7.	c. Adea		ents	in a	I,
7.	c. Adea	Footing or foundation drainage for a proposed structure or wall quacy, type and arrangement of trees, shrubs and other landscaping elements are scaping Design Standards set forth in Article V, Section-5(C).  Feature		in a	I,
7.	c. Adea	Footing or foundation drainage for a proposed structure or wall quacy, type and arrangement of trees, shrubs and other landscaping elements of the scaping Design Standards set forth in Article V, Section-5(C).	N		accordance with the
7.	c. Aded Land	Footing or foundation drainage for a proposed structure or wall quacy, type and arrangement of trees, shrubs and other landscaping elements are landscaping Design Standards set forth in Article V, Section-5(C).  Feature  Walls, including height (show top & bottom elevations at highest and all intersecting)	N	one	accordance with the
7.	c. Adec Land	Footing or foundation drainage for a proposed structure or wall quacy, type and arrangement of trees, shrubs and other landscaping elements scaping Design Standards set forth in Article V, Section-5(C).  Feature  Walls, including height (show top & bottom elevations at highest and all intersecting points, minimize height whenever possible), materials, and related drainage.	N	one	accordance with the
7.	c.  Adec Land  a.  b.	Footing or foundation drainage for a proposed structure or wall  quacy, type and arrangement of trees, shrubs and other landscaping eleme scaping Design Standards set forth in Article V, Section-5(C).  Feature  Walls, including height (show top & bottom elevations at highest and all intersecting points, minimize height whenever possible), materials, and related drainage.  Engineered slopes (rip-rap is not recommended)	N	one  /	accordance with the
7.	c.  Adec Land  a. b. c. d. e.	Footing or foundation drainage for a proposed structure or wall  quacy, type and arrangement of trees, shrubs and other landscaping elements are scaping Design Standards set forth in Article V, Section-5(C).  Feature  Walls, including height (show top & bottom elevations at highest and all intersecting points, minimize height whenever possible), materials, and related drainage.  Engineered slopes (rip-rap is not recommended)  Planted buffers between parking facilities and adjacent properties or roads	N	one /	Page/sheet#
7.	c.  Adec Land  a. b. c. d.	Footing or foundation drainage for a proposed structure or wall  quacy, type and arrangement of trees, shrubs and other landscaping elements scaping Design Standards set forth in Article V, Section-5(C).  Feature  Walls, including height (show top & bottom elevations at highest and all intersecting points, minimize height whenever possible), materials, and related drainage.  Engineered slopes (rip-rap is not recommended)  Planted buffers between parking facilities and adjacent properties or roads  Proposed plantings and areas to be seeded (number, species or mix, size)	N	one  /	Page/sheet#
7.	c. Adec Land a. b. c. d. e. f.	Footing or foundation drainage for a proposed structure or wall  quacy, type and arrangement of trees, shrubs and other landscaping elementscaping Design Standards set forth in Article V, Section-5(C).  Feature  Walls, including height (show top & bottom elevations at highest and all intersecting points, minimize height whenever possible), materials, and related drainage.  Engineered slopes (rip-rap is not recommended)  Planted buffers between parking facilities and adjacent properties or roads  Proposed plantings and areas to be seeded (number, species or mix, size)  Fencing, including information on material, height, and style (including gates)	N	one  /	Page/ sheet #  1,2  1 common property o
	c. Adec Land a. b. c. d. e. f.	Footing or foundation drainage for a proposed structure or wall  quacy, type and arrangement of trees, shrubs and other landscaping elementscaping Design Standards set forth in Article V, Section-5(C).  Feature  Walls, including height (show top & bottom elevations at highest and all intersecting points, minimize height whenever possible), materials, and related drainage.  Engineered slopes (rip-rap is not recommended)  Planted buffers between parking facilities and adjacent properties or roads  Proposed plantings and areas to be seeded (number, species or mix, size)  Fencing, including information on material, height, and style (including gates)  Planted buffers along rear and side yard setbacks	N N Isea	one  /	Page/ sheet #  1,2  1 common property o
	c. Adec Land a. b. c. d. e. f.	Footing or foundation drainage for a proposed structure or wall  quacy, type and arrangement of trees, shrubs and other landscaping eleme scaping Design Standards set forth in Article V, Section-5(C).  Feature  Walls, including height (show top & bottom elevations at highest and all intersecting points, minimize height whenever possible), materials, and related drainage.  Engineered slopes (rip-rap is not recommended)  Planted buffers between parking facilities and adjacent properties or roads  Proposed plantings and areas to be seeded (number, species or mix, size)  Fencing, including information on material, height, and style (including gates)  Planted buffers along rear and side yard setbacks  the case of an apartment complex or other multiple dwelling, the adequacy of unspace. Note: for residential uses in Business Districts see Article IV, Section 2, Table 4.2, for	N N S S S S S S S S S S S S S S S S S S	who be a second of the second	Page/ sheet #
	c. Adec Land a. b. c. d. e. f. In th oper	Footing or foundation drainage for a proposed structure or wall quacy, type and arrangement of trees, shrubs and other landscaping elementscaping Design Standards set forth in Article V, Section-5(C).  Feature  Walls, including height (show top & bottom elevations at highest and all intersecting points, minimize height whenever possible), materials, and related drainage.  Engineered slopes (rip-rap is not recommended)  Planted buffers between parking facilities and adjacent properties or roads  Proposed plantings and areas to be seeded (number, species or mix, size)  Fencing, including information on material, height, and style (including gates)  Planted buffers along rear and side yard setbacks  the case of an apartment complex or other multiple dwelling, the adequacy of unspace. Note: for residential uses in Business Districts see Article IV, Section 2, Table 4.2, for Feature	N N Season N	one    Indicate of the content of the content on th	Page/ sheet #
	c. Adec Land a. b. c. d. e. f. In thoper	Footing or foundation drainage for a proposed structure or wall quacy, type and arrangement of trees, shrubs and other landscaping elementscaping Design Standards set forth in Article V, Section-5(C).  Feature  Walls, including height (show top & bottom elevations at highest and all intersecting points, minimize height whenever possible), materials, and related drainage.  Engineered slopes (rip-rap is not recommended)  Planted buffers between parking facilities and adjacent properties or roads  Proposed plantings and areas to be seeded (number, species or mix, size)  Fencing, including information on material, height, and style (including gates)  Planted buffers along rear and side yard setbacks  the case of an apartment complex or other multiple dwelling, the adequacy of unspace. Note: for residential uses in Business Districts see Article IV, Section 2, Table 4.2, for Feature  Outdoor seating (i.e. benches, seat walls, picnic tables, etc.)	N Sisea	one    Ible cote 3.	Page/ sheet #
	c. Adec Land a. b. c. d. e. f. In thoper	Footing or foundation drainage for a proposed structure or wall  quacy, type and arrangement of trees, shrubs and other landscaping elements of trees are scaping Design Standards set forth in Article V, Section-5(C).  Feature  Walls, including height (show top & bottom elevations at highest and all intersecting points, minimize height whenever possible), materials, and related drainage.  Engineered slopes (rip-rap is not recommended)  Planted buffers between parking facilities and adjacent properties or roads  Proposed plantings and areas to be seeded (number, species or mix, size)  Fencing, including information on material, height, and style (including gates)  Planted buffers along rear and side yard setbacks  The case of an apartment complex or other multiple dwelling, the adequacy of unspace. Note: for residential uses in Business Districts see Article IV, Section 2, Table 4.2, for feature  Outdoor seating (i.e. benches, seat walls, picnic tables, etc.)  Recreation or play area (Is it designed for children/ families? Circle: YES NO)	N Seasootni N	one    Indicate   Indi	Page/ sheet #

4. Location, arrangement, size, design and general site compatibility of buildings, lighting and signs.

None

Page/ sheet #

**Feature** 

	Feature	Nor	ne/	Page/sheet#
а.	Plan locating all existing (to remain) & proposed light fixtures	<b>V</b>	7	
э.	Details of all proposed light fixtures: showing max temperature of 4,000K, dark-sky compliant, and with shielding to prevent light spillover	V		
<b>:</b> .	Photometric plan for parking lots with ≥12 new spaces	<b>V</b>	7	
d.	Opaque fencing or evergreen planting to screen trash or utility areas (including siting and screening of roof-top equipment, as applicable)	V		
2.	Sound attenuation at loading, utility, and other noise generating areas with particular attention to sensitive neighbors	<b>✓</b>	7	
	Limit of clearing, with mature vegetation protected where possible			1
dec	quacy of fire lanes and other emergency zones and the provisions of fire hydra	nts.		- 100
	Feature	Nor	ne	Page/sheet#
а.	Diagram of fire truck access path (applicant should coordinate turning radius and access requirements with the Fire Department)	V	=	
Э.	Clearly marked fire or emergency loading areas	<b>✓</b>		
С.	Fire hydrants and/or FDC connections			
	ial attention to the adequacy of structures, roadways and landscaping in ling, flooding and/or erosion.  Feature	areas		th susceptibil
ond	ling, flooding and/or erosion.  Feature	Noi	ne	
	Feature All buildings and utilities are located at or above the 500-year flood elevation		ne	Page/ sheet#
onc a. b.	Feature  All buildings and utilities are located at or above the 500-year flood elevation  Drainage infrastructure is designed to reduce ponding and slow runoff	Noi	ne /	Page/ sheet #
onc a. b.	Feature All buildings and utilities are located at or above the 500-year flood elevation	Noi	ne /	Page/ sheet #
ond a. o. dec	Feature  All buildings and utilities are located at or above the 500-year flood elevation  Drainage infrastructure is designed to reduce ponding and slow runoff  quacy of erosion and sedimentation control measures to be utilized during and	Noi	ne /	Page/ sheet #
ond a. o. dec	Feature  All buildings and utilities are located at or above the 500-year flood elevation  Drainage infrastructure is designed to reduce ponding and slow runoff  quacy of erosion and sedimentation control measures to be utilized during and  Feature  Erosion control plan narrative sequence (including perimeter controls and	Noi	ne /	Page/ sheet #  1,3  onstruction.  Page/ sheet #
onconconconconconconconconconconconconco	Feature  All buildings and utilities are located at or above the 500-year flood elevation  Drainage infrastructure is designed to reduce ponding and slow runoff  quacy of erosion and sedimentation control measures to be utilized during and  Feature  Erosion control plan narrative sequence (including perimeter controls and temporary stormwater management) for construction activities	Noi	ne /	1,3 onstruction. Page/ sheet #
onconconconconconconconconconconconconco	Feature  All buildings and utilities are located at or above the 500-year flood elevation  Drainage infrastructure is designed to reduce ponding and slow runoff  quacy of erosion and sedimentation control measures to be utilized during and  Feature  Erosion control plan narrative sequence (including perimeter controls and temporary stormwater management) for construction activities  Plans for securing of any stockpiles on site during construction  Temporary and permanent slope stabilization/designs for slopes greater than 3H:1V; (note: loam and seed is not sufficient)  Slopes ≥2.5H:1V are engineered (note: loam and seed is not sufficient)	Noi	er cone	1,3 onstruction. Page/ sheet #
ond  a.  dec  a.	Feature  All buildings and utilities are located at or above the 500-year flood elevation  Drainage infrastructure is designed to reduce ponding and slow runoff  quacy of erosion and sedimentation control measures to be utilized during and  Feature  Erosion control plan narrative sequence (including perimeter controls and temporary stormwater management) for construction activities  Plans for securing of any stockpiles on site during construction  Temporary and permanent slope stabilization/designs for slopes greater than 3H:1V; (note: loam and seed is not sufficient)	Noi afte Noi	er cone	1,3 onstruction. Page/ sheet #
ond  a.  dec  a.  b.  c.  d.  e.	Feature  All buildings and utilities are located at or above the 500-year flood elevation Drainage infrastructure is designed to reduce ponding and slow runoff  quacy of erosion and sedimentation control measures to be utilized during and Feature  Erosion control plan narrative sequence (including perimeter controls and temporary stormwater management) for construction activities  Plans for securing of any stockpiles on site during construction  Temporary and permanent slope stabilization/designs for slopes greater than 3H:1V; (note: loam and seed is not sufficient)  Slopes ≥2.5H:1V are engineered (note: loam and seed is not sufficient)  Temporary sediment basins and other means of stormwater velocity attenuation or conveyance proposed during construction	Noi afte Noi	er come	1,3 onstruction. Page/ sheet # 2 1 1,2
ond a. b. c. d. e.	Feature  All buildings and utilities are located at or above the 500-year flood elevation Drainage infrastructure is designed to reduce ponding and slow runoff  auacy of erosion and sedimentation control measures to be utilized during and Feature  Erosion control plan narrative sequence (including perimeter controls and temporary stormwater management) for construction activities  Plans for securing of any stockpiles on site during construction Temporary and permanent slope stabilization/designs for slopes greater than 3H:1V; (note: loam and seed is not sufficient)  Slopes ≥2.5H:1V are engineered (note: loam and seed is not sufficient) Temporary sediment basins and other means of stormwater velocity attenuation or conveyance proposed during construction	Noi afte Noi	er come	1,3 nstruction. Page/ sheet # 2 1 1,2
ond a. b. c. d. e.	Feature  All buildings and utilities are located at or above the 500-year flood elevation Drainage infrastructure is designed to reduce ponding and slow runoff  quacy of erosion and sedimentation control measures to be utilized during and Feature  Erosion control plan narrative sequence (including perimeter controls and temporary stormwater management) for construction activities  Plans for securing of any stockpiles on site during construction  Temporary and permanent slope stabilization/designs for slopes greater than 3H:1V; (note: loam and seed is not sufficient)  Slopes ≥2.5H:1V are engineered (note: loam and seed is not sufficient)  Temporary sediment basins and other means of stormwater velocity attenuation or conveyance proposed during construction  Formance and compatibility of the site plan design with structures listed in the istoric Places.	Noi afte Noi	er come	1,3 nstruction. Page/ sheet # 2 1,1 1,2 1,2 ecent State Re

14. Adequacy and impact on the regional transportation system.

	Feature	None	Page/ sheet#
a.	Bus service within ¼ mile (indicate number of stops and route numbers)	<b>V</b>	
b.	Improvements to neighborhood walk/bike-ability or public transportation	<b>V</b>	

15. Adequacy of plans and protective measures to ensure minimal risk of contamination to surface or ground water.

Feature	None	Page/ sheet #
Snow storage locations (outside of basins and required parking/landscape buffer)		1
Water quality structures to remove total suspended solids (TSS) from runoff	<b>√</b>	
Water quality structures to remove pollutants from runoff (i.e. oil/ water separators, etc.)	<b>V</b>	
Plan for mitigation of any contaminated soils (include RTN, RAM Plan, AUL)	<b>✓</b>	
Locations of material to cut or filled (including the location of the source material if fill)		1
Dewatering plans	<b>V</b>	

16. Conformance of the site design with the purposes and intent of the Worcester Zoning Ordinance.

	Feature	None	Page/ sheet #
a.	Minimum yard setbacks (for front, side, and rear)		COVER, 1
b.	Property and right-of-way boundary lines (include the status of ways)		1
c.	Easements for any utilities, public access, or adjacent properties		1
d.	Regularity factor for all lots	<b>1</b>	
e.	% paving within the front-yard for residential uses	1 2000	COVER, 1
f.	Height of all structures in feet and stories		COVER, 1



Assessing Division
Samuel E. Konieczny, MAA, City Assessor
City Hall, 455 Main Street, Worcester, MA 01608
P | 508-799-1098 F | 508-799-1021
assessing@worcesterma.gov

#### **Certified Abutters List**

A list of 'parties in interest' shall be attached to the application form and shall include the names and addresses. All such names and addresses shall be obtained from the most recent applicable tax list maintained by the City's Assessing Department. The Assessing Department certifies the list of names and addresses.

Total Count:					
		99 ARARAT	STREET		
Parcel Addres Assessor's Ma	ap-Block-Lot(s):	37-007-46+	48		
Owner:		PURCELL, R	OBERT D + ALMA MAE		
Owner Mailin	g:	93 ARARAT	STREET R, MA 01606		
	other than owner):	CHRIS KEEN	IAN, QUINN ENG		
Petitioner Ma	ailing Address:	PO BOX 107, PAXTON MA			
Petitioner Ph	one:	508753799	9		
Planning:	Zon	ing:	License Commission:	_	Conservation Commission:
Historical: _	Car	nabis:	Other:	<u></u>	
37-007-45+47	POULIN ERICA		0093 ARARAT ST	WORCESTER MA	A 01606
37-007-46+48	PURCELL ROBERT D + ALM	A MAE	109 SLOUGH RD	HARVARD MA 0	1451
37-007-03+52	WEBSTER RICHARD M		0005 DELAVAL RD	WORCESTER MA	A 01606

37-034-00039	OZUNA AILVN + JESUS	012A BIRCH HILL RD	WORCESTER MA 01606
37-33A-0046R	TROY JAY D	0014 BIRCH HILL RD	WORCESTER MA 01606
37-033-0000X	COMM OF MASS HIGHWAY DEPT	0403 BELMONT ST	WORCESTER MA 01604
37-034-00040	JACKSON MONICA M	0012 BIRCH HILL RD	WORCESTER MA 01606
37-007-00001	HEIRS OF VIRGINIA S HEARNS	0101 ARARAT ST	WORCESTER MA 01606
37-008-00012	CROTTY EDWARD J	8 DELAVAL ROAD	WORCESTER MA 01604
37-009-0013N	JOSEPH LILIANNE	0016 SHAWNEE RD	WORCESTER MA 01606
37-33A-0047R	THORNTON JEREMY W	0016 BIRCH HILL RD	WORCESTER MA 01606
37-033-00006	WRIGHTSON THOMAS P + JANELLE D	0098 ARARAT ST	WORCESTER MA 01606
37-033-00007	GRIBBONS MARC C	0100 ARARAT ST	WORCESTER MA 01606
37-034-00051	MURPHY BARBARA J	0102 ARARAT ST	WORCESTER MA 01606
37-007-00040	COMM OF MASS HIGHWAY DEPT	10 PARK PLAZA ROOM 6160	BOSTON MA 02116
37-007-00043	TIRRELL MICHAEL	071B PLEASANT ST	LEOMINSTER MA 01453
37-007-00044	CONNELL ORRIN + ELLEN	0091 ARARAT ST	WORCESTER MA 01606
37-008-00010	PERELEZ OLIVIA + JORGE L	0004 DELAVAL RD	WORCESTER MA 01606
37-008-00013	LOCKE PATRICIA A	0109 ARARAT ST	WORCESTER MA 01606
37-007-00059	GARRITY JAMES L TRUSTEE	PO BOX 460329 DEPT 909	HOUSTON TX 77056
37-007-00036	CLARK DAWN M	0006 RODBY ST	WORCESTER MA 01606
37-008-00011	JACOBS ANNE G + RICHARDSON	0043 MORGAN ST	WORCESTER MA 01606
37-007-00038	BOAKYE CYNTHIA	0004 RODBY ST	WORCESTER MA 01608
37-33A-0048R	QUINN TIMOTHY MICHAEL	0018 BIRCH HILL RD	WORCESTER MA 01606
37-033-0000A	HOLLIE JAMES A	0011 SUNRISE AVE	WORCESTER MA 01606
37-033-0003C	AIKINS JEAN	0084 ARARAT ST	WORCESTER MA 01606
37-033-0002C	CARDELLO COURTNEY M	0082 ARARAT ST	WORCESTER MA 01606
37-033-00001	SANCHEZ CARMEN	0088 ARARAT ST	WORCESTER MA 01606
37-034-00041	WYMAN KATRINA	0095 OUTLOOK DR	WORCESTER MA 01602
37-033-00002	PENA HECTOR +	0090 ARARAT ST	WORCESTER MA 01606
37-033-00003	TONELLI ROBERT J + JUDY K	92 ARARAT ST	WORCESTER MA 01606
37-033-00004	WHITE ROBERT JR	0094 ARARAT ST	WORCESTER MA 01606
37-033-00005	NOEL ERIC J	0096 ARARAT ST	WORCESTER MA 01606
37-034-00050	SPRING AMANDA + HILDRETH	0104 ARARAT ST	WORCESTER MA 01606
37-034-00049	WHITE ADAM D	0106 ARARAT ST	WORCESTER MA 01606
37-008-00026	ZELLMER STEPHEN A + KIM C	0004 WATT RD	WORCESTER MA 01606
37-008-00027	CAMPBELL AMY E +	0010 DELAVAL RD	WORCESTER MA 01606
37-007-00005	O'HANLON JOSEPH	0009 DELAVAL RD	WORCESTER MA 01606
37-007-00056	O'HANLON JOSEPH	0009 DELAVAL RD	WORCESTER MA 01606
37-007-00006	BRUNNER KRYSTINA M +	0041 DENMARK ST	WORCESTER MA 01605
37-007-00058	NOVAK PAUL M TRUSTEE	0392 WEST BOYLSTON ST	WORCESTER MA 01606
37-007-00007	BRIA PETER F + ELIZABETH A	13 DELAVAL ROAD	WORCESTER MA 01606
37-008-00028	SARVER AARON	0014 DELAVAL RD	WORCESTER MA 01606
37-009-0012N	INDIAN HILL LTD PARTNERSHIP	0595 JEFFERSON BLVD	WARWICK RI 02886
37-023-0000R	GREATER WORCESTER LAND TRUST	0004 ASH ST	WORCESTER MA 01608
37-007-00002	ABELSON MICHAEL +	0003 DELAVAL RD	WORCESTER MA 01606

37-007-00004

NEWELL JOYCE F TRUSTEE

0018 BRATTLE STREET

WORCESTER MA 01606

This is to certify that the above is a list of abutters to Assessor's Map-Block-Lot's 37-007-46+48 as cited above.

Certified by:

02/22/2024

Date

Signature



## **Abutters Map**

