



WANTED: ASIAN LONGHORNED BEETLE

The Asian Longhorned Beetle

**Prepared by
Rutgers Cooperative Extension
in cooperation with
USDA Forest Service Northeastern Area
State and Private Forestry**

**PI, Project Director- William T. Hlubik
Rutgers Cooperative Extension**




WWW.NA.FS.FED.US/FHP



WANTED: ASIAN LONGHORNED BEETLE

- The Asian Longhorned Beetle (*Anoplophora glabripennis*) is a relatively new insect pest that poses a serious risk to our landscapes, forests, and woodland trees.
- Asian Longhorned Beetle (ALB) has the potential to cause more damage to trees than Gypsy Moth, Dutch Elm Disease, and Chestnut Blight combined.



WWW.NA.FS.FED.US/FHP



WANTED: ASIAN LONGHORNED BEETLE

Why Should We be Concerned ?

- **ALB attacks and kills a wide range of native trees including maples, elms, birch and ash.**
- **There are no natural enemies or insecticides to effectively control ALB.**



WWW.NA.FS.FED.US/FHP





WANTED: ASIAN LONGHORNED BEETLE

History

- **ALB is a native of China, Korea and Taiwan.**
- **ALB entered the USA at shipping ports in wooden pallets and crates infested with ALB.**



WWW.NA.FS.FED.US/FHP



WANTED: ASIAN LONGHORNED BEETLE



First discovered in 1996 in Brooklyn, NY and in 1998 in Chicago, IL.

Found in 2002 in Jersey City, & again in 2004 in Carteret, Woodbridge, Rahway and Linden, NJ .



WWW.NA.FS.FED.US/FHP



WANTED: ASIAN LONGHORNED BEETLE

How Does ALB Damage Trees ?



Feeding damage of adult ALB beetles on Maple leaves is used with other symptoms to confirm presence of ALB. Leaf feeding is not a primary concern.

WWW.NA.FS.FED.US/FHP



WANTED: ASIAN LONGHORNED BEETLE

ALB Damage to Trees

- ALB larvae tunnel through tree stems and branches.
- Repeated damage can lead to dieback of the tree crown and eventual death of the tree.



Tunnels and damage from ALB larvae



WWW.NA.FS.FED.US/FHP



WANTED: ASIAN LONGHORNED BEETLE

Why is ALB Difficult to Control ?

- Larvae bore into the hardwood of the tree where pesticides can not penetrate.
- ALB often attack the tops of trees first so signs or symptoms may not be obvious.
- ALB has no known natural enemies in the USA or Canada.



ALB larvae tunnels can severely weaken and kill infested trees

WWW.NA.FS.FED.US/FHP

Asian Longhorned Beetle Lifecycle




Adults and oviposition scars



Emergence holes



Adult emerging from tree



Larva in tree



Pupal chamber in tree



WANTED: ASIAN LONGHORNED BEETLE



Reproduction

1. Mating - Males and females travel infrequently, they use physical contact - no known pheromone.
2. After mating, females lay eggs in a shallow dug-out area of the bark.
3. Egg sites are easily sealed by the host tree.
4. Eggs hatch in 10-15 days.

1



2



3



4







WANTED: ASIAN LONGHORNED BEETLE

Larvae

Life Cycle & Biology of *Anoplophora glabripennis*

- Eggs develop into a grub.
- 1st and 2nd instar larvae feed on the cambium layer.
- 3rd, 4th and 5th instars feed and tunnel on the sapwood or heartwood.
- Larval and pupal stages over-winter in the tree.



WWW.NA.FS.FED.US/FHP

WANTED: ASIAN LONGHORNED BEETLE

Pupae

Life Cycle & Biology of *Anoplophora glabripennis*

- 5th instar develops into a pupa.
- Pupal stage is approx. 2 to 3 weeks.
- Non-feeding or inactive metamorphosis.
- After pupation, the insect will emerge as an adult, and the cycle begins again.



WWW.NA.FS.FED.US/FHP



WANTED: ASIAN LONGHORNED BEETLE

Adult Beetle

- Emerge late Spring to mid Fall.
(May to October in the Northeast)
- Exit holes - 3/8 to 5/8 inch in diameter.
- Beetle is 3/4 to 1 1/4 inches.
- May live for 2 months or more.



WWW.NA.FS.FED.US/FHP



WANTED: ASIAN LONGHORNED BEETLE



Adult Beetle

- Feed and mate.
- Females lay between 60 to 120 eggs.
- Adult beetles have 1 generation per year.
- Whitespotted Pine Sawyer and Cottonwood Borer are similar in appearance to ALB.



WWW.NA.FS.FED.US/FHP

WANTED: ASIAN LONGHORNED BEETLE

Step 1. Examine susceptible trees in your area.



WWW.NA.FS.FED.US/FHP



WANTED: ASIAN LONGHORNED BEETLE



We Need your Help to Stop ALB ! Three Steps to Protect our Trees

1. Examine susceptible trees in your area.
2. Look for signs of adult beetles or symptoms of beetle damage.
3. Report signs or symptoms to the experts!



WWW.NA.FS.FED.US/FHP

WANTED: ASIAN LONGHORNED BEETLE

Most Susceptible Trees

- Norway Maple
- Red Maple
- Silver Maple
- Sugar Maple
- American Elm
- Siberian Elm
- Boxelder
- Horsechestnut



Red Maple

WWW.NA.FS.FED.US/FHP



WANTED: ASIAN LONGHORNED BEETLE



Moderately Susceptible Trees

- Black Alder
- Gray Birch
- River Birch
- Paper Birch
- Pussy Willow
- Weeping Willow
- Poplars
- European Mountain Ash



River Birch

WWW.NA.FS.FED.US/FHP

WANTED: ASIAN LONGHORNED BEETLE



Least Susceptible Trees

- Green Ash
- White Ash
- Sycamore
- Rose of Sharon
- Hackberry



Green Ash

WWW.NA.FS.FED.US/FHP



WANTED: ASIAN LONGHORNED BEETLE

Resistant Trees Planted in Jersey City

- Apple / Crabapple
- Cherry / Plum
- Pagoda Dogwood
- Hawthorn
- Black Locust
- Mulberry
- Oaks
- Catalpa
- Flowering Dogwood
- Ginko
- Redbud
- Tulip Tree
- Honeylocust
- Linden / Basswood
- Magnolia
- Pear
- Black Walnut
- Buckthorn

WWW.NA.FS.FED.US/FHP





WANTED: ASIAN LONGHORNED BEETLE



Step 2. Look for signs of adult beetles or symptoms of beetle damage.



WWW.NA.FS.FED.US/FHP

WANTED: ASIAN LONGHORNED BEETLE

Signs of ALB ! Adult Beetles appear from spring to fall. (May to October in the Northeast)

- Beetles are 1 to 1 1/2 inches long.
- Jet black body with mottled white spots.
- Long antennae 1.5 to 2.5 times body length with black and white bands on each segment.
- Feet have a bluish tinge.



WWW.NA.FS.FED.US/FHP



WANTED: ASIAN LONGHORNED BEETLE

Symptoms of ALB ! Holes in Bark

- Beetles bore a 3/8 inch diameter hole or larger in the trunk or branches.
- Smooth “bullet hole” appearance made by adult beetles emerging from the tree.
- Holes deep enough to hold a pen or pencil.



WWW.NA.FS.FED.US/FHP



WANTED: ASIAN LONGHORNED BEETLE

Symptoms of ALB !

Accumulation of Coarse Sawdust

- Frass accumulates around the base of trees and where branches join the main trunk or meet other branches.
- Frass is created by larvae boring into the trunk or branches.



WWW.NA.FS.FED.US/FHP



WANTED: ASIAN LONGHORNED BEETLE

Symptoms of ALB ! Pits in the Bark

- **Oval to round pits in the bark.**
- **Female beetles chew out pits and deposit one egg in each pit.**



WWW.NA.FS.FED.US/FHP

WANTED: ASIAN LONGHORNED BEETLE

Symptoms of ALB ! Oozing Sap

- Sap may flow from egg niches as larvae feed inside of the tree.
- Sap flow more obvious on Maple trees.



WWW.NA.FS.FED.US/FHP





WANTED: ASIAN LONGHORNED BEETLE

Step 3. Report signs or symptoms to the experts !



WWW.NA.FS.FED.US/FHP





WANTED: ASIAN LONGHORNED BEETLE

Contacts for Reporting ALB

- 1-866-265-0301 in New York
- 1-866-BEETLE-1 in New Jersey
- 1-312-742-3385 in Illinois

- Outside of the above states contact your State Department of Agriculture or for more information log onto www.aphis.usda.gov Click on "Hot Issues"

WWW.APHIS.USDA.GOV

CLICK HOT ISSUES ALB






WANTED: ASIAN LONGHORNED BEETLE



Research Topics

- How ALB moves in differing landscapes
- New diagnostic signs for early detection
- Methods for aging ALB infestations



WWW.NA.FS.FED.US/FHP



WANTED: ASIAN LONGHORNED BEETLE

You Can Make a Difference !

- **ALB was spotted in Jersey City, NJ by a member of the general public. He reported his exotic insect sighting to the proper authorities.**
- **Experts responded rapidly and believe they have contained this specific outbreak.**
- **ALB has been spotted at various ports of entry throughout the USA. We believe that vigilant inspections by experts have contained the pest, but no one is certain.**

WWW.NA.FS.FED.US/FHP



WANTED: ASIAN LONGHORNED BEETLE



Keep a watchful eye for ALB.

With your help we can stop ALB from spreading !

WWW.NA.FS.FED.US/FHP

WANTED: ASIAN LONGHORNED BEETLE

Educational Links for ALB

- <http://www.na.fs.fed.us/fhp/alb/>
- <http://www.rcrc.rutgers.edu/alb/>
- <http://www.aphis.usda.gov/ppq/ep/alb/>
- <http://ceris.purdue.edu/napis/pests/alb/>
- <http://www.uvm.edu/albeetle/research/index.html>

WWW.NA.FS.FED.US/FHP



WANTED: ASIAN LONGHORNED BEETLE

Questions ?

WWW.NA.FS.FED.US/FHP



WANTED: ASIAN LONGHORNED BEET

Production and Scientific Review Team

New Jersey Agricultural Experiment Station

Rutgers Cooperative Extension

- William Hlubik
- Richard Weidman
- James Marko
- Nicholas Polanin
- Daniel Kluchinski
- David Smela
- Mark Vodak
- Jason Grabosky
- Ann Gould
- Richard Buckley
- George Hamilton
- Madeline Flahive DiNardo

WWW.NA.FS.FED.US/FHP

WANTED: ASIAN LONGHORNED BEETLE



USDA Review Team

- **Christine Markham, USDA- APHIS
National ALB Program Director**
- **Barry Emens, USDA - APHIS
ALB Program Leader for NJ**
- **Noel Schneeberger, USDA Forest Service
Forest Health Program Leader**
- **Judy Antipin, USDA Forest Service
Public Affairs Specialist**

WWW.NA.FS.FED.US/FHP

WANTED: ASIAN LONGHORNED BEETLE

Funding provided by
USDA Forest Service
Northeastern Area
State and Private Forestry



THE STATE UNIVERSITY OF NEW JERSEY
RUTGERS

WWW.NA.FS.FED.US/FHP



WANTED: ASIAN LONGHORNED BEETLE

"The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotope, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer."

