
EXISTING CONDITIONS: 43 HARVARD STREET


LOCATION 43 HARVARD STREET WORCESTER, MA 01609 ARCHITECT

DIXON SALO ARCHITECTS, INC. 300 MAIN STREET, FIRST FLOOR WORCESTER, MA 01608 MR. JESSE HILGENBERG JHILGENBERG@DIXONSALOARCHITECTS.COM (T) 508.755.0533

ABBREV	/IATION	IS					LEGENE	\mathbf{D}
ACOUSTIC A ABOVE FINISHED FLOOR A	ACST M. AFF M.	ANUFACTURED ARBLE ASONRY	MFD MAR MAS	SYMBO	OLS	MAT	ERIALS	
ABOVE FINISHED FLOOR A ALUMINUM A ARCHITECT A AVERAGE A BEAM B BOARD B BRASS B BOARD B BRASS B BUILDING B BUILDING CABINET C CABINET C CENTER LINE C CENTER LINE C CENTER LINE C CENTIMETER C CCENTER LINE C CERAMIC C CLEAR C COLD WATER C COLD WATER C CONCRETE MASONRY UNIT C CONSTRUCTION C CONTRUCTION C CONTRUCTION C CONTRUCTION C CONTRUCTION C CONTRUCTION C CONTRUCTION C CONTRUCTION C CONTRACTOR C D DEMOLITION D DETAIL D DIAMETER D DIMENSION D DOOR D DOWN D DOOR D DOWN D DOOR D DOWN D DAAWING D DOOR D DOWN D DAAWING C DIMENSION D DOOR D DOWN D DAAWING FOUNTAIN D E EACH E ELECTRIC E ELECTRIC C E ELECTRIC C E ELECTRIC C E ELECTRIC C E EQUAL E ESTIMATE E ESTIMATE E ESTIMATE E ESTIMATE E ESTIMATE E ESTIMATE E E EQUAL E E EQUAL E E EQUAL E E EQUAL E E ENTERIOR E FABRICATE F FUNISH FINISH FINISH GAUGE G GENERAL G GLASS G G GYPSUM BOARD H HEIGHT H HORLONTAL H HORLONTAL H HORLONTAL H HORLONTAL H HORLONTAL H HORLONTAL H HORLONTAL H HORLONTAL H HORLON D I JUNCTION BOX J LAVATORY LL LIGHT L LIGHT L LIGHT L LIGHT L LIGHTING L LIGHT L L	KFF MA KLUM MA KRCH MA VG MA MD MA D MA JD MA RZ MA KRZ MA JLG MA CAB MA CAC PA CAC PA CONC PA CONC PA CONTS PL CONTS PL CONTS PL CONTS PL CONTS PL CONTS PL CONTS PR MA QU CONTS PR SCONTS PL CONTS PL CONTS PR SCONTS PR	ASONRY ASONRY OPENING ATERIAL ASIMUM ECHANICAL ETAL ETAR ETAR ETAL ETER NIMUM ISCELLANEOUS ULLION ATURAL DMINAL DT IN CONTRACT DT TO SCALE JMBER N CENTER PENING PPOSITE NINTED ASTIC LAMINATE UMBING YWOOD RESSURE TREATED UANTITY UARRY TILE ASTIC LAMINATE UMBING YWOOD RESSURE TREATED UANTITY UARRY TILE ASTIC LAMINATE UMBING YWOOD RESSURE TREATED UANTITY UARRY TILE ASTIC CAMINA STER ASTIC LAMINATE UMBING YWOOD RESSURE TREATED UANTITY UARRY TILE ASTIC ASTI	MAS MSRY MAT MAX MAX MI MIN MIC MULL NAT NOM NIC NIS # OC OPG OPF PTD. PTN PL PLAM PLBG PLWD P.I. QT QT R REF REINF REF REINF RMV REQD REV RS RM R.O. SCH SECT SH SIM SC SPECS SF SQ IN. SS STD ST STL. SUSP SYS TEL TEMP T&G TR TYP UNF UR VIF VERT VCT WC WC WT	SYMBO A^{-1}	SECTION SECTION DETAIL EXTERIOR ELEVATION INTERIOR ELEVATION DOOR INDICATION INDICATION WINDOW INDICATION TYPE ROOM NUMBER CEILING REFERENCE VERTICAL REF. POINT		ERIALS EARTH - LOAM EARTH - FILL GRAVEL GRAVEL SAND CONCRETE CONCRETE MASONRY BRICK BITUMINOUS CONCRETE BATT INSULATION RIGID INSULATION RIGID INSULATION RIGID INSULATION AUOOD - FRAMING WOOD - FINISH PLYWOOD - SMALL SCALE ACOUSTICAL TILE STEEL ALUMINUM	
MANUFACTURER N GALVANIZE G	INO WI MFR WI GALV. WI GWB W	IDTH ITH OOD ROUGHT IRON ARD	W W/ W/O WD WI YD					



LOCUS MAP



		LIST OF DRAWINGS	ARCHITECT: 8.372.5368 B.372.500 HECTS: COM
		T-1.1 GENERAL NOTES & DETAILS	
		EX-1.1 EXISTING FIRST FLOOR PLAN	DIXON SALO O WAIN STRE O MAIN STRE O MAIN STRE O MAIN STRE
			ENGINEER:
			ENGINEER'S STAMP:
DESIGN DEVELOPMENT BD PERMIT CONSTRUCTION EXISTING CONDITIONS 11.29.2022 4 3 2 1 REVISION DATE DATE: 11.29.2022 SCALE: AS NOTED PROJECT ITLE: DATE: JCH REVISION DATE DATE: JCH REVISION DATE DATE: JCH REVISION DATE SCALE: AS NOTED PROJECT ITLE: SCALE: JCH REVISION DATE PROJECT ITLE: STILE: TILE: SHEET TITLE: TILE: TILE: SHEET NUMBER:			GENERAL INFORMATION:
DESIGN DEVELOPMENT BD PERMIT CONSTRUCTION EXISTING CONDITIONS 11.29.2022 4 3 2 1 REVISION DATE DATE: 11.29.2022 SCALE: AS NOTED PROJECT ITLE: DATE: JCH REVISION DATE DATE: JCH REVISION DATE DATE: JCH REVISION DATE SCALE: AS NOTED PROJECT ITLE: SCALE: JCH REVISION DATE PROJECT ITLE: STILE: TILE: SHEET TITLE: TILE: TILE: SHEET NUMBER:			
DESIGN DEVELOPMENT BD PERMIT CONSTRUCTION EXISTING CONDITIONS 11.29.2022 4 3 2 1 REVISION DATE DATE: 11.29.2022 SCALE: AS NOTED PROJECT ITLE: DATE: JCH REVISION DATE DATE: JCH REVISION DATE DATE: JCH REVISION DATE SCALE: AS NOTED PROJECT ITLE: SCALE: JCH REVISION DATE PROJECT ITLE: STILE: TILE: SHEET TITLE: TILE: TILE: SHEET NUMBER:			
DESIGN DEVELOPMENT BD PERMIT CONSTRUCTION EXISTING CONDITIONS 11.29.2022 4 3 2 1 REVISION DATE DATE: 11.29.2022 SCALE: AS NOTED PROJECT ITLE: DATE: JCH REVISION DATE DATE: JCH REVISION DATE DATE: JCH REVISION DATE SCALE: AS NOTED PROJECT ITLE: SCALE: JCH REVISION DATE PROJECT ITLE: STILE: TILE: SHEET TITLE: TILE: TILE: SHEET NUMBER:			
DESIGN DEVELOPMENT BD PERMIT CONSTRUCTION EXISTING CONDITIONS 11.29.2022 4 3 2 1 REVISION DATE DATE: 11.29.2022 SCALE: AS NOTED PROJECT ITLE: DATE: JCH REVISION DATE DATE: JCH REVISION DATE DATE: JCH REVISION DATE SCALE: AS NOTED PROJECT ITLE: SCALE: JCH REVISION DATE PROJECT ITLE: STILE: TILE: SHEET TITLE: TILE: TILE: SHEET NUMBER:			
DESIGN DEVELOPMENT BD PERMIT CONSTRUCTION EXISTING CONDITIONS 11.29.2022 4 3 2 1 REVISION DATE DATE: 11.29.2022 SCALE: AS NOTED PROJECT ITLE: DATE: JCH REVISION DATE DATE: JCH REVISION DATE DATE: JCH REVISION DATE SCALE: AS NOTED PROJECT ITLE: SCALE: JCH REVISION DATE PROJECT ITLE: STILE: TILE: SHEET TITLE: TILE: TILE: SHEET NUMBER:			
DESIGN DEVELOPMENT BD PERMIT CONSTRUCTION EXISTING CONDITIONS 11.29.2022 4 3 2 1 REVISION DATE DATE: 11.29.2022 SCALE: AS NOTED PROJECT ITLE: DATE: JCH REVISION DATE DATE: JCH REVISION DATE DATE: JCH REVISION DATE SCALE: AS NOTED PROJECT ITLE: SCALE: JCH REVISION DATE PROJECT ITLE: STILE: TILE: SHEET TITLE: TILE: TILE: SHEET NUMBER:			
DESIGN DEVELOPMENT BD PERMIT CONSTRUCTION EXISTING CONDITIONS 11.29.2022 4 3 2 1 REVISION DATE DATE: 11.29.2022 SCALE: AS NOTED PROJECT ITLE: DATE: JCH REVISION DATE DATE: JCH REVISION DATE DATE: JCH REVISION DATE SCALE: AS NOTED PROJECT ITLE: SCALE: JCH REVISION DATE PROJECT ITLE: STILE: TILE: SHEET TITLE: TILE: TILE: SHEET NUMBER:			
DESIGN DEVELOPMENT BD PERMIT CONSTRUCTION EXISTING CONDITIONS 11.29.2022 4 3 2 1 REVISION DATE DATE: 11.29.2022 SCALE: AS NOTED PROJECT ITLE: DATE: JCH REVISION DATE DATE: JCH REVISION DATE DATE: JCH REVISION DATE SCALE: AS NOTED PROJECT ITLE: SCALE: JCH REVISION DATE PROJECT ITLE: STILE: TILE: SHEET TITLE: TILE: TILE: SHEET NUMBER:			
EXISTING CONDITIONS 11.29.2022			DESIGN DEVELOPMENT BID PERMIT
2 1 1 REVISION DATE DATE: 11.29.2022 SCALE: AS NOTED PROJECT: - DRAWN: JGH CHECKED: JGH PROJECT TITLE: EXISTING CONDITIONS 43 HARVARD STREET WORCESTER, MA 01609 SHEET TITLE: TITLE SHEET SHEET NUMBER: SHEET NUMBER:			EXISTING CONDITIONS 11.29.2022
And a first of the second seco			
SCALE: AS NOTED SCALE: AS NOTED PROJECT: DRAWN: JGH CHECKED: JGH PROJECT TITLE: EXISTING CONDITIONS 43 HARVARD STREET WORCESTER, MA 01609 SHEET TITLE: TITLE SHEET SHEET NUMBER:	Mass Memor		
Amount of the second	¢ K		SCALE: AS NOTED
EXISTING CONDITIONS 43 HARVARD STREET WORCESTER, MA 01609 SHEET TITLE: TITLE SHEET SHEET NUMBER:	ander Bank AT norial nter		DRAWN: JGH CHECKED: JGH
SHEET NUMBER:	Palmer St Leonyen		EXISTING CONDITIONS 43 HARVARD STREET
Provincia TITLE SHEET SHEET NUMBER:	Newport St		SHEET TITLE:
			TITLE SHEET
T-1.0			SHEET NUMBER:
			T-1.0

GENERAL DEMOLITION NOTES

A. CONTRACTOR SHALL VISUALLY INSPECT THE SITE TO DETERMINE THE CONDITION OF EXISTING CONSTRUCTION AND FAMILIARIZE HIMSELF/HERSELF WITH THE PROPOSED WORK.

- 1. ALL WORK SHALL COMPLY WITH MUNICIPAL, STATE AND FEDERAL RULES AND REGULATIONS, LAWS AND ORDINANCES OF ALL THE AUTHORITIES HAVING JURISDICTION.
- 2. DISCONNECTION OF UTILITIES REQUIRED BY THE WORK SHALL BE PERFORMED BY QUALIFIED PERSONNEL.
- ALL WORK IS TO COMPLY WITH APPLICABLE PROVISIONS OF ANSI CODE FOR BUILDING CONSTRUCTION; ANS110.6, SAFETY OF DEMOLITION.
- 4. UTILITY LINES TO BE ABANDONED SHALL BE DISCONNECTED. REMOVE AS REQUIRED, AND/OR CAPPED OFF IN ACCORDANCE WITH APPLICABLE CODE AND REGULATIONS.
- 5. REMOVE ALL AREAS SHOWN DASHED (TYPICAL) ON DEMOLITION PLANS.
- 6. CONTRACTOR TO PROTECT ALL EXISTING AREAS BEYOND LIMIT OF WORK OR ITEMS THAT ARE TO REMAIN, AS REQUIRED.
- 7. COORDINATE DEMOLITION WORK WITH PROPOSED NEW WORK SHOWN ON PROJECT DRAWINGS.
- 8. THE GENERAL CONTRACTOR SHALL NOT INTERFERE WITH NORMAL ACTIVITY IN OR ADJACENT TO THE BUILDING, AND IS SHALL TAKE ALL NECESSARY SAFETY PRECAUTIONS TO PREVENT EXCESSIVE DUST, AND NOISE. ACCESS AND EGRESS TO AND FROM THE EXISTING BUILDING AS WELL AS FIRE PROTECTION IS TO BE MAINTAINED AT ALL TIMES THROUGHOUT THE ENTIRE CONSTRUCTION PROCESS.
- 9. PROVIDE ALL TEMPORARY SHORING BRACING, FRAMING, AND PROTECTION OF EXISTING WORK TO REMAIN BEFORE PROCEEDING WITH DEMOLITION AND DURING ALTERATION WORK.
- 10. PERFORM DEMOLITION WORK AS REQUIRED TO ACCOMMODATE NEW CONSTRUCTION. CONTRACTOR SHALL VERIFY THAT ALL REMOVED COMPONENTS ARE NOT STRUCTURAL, NOTIFY ARCHITECT BEFORE REMOVING ANY STRUCTURAL MEMBERS. NOTIFY ARCHITECT IN CASE OF DISCREPANCY BEFORE PROCEEDING WITH WORK.
- 11. IF DURING DEMOLITION CONDITIONS ARE REVEALED THAT MAY JEOPARDIZE THE INTEGRITY OF THE STRUCTURE OR PRECLUDE THE DESIGN INTENT, THE GENERAL CONTRACTOR SHALL NOTIFY THE ARCHITECT IMMEDIATELY.
- 12. DEMOLITION PLANS ASSUME THAT PORTIONS OF EXISTING WIRING, PLUMBING, EQUIPMENT, DUCTWORK, ETC., IN AREAS OF NEW WORK WILL BE REQUIRED TO BE REMOVED/RELOCATED TO MEET THE REQUIRED DESIGN PARAMETERS OF THE NEW WORK. PRIOR TO COMMENCING DEMOLITION/RELOCATION, CONTRACTOR SHALL VERIFY SPECIFIC CONDITIONS IN THE FIELD AND COORDINATE WITH GC AND ARCHITECT. (SEE M.E.P. DEMOLITION NOTES.)
- 13. BEFORE DISPOSING OF ANY REMOVED ITEMS, CONSULT WITH OWNER AND VERIFY POSSIBLE RE-USE, SALVAGE, OR DISPOSAL OF ANY EXISTING ITEMS AND EQUIPMENT, INCLUDING BUT NOT LIMITED TO, PLUMBING, FIXTURES, EQUIPMENT, LIGHT FIXTURES AND DOORS, ETC.

B. CUTTING AND PATCHING

- 14. GENERAL CONTRACTOR IS RESPONSIBLE FOR COORDINATION OF ALL SUBCONTRACTORS, DEMOLITION CUTTING AND PATCHING
- 15. ALL PARTITIONS, FLOORS, CEILINGS OR ITEMS TO BE REMOVED SHALL BE CLEANLY CUT BACK TO THE LIMITS SHOWN ON THE PLANS, SECTIONS, AND DETAILS OR AS DIRECTED BY THE ARCHITECT.
- 16. ALL EXISTING FLOORS, WALLS, AND CEILINGS AFFECTED BY NEW WALL LOCATIONS ARE TO BE PATCHED AND REPAIRED AS NECESSARY TO PROVIDE A SMOOTH UN-NOTICEABLE TRANSITION OF NEW AND EXISTING MATERIALS AND SURFACES.
- 17. PROVIDE CUTTING AND PATCHING AS REQUIRED FOR ALL DEMOLITION AND ALTERATION WORK. CUTTING AND PATCHING INCLUDE CUTTING INTO OR THROUGH TO PROVIDE FOR THE INSTALLATION OR PERFORMANCE OF OTHER WORK, AND THE SUBSEQUENT FITTING AND PATCHING REQUIRED TO RESTORE THE CUT SURFACES TO THEIR ORIGINAL CONDITION.
- 19. REMOVE EXISTING INTERIOR FINISHES AND MATERIALS AS REQUIRED TO ACCOMMODATE NEW WORK. ALL ITEMS ARE TO BE REMOVED IN A MANNER SO AS TO NOT DAMAGE THE EXISTING MATERIALS OR FINISHES THAT ARE TO REMAIN OR BE REINSTALLED.
- 20. PERFORM DEMOLITION WORK CAREFULLY. REMOVE MASONRY, STEEL, CONCRETE, WALLS AND OTHER STRUCTURAL ELEMENTS IN SMALL SECTIONS. REMOVE THESE MATERIALS TO A CLEANLY CUT, STRAIGHT LINE, ACCURATELY ESTABLISHED.
- 21. REMOVE FROM THE SITE AND DISPOSE OF LEGALLY, ALL EXISTING MATERIALS, DEMOLITION DEBRIS, TRASH, RUBBISH AND ITEMS THAT WILL NOT BE USED IN THE NEW WORK OR WILL NOT BE REUSED BY THE OWNER. STORAGE OF DEBRIS WILL NOT BE PERMITTED. ALL DEBRIS TO BE REMOVED AND DISPOSED OF IN ACCORDANCE WITH STATE AND LOCAL REGULATIONS.
- 22. COORDINATE REMOVAL OF ANY RATED ASSEMBLIES WITH LOCAL OFFICIALS BEFORE COMMENCING WORK.

C. M.E.P. DEMOLITION NOTES

- 23. SEE ELECTRICAL, HVAC, PLUMBING AND FIRE PROTECTION DRAWINGS FOR LOCATION OF NEW UTILITIES AND DEMOLITION OF EXISTING WORK NOT SHOWN ON THESE PLANS. GC TO COORDINATE ALL WORK WITH SUBCONTRACTORS.
- 24. WHERE EXISTING ELECTRICAL DEVICES OCCUR IN PARTITIONS INDICATED TO BE REMOVED, THE WIRING SHALL BE REMOVED, ALL ELECTRICAL LINES BEING DISCONNECTED SHALL BE ADEQUATELY TRACED AND RECONNECTED AS REQUIRED TO ENSURE PROPER FUNCTION FOR THE ADJACENT AREAS AND TO ENSURE PROPER FUNCTION OF THE EXISTING BUILDING EQUIPMENT OR SYSTEM TO REMAIN, ELECTRICAL CONTRACTOR TO VERIFY ALL ELECTRICAL SYSTEMS PRIOR TO THE COMMENCEMENT OF WORK.
- 25. WHERE EXISTING PLUMBING LINES ARE TO BE REWORKED OR REMOVED, ALL PLUMBING LINES BEING DISCONNECTED SHALL BE ADEQUATELY TRACED AND RECONNECTED AS REQUIRED TO ENSURE PROPER FUNCTION FOR THE ADJACENT AREAS AND TO ENSURE PROPER FUNCTION OF THE EXISTING BUILDING EQUIPMENT TO REMAIN IN PLACE.
- 26. WHERE EXISTING HVAC LINES, DUCTWORK, ETC. ARE TO BE REWORKED, ALL LINES AND EQUIPMENT BEING DISCONNECTED SHOULD BE ADEQUATELY TRACED AND RECONNECTED AS REQUIRED TO ENSURE PROPER FUNCTION FOR THE ADJACENT AREAS AND TO ENSURE PROPER FUNCTION TO THE EXISTING BUILDING EQUIPMENT OR SYSTEMS TO REMAIN.
- 27. COORDINATE WITH MECHANICAL AND ELECTRICAL DRAWINGS FOR LOCATIONS OF ALL NEW PENETRATIONS THRU ROOF, FLOORS, WALLS, AND CEILINGS.

D. CLEANING

28. CONTRACTOR IS FULLY RESPONSIBLE FOR THE CLEANING AND PREPARING OF ALL FLOOR, WALL AND CEILING SURFACES FOR THE INSTALLATION OF NEW MATERIALS AS SCHEDULED, UTILITIES, HVAC AND ELECT. SYSTEMS EQUIPMENT, ETC. AFTER DEMO CLEAN-UP.

OTHER: REMINDERS/SPECIFIC TO INDIVIDUAL PROJECTS

- 29. EXISTING LARGE FLOOR OPENINGS TO BE FILLED ARE INDICATED, SMALLER PIPE HOLES, ETC. TO BE FILLED ARE NOT INDICATED ON THE DRAWINGS. REFER TO DETAILS FOR REQUIREMENTS FOR FILLING SAID OPENINGS.
- 30. ALL EXISTING COLUMNS TO REMAIN UNLESS NOTED.
- 31. ALL EXPOSED UNUSED PIPING AND CONDUITS SHALL BE REMOVED BY THE GENERAL CONTRACTOR. SEE SPECIFICATIONS FOR CAPPING.

GENERAL CONSTRUCTION NOTES

- 1. ALL WORK IS TO BE PERFORMED IN PROFESSIONAL AND WORKMANLIKE MANNER, IN ACCORDANCE STATE BUILDING CODE, THE AMERICAN NATIONAL STANDARD (ANSI), THE INTERNATIONAL ENERGY STANDARDS, AS WELL AS ALL LOCAL REGULATIONS GOVERING THE PROJECT.
- 2. CONTRACTOR TO VISIT SITE AND TO VERIFY ALL DIMENSIONS AND CONDITIONS IN THE FIELD, AND REPORT ALL DISCREPANCIES TO ARCHITECT, PRIOR TO PROCEEDING WITH WORK.
- 3. ALL MATERIALS USED ON THIS PROJECT SHALL BE IN COMPLIANCE WITH THE APPLICABLE INTERNATIONAL BUILDING CODE.
- 4. THE CONTRACTOR SHALL MAINTAIN COMPLETE AND UP-TO-DATE DRAWINGS AT THE JOB SITE, AND SHALL SUBMIT ACCURATE AS-BUILT DRAWINGS TO ARCHITECT AND OWNER AT END OF PROJECT.
- 5. THE INTENTION OF THE CONTRACT DOCUMENTS IS TO INCLUDE ALL LABOR, MATERIALS, EQUIPMENT AND OTHER ITEMS NECESSARY FOR THE PROPER EXECUTION AND COMPLETION OF THE WORK.
- 7. THE ARCHITECT WILL HAVE AUTHORITY TO REJECT WORK WHICH DOES NOT CONFORM TO THE CONTRACT DOCUMENTS.
- THE CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR ALL CONSTRUCTION MEANS, METHODS, SUB-CONTRACTORS.
- 9. EACH CONTRACTOR SHALL PERFORM ALL REQUIRED CUTTING AND PATCHING FOR THEIR OWN TRADE, UNLESS OTHERWISE NOTED.
- 10. DRAWINGS SHALL NOT BE SCALED TO OBTAIN DIMENSIONS.
- 11. CONTRACTOR SHALL PROPERLY PROTECT AND MAKE SAFE WORK PREMISES.
- 12. THE CONTRACTOR SHALL KEEP THE WORKSITE CLEAN AND TIDY, AND AT ALL TIMES SHALL KEEP THE
- 13. ALL EXITS SHALL BE KEPT READILY ACCESSIBLE AND UNOBSTRUCTED AT ALL TIMES AND SHALL MAINTAIN REQUIRED EMERGENCY EGRESS DURING CONSTRUCTION.
- 14. THE CONTRACTOR SHALL INDEMNIFY AND HOLD HARMLESS THE OWNER AND THE ARCHITECT, AND INCLUDING ATTORNEY'S FEES ARISING OUT OF OR RESULTING FROM THE PERFORMANCES OF THE WORK.
- 15. THE CONTRACTOR SHALL PAY ALL FEES AND SECURE PERMITS FROM ALL AGENCIES HAVING AUTHORITY HAVING JURISDICTION.
- 16. WEATHER PROTECTION: THE CONTRACTOR SHALL AT ALL TIMES PROVIDE PROTECTION AGAINST THE FIXTURES FROM INJURY OR DAMAGE.
- 17. THE CONTRACTOR SHALL PROTECT ALL AREAS OUTSIDE THE CONTRACT LIMITS AND RESTORE ALL SUCH PROPERTY TO ITS CONDITION PRIOR TO THE START OF THE WORK.
- 18. DAMAGE: ALL WORK DAMAGED BY FAILURE TO PROVIDE PROTECTION SHALL BE REMOVED AND REPLACED WITH NEW WORK AT THE CONTRACTORS EXPENSE. THE CONTRACTOR SHALL THEIR WORK.
- 19. ALL FINISHES SHALL COMPLY WITH THE LIMITS FOR FIRE RESISTANCE/FLAMMABILITY AS SPECIFIED IN THE APPLICABLE INTERNATIONAL BUILDING CODE.
- ELECTRICAL SYSTEMS SHALL BE COORDINATED WITH RESPECTIVE SUBCONTRACTORS. RELOCATE/REWORK ALL ACTIVE MECHANICAL AND ELECTRICAL LINES WHERE REQUIRED DUE TO ATTENTION OF THE ARCHITECT BEFORE COMMENCING WORK.
- 21. CONTRACTORS SHALL COORDINATE WITH PROPERTY MANAGER AS REQUIRED WHEN ITEMS OF NEW AREA OF WORK REPLACE AND RESTORE FINISHES TO MATCH AFTER COMPLETION OF WORK.
- 22. PROVIDE ALL BLOCKING REQUIRED TO INSTALL MILLWORK, EQUIPMENT, CASEWORK, GRAB BARS, RAILINGS, ETC. TYPE AND LOCATION SHALL BE SUBJECT TO REVIEW BY ARCHITECT.
- 23. FOAM IN PLACE INSULATION FOR SMALL GAPS AND VOIDS.
- 24. CAULK ALL JOINTS OF DISSIMILAR MATERIALS.
- 25. PLAN DIMENSIONS ARE TO FACE OF PARTITION AT INTERIOR AND FACE OF FOUNDATION AT EXTERIOR, UNLESS OTHERWISE NOTED.
- 26. REFER TO OWNERS ENVIRONMENTAL REPORT REGARDING CONTAMINANTS AND ASBESTOS ON THE PROJECT SITE/BUILDING.

WITH ALL APPLICABLE FEDERAL & STATE CODES, INCLUDING THE INTERNATIONAL BUILDING CODE (IBC). THESE INCLUDE, BUT ARE NOT LIMITED TO, THE INTERNATIONAL EXISTING BUILDING CODE (IEBC), MASS CONSERVATION CODE (IECC), THE NATIONAL ELECTRIC CODE (NEC), THE INTERNATIONAL PLUMBING CODE (IPC), THE INTERNATIONAL MECHANICAL CODE (IMC), AND THE NATIONAL FIRE PROTECTION

6. BY EXECUTING THE CONTRACT, THE CONTRACTOR REPRESENTS THAT THEY HAVE VISITED THE SITE AND HAVE FAMILIARIZED THEM SELF WITH THE CONDITIONS UNDER WHICH THE WORK IS TO BE PERFORMED.

8. THE CONTRACTOR SHALL SUPERVISE AND DIRECT THE WORK, USING THEIR BEST SKILLS AND ATTENTION. TECHNIQUES, SEQUENCES, PROCEDURES, & SHORING, AND FOR COORDINATING THE WORK OF ALL

PREMISES FREE FROM ACCUMULATION OF WASTE MATERIALS OR TRASH CAUSED BY THEIR OPERATIONS.

THEIR AGENTS AND EMPLOYEES, FROM AND AGAINST ANY CLAIMS, DAMAGES, LOSSES AND EXPENSES


JURISDICTION AND AT COMPLETION SHALL SEE THAT THE PROJECT IS SIGNED OFF BY THE APPROPRIATE

RAIN, WIND, STORM, FROST, OR HEAT SO AS TO MAINTAIN ALL WORK MATERIALS, APPARATUS, AND


UNCONDITIONALLY GUARANTEE ALL MATERIALS AND WORKMANSHIP UNTIL THE DATE OF OWNER'S ACCEPTANCE AND SHALL REPLACE ANY DEFECTIVE WORK WITHIN THAT PERIOD WITHOUT EXPENSES TO THE OWNER AND PAY FOR ALL DAMAGES TO OTHER PARTS OF THE BUILDING CAUSED BY REPAIR OF

20. ALL DEMOLITION AND RELOCATING OF EXISTING MEP SYSTEMS EFFECTING NEW PLUMBING, HVAC, AND REMOVALS AND NEW LAYOUT. MODIFICATIONS FROM THE DRAWINGS SHALL BE BROUGHT TO THE

PLUMBING WORK REQUIRE ACCESS TO ADJACENT COMMON AREAS, AND TENANT SPACES OUTSIDE




ARCHITECT:	
	8 8 X
	SSACHUSETTS 01608 (C) 508.372.5368 LOARCHITECTS.COM
	ITTS IS
	10SE 508 24IIIE
	ARO AR
	ASS
KE	533 M
	DIXC
DIXON SALO ARCHITECTS	worcester, Ma (1)508.755.0533 Admin@dixonsai
	VOR DMI
INCORFORATED®	S ⊂ «
ARCHITECT'S STAMP:	
ENGINEER:	
ENGINEER'S STAMP:	
GENERAL INFORMATION:	
SCHEMATIC	
DESIGN DEVELOPMENT	
	·
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION	
DESIGN DEVELOPMENT BID PERMIT	
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION EXISTING CONDITIONS	
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION EXISTING CONDITIONS	
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION EXISTING CONDITIONS 4 3 2	
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION EXISTING CONDITIONS	
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION EXISTING CONDITIONS 4 3 2	
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION EXISTING CONDITIONS 4 3 2 1	
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION EXISTING CONDITIONS 4 3 2 1 REVISION DATE	
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION EXISTING CONDITIONS 4 3 2 1 REVISION DATE	11.29.2022
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION EXISTING CONDITIONS 4 3 2 1 REVISION DATE DATE: SCALE:	11.29.2022
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION EXISTING CONDITIONS 4 3 2 1 REVISION DATE DATE: SCALE: PROJECT:	11.29.2022 11.29.2022 11.29.2022 AS NOTED
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION EXISTING CONDITIONS 4 3 2 1 REVISION DATE DATE: SCALE: PROJECT: DRAWN:	11.29.2022 11.29.2022 AS NOTED JGH
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION EXISTING CONDITIONS 4 3 2 1 REVISION DATE DATE: SCALE: PROJECT: DRAWN: CHECKED:	11.29.2022 11.29.2022 11.29.2022 AS NOTED
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION EXISTING CONDITIONS 4 3 2 1 REVISION DATE DATE: SCALE: PROJECT: DRAWN: CHECKED: PROJECT TITLE:	11.29.2022 11.29.2022 AS NOTED JGH
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION EXISTING CONDITIONS 4 3 2 1 REVISION DATE DATE: SCALE: PROJECT: DRAWN: CHECKED: PROJECT TITLE: EXISTING CONDITIONS	11.29.2022 11.29.2022 AS NOTED JGH
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION EXISTING CONDITIONS 4 3 2 1 REVISION DATE DATE: SCALE: PROJECT: DRAWN: CHECKED: PROJECT TITLE: EXISTING CONDITIONS 43 HARVARD STREET	11.29.2022 11.29.2022 AS NOTED JGH
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION EXISTING CONDITIONS 4 3 2 1 REVISION DATE DATE: SCALE: PROJECT: DRAWN: CHECKED: PROJECT TITLE: EXISTING CONDITIONS	11.29.2022 11.29.2022 AS NOTED JGH
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION EXISTING CONDITIONS 4 3 2 1 REVISION DATE DATE: SCALE: PROJECT: DRAWN: CHECKED: PROJECT TITLE: EXISTING CONDITIONS 43 HARVARD STREET	11.29.2022 11.29.2022 AS NOTED JGH
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION EXISTING CONDITIONS 4 3 2 1 REVISION DATE DATE: SCALE: PROJECT: DRAWN: CHECKED: PROJECT TITLE: EXISTING CONDITIONS 43 HARVARD STREET	11.29.2022 11.29.2022 AS NOTED JGH
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION EXISTING CONDITIONS 4 3 2 1 REVISION DATE DATE: SCALE: PROJECT: DRAWN: CHECKED: PROJECT TITLE: EXISTING CONDITIONS 43 HARVARD STREET WORCESTER, MA 01609 SHEET TITLE:	11.29.2022 11.29.2022 AS NOTED JGH
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION EXISTING CONDITIONS 4 3 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	11.29.2022 11.29.2022 AS NOTED JGH
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION EXISTING CONDITIONS 4 3 2 1 REVISION DATE DATE: SCALE: PROJECT: DRAWN: CHECKED: PROJECT TITLE: EXISTING CONDITIONS 43 HARVARD STREET WORCESTER, MA 01609 SHEET TITLE:	11.29.2022 11.29.2022 AS NOTED JGH
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION EXISTING CONDITIONS 4 3 2 1 REVISION DATE DATE: SCALE: PROJECT: DRAWN: CHECKED: PROJECT TITLE: EXISTING CONDITIONS 43 HARVARD STREET WORCESTER, MA 01609 SHEET TITLE:	11.29.2022 11.29.2022 AS NOTED JGH
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION EXISTING CONDITIONS 4 3 2 1 REVISION DATE DATE: SCALE: PROJECT: DRAWN: CHECKED: PROJECT TITLE: EXISTING CONDITIONS 43 HARVARD STREET WORCESTER, MA 01609 SHEET TITLE:	11.29.2022 11.29.2022 AS NOTED JGH
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION EXISTING CONDITIONS 4 3 2 1 DATE: SCALE: PROJECT: DRAWN: CHECKED: PROJECT TITLE: EXISTING CONDITIONS 43 HARVARD STREET WORCESTER, MA 01609 SHEET TITLE: GENERAL NOTES & DETAILS	11.29.2022 11.29.2022 AS NOTED JGH
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION EXISTING CONDITIONS 4 3 2 1 REVISION DATE DATE: SCALE: PROJECT: DRAWN: CHECKED: PROJECT TITLE: EXISTING CONDITIONS 43 HARVARD STREET WORCESTER, MA 01609 SHEET TITLE:	11.29.2022 11.29.2022 AS NOTED JGH
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION EXISTING CONDITIONS 4 3 2 1 2 1 DATE: SCALE: PROJECT: DRAWN: CHECKED: PROJECT TITLE: EXISTING CONDITIONS 43 HARVARD STREET WORCESTER, MA 01609 SHEET TITLE: GENERAL NOTES & DETAILS	11.29.2022 11.29.2022 AS NOTED JGH
DESIGN DEVELOPMENT BID PERMIT CONSTRUCTION EXISTING CONDITIONS 4 3 2 1 2 1 DATE: SCALE: PROJECT: DRAWN: CHECKED: PROJECT TITLE: EXISTING CONDITIONS 43 HARVARD STREET WORCESTER, MA 01609 SHEET TITLE: GENERAL NOTES & DETAILS	11.29.2022 11.29.2022 AS NOTED JGH



11/29/2022 12:26 PM

	ARCHITECT:
	DIXON SALOS MINECISCOM MINEDIXONSALOARCHITECTS.COM DIXON SALOARCHITECTS.COM
	ID ARC
	STREET STREET STREET STREET XONSA
9 (10)	
	ARCHITECT'S STAMP:
	ENGINEER:
	ENGINEER'S STAMP:
	GENERAL INFORMATION:
	SCHEMATIC DESIGN DEVELOPMENT
	BID PERMIT
	CONSTRUCTIONEXISTING CONDITIONS 11.29.2022
	4
	3
	2
	REVISION DATE
	DATE: 11.29.2022
	DATE: 11.29.2022 SCALE: AS NOTED
	PROJECT:
	DRAWN: JGH CHECKED: JGH
	PROJECT TITLE:
	EXISTING CONDITIONS 43 HARVARD STREET
	WORCESTER, MA 01609
	SHEET TITLE: EXISTING LOWER LEVEL PLAN
EXISTING LOWER LEVEL PLAN	
3CALE. 1/0 - 1-0	
	SHEET NUMBER:
	EX-1.0



11/29/2022 12:26 PM

	ARCHITECT:
9 10 1 1 1 1	ACCHITECT'S STAMP:
	ENGINEER:
	ENGINEER'S STAMP:
	GENERAL INFORMATION:
	SCHEMATIC
	Image: Scheme of the second
	DATE: 11.29.2022 SCALE: AS NOTED PROJECT: DRAWN: JGH CHECKED: JGH PROJECT TITLE: EXISTING CONDITIONS 43 HARVARD STREET WORCESTER, MA 01609
EXISTING FIRST FLOOR PLAN SCALE: 1/8" = 1'-0"	SHEET TITLE: EXISTING FIRST FLOOR PLAN SHEET NUMBER: EXA-1.1

