



The City of Worcester

Worcester Fire Department

Martin Dyer, Fire Chief

141 Grove Street, Worcester, MA 01605

P| 508-799-1822

wfd@worcesterma.gov

WORCESTER FIRE DEPARTMENT APPLICATION FOR PERMIT: CLASS I FLAMMABLE and/or CLASSES II & IIIA COMBUSTIBLE LIQUIDS

Application to keep, store, manufacture, and/or handle flammable and/or combustible liquids, per Massachusetts Comprehensive Fire Safety Code, 527 CMR 1.00: Ch.66 (Flammable & Combustible Liquids), section 66.1.5. The scope of 527 CMR 1.00 includes, but is not limited to, the following in accordance with M.G.L. c. 22D and M.G.L. c. 148 and as prescribed by M.G.L. c. 143 § 96.

Massachusetts Comprehensive Fire Safety Code, 527 CMR 1.00, is based on the 2012 edition of NFPA® 1.

OPERATION FOR WHICH PERMIT IS ISSUED	KEEP, STORE, MANUFACTURE, AND/OR HANDLE FLAMMABLE AND/OR COMBUSTIBLE LIQUIDS
ADDRESS WHERE ACTIVITY IS TO BE CONDUCTED (INCLUDE NAME OF BUSINESS, STREET ADDRESS & ZIP CODE).	
NAME OF OWNER	
PHONE NUMBER, OWNER	
NAME OF 24/7 EMERGENCY CONTACT	
PHONE NUMBER OF 24/7 EMERGENCY CONTACT	
ADDITIONAL REQUIRED DOCUMENTATION	
<input type="checkbox"/> INCLUDE COMPLETED FIRE PREVENTION FORM FP-006, APPLICATION FOR STANDARD PERMIT. CLICK LINK HERE FOR FP-006 FORM.	<input type="checkbox"/> CHECK HERE IF THE QUANTITY OF CLASS I FLAMMABLE LIQUIDS EXCEEDS 10,000 GAL. (LICENSE QUANTITY) <u>IN FIXED STORAGE CONTAINERS.</u>
<input type="checkbox"/> CERTIFICATE(S), AND/OR LICENSE(S) ISSUED UNDER M.G.L. C. 148 § 13 (AS APPLICABLE).	<input type="checkbox"/> CHECK HERE IF THE QUANTITY OF CLASS II and/or CLASS IIIA and/or CLASS IIIB COMBUSTIBLE LIQUIDS EXCEEDS 10,000 GAL (LICENSE QUANTITY).
<input type="checkbox"/> FLOOR PLANS/SITE PLANS (IF REQUIRED).	<input type="checkbox"/> CHECK HERE IF FLAMMABLE GASES >200 ft ³ IN USE OR STORAGE
<input type="checkbox"/> CHECK HERE IF APPROVED FLAMMABLES CABINETS, GAS CABINETS, AND/OR EXHAUSTED ENCLOSURES IN PLACE.	<input type="checkbox"/> CHECK BOX IF AN INDUSTRIAL OVEN AND/OR FURNACE IN USE ON PREMISES. INDICATE CLASS OF OVEN: CLASS A <input type="checkbox"/> CLASS B <input type="checkbox"/> CLASS C <input type="checkbox"/> CLASS D <input type="checkbox"/>
<input type="checkbox"/> CHECK BOX IF INDOOR STORAGE OF CLASS I FLAMMABLE LIQUIDS > 5 GAL ¹ . OR,	<input type="checkbox"/> OCCUPANCY PERMIT (INCLUDE COPY).
<input type="checkbox"/> OUTDOOR STORAGE OF CLASS I FLAMMABLE LIQUIDS > 10 GAL.	<input type="checkbox"/> CHECK IF AUTOMATIC SPRINKLER SYSTEM IN PLACE, & INCLUDE COPY OF LAST INSPECTION.
<input type="checkbox"/> CHECK HERE IF INDOOR STORAGE OF CLASS II AND/OR IIIA COMBUSTIBLE LIQUIDS >25 GAL. OR,	<input type="checkbox"/> CHECK IF BULK, OUTDOOR, ABOVE-GROUND STORAGE OF COMPRESSED GASES, AND/OR CRYOGENICS ON SITE.
<input type="checkbox"/> OUTDOOR STORAGE OF CLASS II and/or CLASS IIIA LIQUIDS >60 GAL.	<input type="checkbox"/> CHECK BOX IF 'H' OCCUPANCY/MAXIMUM ALLOWABLE QUANTITIES EXCEEDED.
<input type="checkbox"/> CHECK HERE IF THE QUANTITY OF CLASS I FLAMMABLE LIQUIDS EXCEEDS 793 GAL. (LICENSE QUANTITY) <u>FOR USE IN PROCESSING.</u>	

¹ See Tables:

WFD COMBINED FLAMMABLES & HAZARDOUS INVENTORY SUBMISSION FORM				
NAME OF BUSINESS & ADDRESS		PAGE ____		
NAME OF CHEMICAL, HAZARDOUS SUBSTANCE, or FLAMMABLE/COMBUSTIBLE LIQUIDS, ETC. and LOCATION	CHEMICAL ABSTRACT SERVICE (CAS) NUMBER	HAZARDOUS PROPERTIES and PHYSICAL FORM (liquid, solid, gas; color, odor and any other identifying characteristics)	NFPA 704	AMOUNT IN INVENTORY

1.12.8(a) states, ‘...handle, use Class I Liquids in excess of 5 gallons’

1.12.8.50 Permit and/or License Thresholds states, ‘...no permit needed for storing less than 7 gallons Class I flammable liquids.’ WFD defers to the most restrictive (i.e. ≥ 5 gal).



The inventory must contain:

- The chemical name and brief description of location,
- Chemical Abstract Service number,
- NFPA 704 rating for each substance (mandatory for inventories with greater-than 50 line items)
- Hazardous properties of said chemicals (not limited to DOT classification—all GHS properties),
- Physical form (solid, liquid, gas, color, odor)
- The amount in inventory (if it fluctuates, enter the amount that is the most that can be expected to be found on any given day).

All fields must be typed, not handwritten (transcription errors can change everything in chemistry).

Inventories may be submitted in Excel or Word formats, or in the format provided (previous page) and should be submitted electronically to the Hazmat Code Enforcement Officer (see email address below). The form on page 2 is provided for reference, and as an example of the format example and may be used for the inventory submission as well.

EXAMPLE INVENTORY SUBMISSION FORM (see previous page for blank Inventory Submission form).

WFD COMBINED FLAMMABLES & HAZARDOUS MATERIALS INVENTORY SUBMISSION FORM				
NAME OF BUSINESS & ADDRESS		ALBANY OIL – 555 SECOND ST, WORCESTER		
NAME ² OF CHEMICAL, HAZARDOUS SUBSTANCE, or FLAMMABLE/COMBUSTIBLE LIQUIDS, ETC. and LOCATION	CHEMICAL ABSTRACT SERVICE (CAS) NUMBER	HAZARDOUS PROPERTIES ³ and PHYSICAL FORM (liquid, solid, gas; color, odor and any other identifying characteristics)	NFPA 704 ⁴	AMOUNT IN INVENTORY ⁵
ETHANOL LOCATED: northeast corner, inside building.	64-17-5	CLASS I FLAMMABLE LIQUID PHYSICAL FORM: clear colorless liquid with a characteristic vinous (wine-like) odor and pungent taste.		110 gal in (2) 55 gal drums
FUEL OIL, [NO. 2] Outside, behind building, in an above-ground storage tank	68476-30-2	CLASS II COMBUSTIBLE LIQUID oily, yellow-brown liquid		550 gal in skid tank

Instructions for submitting applications:

1. Contact the Hazardous Materials Code Enforcement Officer (email: SARAHazmat@worcesterma.gov) for directions, requirements, and guidance.

² Include common names, also-known-as, and for commercial products any identifying numbers that differentiate between concentrations, etc.

³ Not limited to DOT classification. See chemical/hazardous materials/flammables SDS for all GHS hazard classifications.

⁴ Required when chemical/hazardous materials/flammables inventory exceeds 75 line items. See SDSs for NFPA 704 values.

⁵ All weights and measures to be submitted in imperial units: pounds, ounces, gallons. Gases to be submitted in cubic feet (ft³).

2. Applications must include completed FP-006 form, Standard Application for Permit and page 1 of this document. This is to establish the applicant's information. Actual applications are generated by the Hazardous Materials Code Enforcement Officer/AHJ.
3. An inventory of all hazardous materials, including flammable and combustible liquids and flammable gases on site is required. Hazardous Materials are defined as all materials in inventory for which the user is required by OSHA to keep a Safety Data Sheet on. The exception being cleaning products in retail sizes—facilities are not required to submit cleaning supplies unless in they are in bulk, exceeding 5 gallons per container. As stated above, the inventory must contain:
 - The chemical name
 - Brief description of location
 - Chemical Abstract Service number,
 - Hazardous properties of said chemicals (not limited to DOT classification—all GHS properties), and brief description of physical form (liquid, solid, gas; color, odor and any other identifying characteristics)
 - NFPA 704 rating for each substance (required for inventories exceeding 50 line items)
 - The amount in inventory (if it fluctuates, then an educated guess as to the most that can be expected to be found on any given day).
4. Inventories are reviewed and requirements for permits are based on:
 - 527 CMR 1.00 which redirects to NFPA 1 Tables 1/12/8 (a), (b), (c), & (d) for permit quantities.
 - quantity of chemical or substance
 - authorities, regulations, codes, standards, and accepted definitions
 - hazardous properties (based on a comparison of information sources, i.e. CAMEO Chem, PubChem, SDS sheets, and other industry standard sources.
5. NFPA 704s can be found on most Safety Data Sheets.
6. Flammable & Combustible Liquids in excess of permit quantities require Flammables Liquids Use and Storage permits. Hazardous Materials in quantities greater than permit quantities require separate permits. Permits required for hazardous processes (Permit to Process Hazardous Materials) have separate requirements and require separate permits as well. Bulk storage of Compressed Gases and/or Cryogenic Liquids may or may not be permitted separately on a Compressed Gases/Cryogenics permit. All of the aforementioned is at the discretion of the Authority Having Jurisdiction.
7. The Hazmat Code Enforcement Officer (who is also responsible for oversight of Commercial Flammable/Combustibles permits) will supply the applicant with the appropriate, actual permit applications after review.
8. Applications must be taken to, or mailed to the Worcester Fire Department Fire Prevention Division at 25 Meade St. The fee per permit is \$50. Checks and credit cards are accepted. Checks must be made payable to 'City of Worcester'.
9. Accuracy in completing these forms is vitally important and the sole responsibility of the user, as is a working knowledge of applicable regulations, codes, and standards pertaining to the use, storage, handling, and manufacturing involving hazardous materials.
10. A Facility Emergency Coordinator must be named as emergency point-of-contact between responders and the facility (from a hazardous materials standpoint). The Facility Emergency Coordinator is responsible for knowing:
 - Chemical processes
 - Properties of the chemicals
 - Proper storage procedures
 - First aid to initially treat exposure to chemicals in inventory
 - Behavior of chemicals under release, and:
 - Physical forms of the chemicals under release
 - Weather conditions under which it/they were released
 - Geographical area of impact
 - Probable harm that will be caused
 - Unusual reactions between chemicals in inventory
 - Any special training and/or equipment needed by first responders to respond to their chemicals in inventory
 - How much of each chemical may be present at particular time
 - Any other info that might be pertinent to particular chemical.
 - Knowing shipping routes & types of carriers.

Conditions of note regarding permits:

527 CMR 1.00

1.7.7.4.1 The applicant for any permit, certificate or license issued pursuant to the provisions of this Code or M.G.L. c. 148, or any person who seeks to renew or continue to hold such permit, certificate or license, shall be deemed to have consented to the inspection, at any reasonable hour, of any documents, premises, structure, marine vessel, building or vehicle reasonably associated with said permit, license or certificate, or application or renewal thereof, in order to confirm compliance with the requirements of this Code, M.G.L. c. 148 or other related law or regulation related to such permit, license or certificate.

1.12.2 Applications for permits shall be accompanied by such data as required by the AHJ and such fees as required by Massachusetts General Laws.

1.12.6.7 Any change that affects any of the conditions of the permit shall require a new or amended permit.

1.12.7.1 The AHJ shall be permitted to revoke or suspend a permit or approval issued by said AHJ if any violation of this Code or of M.G.L. c. 148 is found upon inspection or if any false statements or misrepresentations have been submitted in the permit application or plans on which the permit or approval was based.

1.7.8 Imminent Danger Conditions. Where conditions exist and are deemed to be an imminent danger by the AHJ, the AHJ shall have the authority to abate or require abatement of such conditions that are in violation of this Code or M.G.L. c. 148.

1.15.1.1 As permitted by other sections of this Code, the AHJ shall be permitted to require a review by an approved independent third party⁶ with expertise in the matter, to be reviewed at the submitter's expense.

1.15.1.2 The independent reviewer shall provide an evaluation and, if appropriate, recommend necessary changes of the proposed design, operation, process, or new technology to the AHJ.

1.15.1.3 The AHJ shall be authorized to require design submittals to bear the stamp of a registered design professional.

1.15.1.4 The AHJ shall make the final determination as to whether the provisions of this Code have been met.

The purpose of these regulations is to provide basic requirements for the protection of life and property through prevention and control of fires and explosions involving the use of flammable and/or combustible liquids. Its requirements are designed to control hazards and protect personnel from the harmful effects to which personnel might be exposed as the result of a fire or explosion and to achieve a comprehensive fire prevention and protection program to prevent injury or death to occupants and emergency response personnel.

⁶ **see also 60.8.2.5—Competent Professional:** A person who, based upon education, training, skill, experience or professional licensure or a combination thereof, has a specialized knowledge beyond that of an average person, about risk assessment, process hazard analysis, and/or process safety management principles, for the process or processes being evaluated.