

September 5, 2025

To All Bidders:

Subject: Bid No. 8525-M6 Grafton Street Fire Station – Bathroom Renovation / WFD

ADDENDUM NO. 1

To Whom It May Concern:

With reference to our bid request relative to the above subject, please refer to the changes/modifications/clarifications to the original proposal request.

General Bid Clarification:

1. The Bid Opening Date has been moved to Wednesday, September 17, 2025. Time remains at 10:00am local time.

Specifications:

- 1. Section 10.28.19 SHOWER ENCLOSURES, Part 3 EXECUTION, Article 3.2 INSTALLATION, *ADD* Paragraph C. to read as follows: "C. Install waterproofing membrane over acceptable solid backing, per manufacturer's instructions."
- 2. Section 10.28.19 SHOWER ENCLOSURES, Part 3 EXECUTION, Article 3.2 INSTALLATION, *ADD* Paragraph D. to read as follows: "Perform water test after waterproofing membrane is installed, per manufacturer's instructions. Wait 24 hours minimum after the membrane installation is complete to allow for final set of thin-set mortar and ensure waterproof performance at seams and connections."

Drawings:

1. Please use updated drawing sheets A1 & A2 attached separately to this bid.

Bidders are requested to acknowledge and/or include this addendum with submission. All other terms, conditions and specifications remain unchanged.

Very truly yours,

Stephen R. McDonald Assistant Purchasing Director