



The City of **WORCESTER**

Administration & Finance – Purchasing Division
Christopher J. Gagliastro, MCPPO – Purchasing Director
455 Main Street, Room 201, Worcester, MA 01608
P | 508-799-1220
purchasing@worcesterma.gov

August 10, 2026

To All Bidders:

Subject: **Bid No. 8727-M7 – Resurfacing Goddard Memorial Drive (M26-2) / DPW**

ADDENDUM NO. 2

To Whom It May Concern:

With reference to our bid request relative to the above subject, please refer to the changes/modifications/clarifications to the original proposal request.

General Bid Clarification:

1. The Bid Opening Date has been moved to Wednesday, August 19, 2026. Time remains at 10:00am local time.
2. Item 403.2 Added, this item will be used in areas that the CIP physically cannot reach including the intersection up Airport Drive at Goddard Memorial Drive, and any necessary cutbacks project wide. Bidders are required to use updated P-sheets attached below.

Questions Received by this Office & Answers from the City:

1. Q: Will the contractor be paid under Item 424 to patch all of the structures that have to be dropped and plated?
A: No. Also, Pulling and plating Catch basins will be paid for under Item 250 and Catch Basin frames and grates must be removed within 2 calendar days of CIP and replaced within 5 days after CIP to avoid flooding.
2. Q: Item 497.05 – Pre Milling has a unit of LF but a quantity that matches Item 497.01 which is SY. Please clarify if the item will be paid as LF or SY? If it is paid by the LF, what is the minimum width that will be required per pass?
A: The Pre Mill will be measured by the LF as required to remove enough volume of material to account for the final grade of the road. The expectation of the City is the R&R Sloped granite edging will be performed in 2 phases. Removed and left on the island(s), the Cold-in-place process completed, and the Edging Replaced in the same locations after CIP is complete (any necessary sawcutting will be incidental to this process). Please see the adjusted quantity for Pre Milling that accounts for pre milling all gutters.



The City of **WORCESTER**

Administration & Finance – Purchasing Division
Christopher J. Gagliastro, MCPPO – Purchasing Director
455 Main Street, Room 201, Worcester, MA 01608
P | 508-799-1220
purchasing@worcesterma.gov

3. Q: Will the utility companies (electric/telephone/cable) lower and plate their castings for the cold in place process? If not, will the contractor be compensated under items 116 and 424 to dig around and pave back in?

A: The contractor is to assume the utility companies will not lower and plate their castings forcing the contractor to work around them. That said, the contractor will be compensated under items 116 and 424 to dig around and pave back in.

4. Q: The specs for the cold in place state “Recycled material from the recycling unit shall be conveyed directly into the paver. Equipment used for SFDR shall be approved by the owner”. The specs for MassDOT Cold-In-Place allow the recycled material to be dumped on the ground and then immediately picked up using a pickup machine and hopper insert in the paver. Can the CIP method allowed by MassDOT be used on this project?

A: The city is satisfied with the current process, spec, and final product for CIP and will not be changing our required process this construction season.

5. Q: Will the contractor be paid under Item 424 for temporary ramps/donuts after the Pre-Milling or after the CIP process if ramps/donuts are needed?

A: No.

Bidders are requested to acknowledge and/or include this addendum with submission. All other terms, conditions and specifications remain unchanged.

Very truly yours,

Stephen R. McDonald
Assistant Purchasing Director

M26-2 Cold In Place Resurfacing

THE BIDDER MUST FILL IN THESE UNIT PRICES. Also carry out all extensions and fill in "Computed Totals."

In case of error or discrepancies, UNIT PRICES govern and written works take precedence over figures.

ITEM NUMBER AND DESCRIPTION		ESTIMATED QUANTITY	COMPUTED TOTALS
116.0000	EXCAVATION		

	_____ Dollars	40.00	\$ _____
	(\$ _____) CY		
126.0000	GRAVEL BORROW		

	_____ Dollars	48.00	\$ _____
	(\$ _____) CY		
128.0000	SCREENED LOAM BORROW		

	_____ Dollars	1,137.00	\$ _____
	(\$ _____) CY		
156.0000	SEEDING		

	_____ Dollars	6,866.00	\$ _____
	(\$ _____) SY		
235.0000	CATCH BASIN FRAME & GRATE		

	_____ Dollars	24.00	\$ _____
	(\$ _____) EA		
236.0000	MANHOLE FRAME & COVER		

	_____ Dollars	100.00	\$ _____
	(\$ _____) EA		
245.0000	GRANITE INLET STONE		

	_____ Dollars	10.00	\$ _____
	(\$ _____) EA		
245.1000	EXISTING GRANITE INLET STONE REMOVE & RESET		

	_____ Dollars	95.00	\$ _____
	(\$ _____) EA		
246.0000	8 INCH GREEN TRAPS		

	_____ Dollars	8.00	\$ _____
	(\$ _____) EA		

M26-2 Cold In Place Resurfacing

ITEM NUMBER AND DESCRIPTION		ESTIMATED QUANTITY	COMPUTED TOTALS
249.0000	CATCH BASIN CLEANING		
		Dollars	105.00 \$
	(\$) EA		
250.0000	MANHOLE FRAMES, REMOVE, PLATE & RETAIN		
		Dollars	176.00 \$
	(\$) EA		
252.1000	MANHOLE ADJUSTMENT 12 INCH OR LESS GRAVEL		
		Dollars	24.00 \$
	(\$) EA		
252.2000	MANHOLE ADJUSTMENT 12 INCH OR LESS RIGID		
		Dollars	2.00 \$
	(\$) EA		
254.1000	CATCH BASIN ADJUST TO LINE AND/OR GRADE 12 INCH OR LESS, GRAVEL		
		Dollars	81.00 \$
	(\$) EA		
255.1000	CATCH BASIN ADJUST TO LINE AND/OR GRADE 12 INCH OR OVER, GRAVEL		
		Dollars	24.00 \$
	(\$) VI		
304.0300	ADJUST CURB STOP TO GRADE		
		Dollars	16.00 \$
	(\$) EA		
304.0400	REPLACING 4" - 12" GATE VALVE BOX, GRAVEL BASE		
		Dollars	18.00 \$
	(\$) EA		
304.0600	REMOVE AND RETAIN WATER BOX		
		Dollars	21.00 \$
	(\$) EA		

M26-2 Cold In Place Resurfacing

ITEM NUMBER AND DESCRIPTION	ESTIMATED QUANTITY	COMPUTED TOTALS
304.0800 WATER BOX ADJUST TO GRADE, GRAVEL BASE		
_____ Dollars	4.00	\$ _____
(\$ _____) EA		
310.6000 HYDRANT PAINTING		
_____ Dollars	16.00	\$ _____
(\$ _____) EA		
403.2000 GRINDING AND MILLING 2 INCH		
_____ Dollars	800.00	\$ _____
(\$ _____) SY		
405.0000 STRAIGHT CURB (VA-4)		
_____ Dollars	20.00	\$ _____
(\$ _____) LF		
414.1000 GRANITE EDGE REMOVE & RESET		
_____ Dollars	10,200.00	\$ _____
(\$ _____) LF		
416.0000 CURB REMOVE AND RESET		
_____ Dollars	1,400.00	\$ _____
(\$ _____) LF		
422.2000 SUPERPAVE 12.5 MM LEVEL 2		
_____ Dollars	7,845.00	\$ _____
(\$ _____) TN		
424.0000 BITUMINOUS CONCRETE DRIVEWAY & VARIOUS AREA		
_____ Dollars	190.00	\$ _____
(\$ _____) TN		
430.0000 EXISTING BITUMINOUS CONCRETE DRIVEWAY REPAIR		
_____ Dollars	592.00	\$ _____
(\$ _____) SY		

M26-2 Cold In Place Resurfacing

ITEM NUMBER AND DESCRIPTION	ESTIMATED QUANTITY	COMPUTED TOTALS
432.0000 EXISTING BITUMINOUS CONCRETE SIDEWALKS REPAIR		
_____	Dollars	1,634.00
(\$ _____) SY		\$ _____
442.0000 CONCRETE SIDEWALK REPAIR		
_____	Dollars	500.00
(\$ _____) SY		\$ _____
446.1000 CLASS B CONCRETE FOR ROADWAY BASE (3,500 P.S.I. 1-1/2 520)		
_____	Dollars	500.00
(\$ _____) CY		\$ _____
450.0000 BOUNDS, REMOVE & RESET		
_____	Dollars	7.00
(\$ _____) EA		\$ _____
454.0000 WHEELCHAIR RAMP CEMENT CONCRETE - 6" THICK WITH DETECTABLE WARNING PANELS		
_____	Dollars	850.00
(\$ _____) SY		\$ _____
485.0000 REMOVE AND RETAIN GAS BOX		
_____	Dollars	4.00
(\$ _____) EA		\$ _____
486.0000 RETURN AND RESET GAS BOX		
_____	Dollars	4.00
(\$ _____) EA		\$ _____
497.0100 COLD IN PLACE RECYCLING (CIR)		
_____	Dollars	65,500.00
(\$ _____) SY		\$ _____
497.0310 CORE SAMPLING - CIR		
_____	Dollars	5.00
(\$ _____) Day		\$ _____

M26-2 Cold In Place Resurfacing

ITEM NUMBER AND DESCRIPTION	ESTIMATED QUANTITY	COMPUTED TOTALS
497.0320 MIX DESIGN - CIR		
_____ Dollars	9.00	\$ _____
(\$ _____) EA		
497.0410 MATERIAL SAMPLING - SFDR		
_____ Dollars	5.00	\$ _____
(\$ _____) Day		
497.0500 PRE MILLING		
_____ Dollars	31,600.00	\$ _____
(\$ _____) LF		
501.0000 4 INCH REFLECTORIZED WHITE LINE (THERMOPLASTIC)		
_____ Dollars	30,462.00	\$ _____
(\$ _____) LF		
502.0000 4 INCH REFLECTORIZED YELLOW LINE (THERMOPLASTIC)		
_____ Dollars	2,841.00	\$ _____
(\$ _____) LF		
503.0000 12 INCH REFLECTORIZED WHITE LINE (THERMOPLASTIC)		
_____ Dollars	17,914.00	\$ _____
(\$ _____) LF		
504.0000 PAVEMENT ARROW/LEGEND REFLECTORIZED WHITE (THERMOPLASTIC)		
_____ Dollars	37.00	\$ _____
(\$ _____) EA		
505.0000 4 INCH REFLECTORIZED WHITE LINE (WATERBORNE)		
_____ Dollars	3,710.00	\$ _____
(\$ _____) LF		
506.0000 4 INCH REFLECTORIZED YELLOW LINE (WATERBORNE)		
_____ Dollars	1,894.00	\$ _____
(\$ _____) LF		

M26-2 Cold In Place Resurfacing

ITEM NUMBER AND DESCRIPTION		ESTIMATED QUANTITY	COMPUTED TOTALS
507.0000	12 INCH REFLECTORIZED WHITE LINE (WATERBORNE)		
		Dollars	1,026.00 \$
	(\$) LF		
509.0100	BICYCLE LANE SYMBOLS		
		Dollars	45.00 \$
	(\$) EA		
509.0500	GREEN FRICTION SURFACE ELEPHANT FEET CROSSING WITH LAYOUT		
		Dollars	947.00 \$
	(\$) LF		
519.0000	LIGHTED VARIABLE MESSAGE BOARD		
		Dollars	15.00 \$
	(\$) Day		
520.0000	WARNING AND REGULATORY SIGNS		
		Dollars	12.00 \$
	(\$) EA		
521.0000	TYPE "A" STREET NAME SIGNS		
		Dollars	2.00 \$
	(\$) EA		
522.0000	TYPE "B" STREET NAME SIGNS		
		Dollars	4.00 \$
	(\$) EA		
523.0000	TRAFFIC SIGN POLES		
		Dollars	8.00 \$
	(\$) EA		
900.0000	Lump Sum Reserve		
	three hundred sixty thousand four hundred thirty-six and xx / 100	Dollars	\$ 360,436.00
953.2020	SILT SACK		
		Dollars	95.00 \$
	(\$) EA		

TOTAL BID PRICE INCLUDING CONTINGENCY

_____ Dollars and _____ Cents
(amount in words)

\$ _____
(amount in figures)

This proposal is based on provisions of the following addenda:

No. _____	No. _____
No. _____	No. _____

All amounts and totals given above will be subject to verification by the City. In case of variation between Unit Bid Price and Totals shown by the Bidder, the Unit Price written in words will be considered to be the bid.

The City reserves the right to reject any and all bids, wholly or in part, and to make awards in a manner deemed in the best interests of the City.

The above estimated quantities form an approximate statement of the extent of the work to be done, based upon the estimate of the Contracting Officer. The City does not expressly or by implication agree that the actual quantity of work will correspond therewith, but reserves the right to increase or decrease the quantity of any class or portion of the work, as may be deemed necessary by the Contracting Officer.