

September 20, 2022

To All Bidders:

Subject: Bid No. CR-7890-M3, Gloves/WFD

**ADDENDUM #1** 

To Whom It May Concern:

With reference to our bid request relative to the above subject, please refer to the changes/modifications/clarifications to the original proposal request.

# • See responses to vendor questions below:

### Q: from Bidder

- 1. Is this a one-time delivery of the full volume of the glove product to one location and/or can you advise an estimated frequency of the ordering?
- 2. How many Fire Departments would be ordering?

#### A: from Worcester Fire Dept.

All deliveries will be made to one location: the 141 Grove Street location. This bid is for the Worcester Fire Department only. Gloves are typically ordered every other month, unless there is an urgent need for more...like a pandemic.

#### Q: From Bidder

Are substitutes ok for this bid?

#### A: from Worcester Fire Dept.

No substitutions please. (Although our standard bid forms may state that substitutions are allowable, in this case, they are not.)

(more)



Subject: <u>Bid No. CR-7890-M3, Gloves/WFD (continued)</u>

## **ADDENDUM #1 (continued)**

#### Q: from Bidder

The estimated annual quantity is listed as boxes but does not list packaging per box.

Is the box supposed to be understood as a master Case or Carton packed 500-1000 or actually a little box of 50-100 gloves?

## A: from Worcester Fire Dept.

There are 100 gloves to a box, 10 boxes to a case. So it amounts to 1,000 gloves per case.

Bidders are requested to acknowledge and/or include this addendum with submission. All other terms, conditions and specifications remain unchanged.

Very truly yours,

Maureen McKeon Assistant Purchasing Director