

Inspection and Testing Certificate

Presented To

The City of Worcester/ WPS

For

Belmont Community School

170 Belmont Street
Worcester, Massachusetts 01608
United States

This site has been inspected and tested in compliance with applicable standards.

Completed
Monday, November 28, 2022

Test Session :28 Nov 2022 15:14

ACCEPTED BY

The City of Worcester/ WPS
455 Main Street
Room 201
Worcester, Massachusetts 01608
United States

TESTED BY

Nick Akoumianakis
Northeast Integrated Systems
17 Lincoln Street
Malden MA 02148
United States

INSPECTION STATUS

Attention needed

One or more Deficiencies have been identified, system may respond if needed



Inspection Summary

Building Information

PROPERTY	Belmont Community School	CONTACT	Christopher Gagliastro
ADDRESS	170 Belmont Street	PHONE	
CITY/STATE/ZIP	Worcester, Massachusetts 01608	MOBILE	+1 508-799-1220
COUNTRY	United States	EMAIL	purchasing@worcesterma.gov

Inspector Information

COMPANY	Northeast Integrated Systems	CONTACT	Nick Akoumianakis
ADDRESS	17 Lincoln Street Malden MA 02148	LICENSE NUMBER	
		PHONE	+1 781-780-1930
COUNTRY	United States	EMAIL	nick.akoumianakis@nefs.us

Testing Summary

EQUIPMENT TYPE	TOTAL	TESTED	PASSED	FAILED
Alarm Notification Appliance	29	29(100%)	26(90%)	3(10%)
Fire Control Panel	1	1(100%)	1(100%)	0(0%)
Initiating Device	39	39(100%)	36(92%)	3(8%)
Power Supplies	4	4(100%)	1(25%)	3(75%)
Public Emergency Alarm Reporting	1	1(100%)	1(100%)	0(0%)

Certification

The equipment specified herein was inspected and tested according to the NFPA 72 standard for fire alarm and signaling systems, with the inspection completed on Monday, November 28, 2022



ACCEPTED BY 11/28/2022

Building Representative



TESTED BY 11/28/2022

Nick Akoumianakis
Technician

System Details

Control Units








MANUFACTURER	SIMPLEX	DESCRIPTION	1st Main Entrance Vestibule
MODEL	4002	S/W VERSION	
SERIAL NUMBER		LAST UPDATE	
INSTALL DATE	10/02/1987	S/W LOCATION	



Secondary Power

TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Main Entrance Vestibule
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Main Entrance Vestibule
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside RMB
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Main Entrance Vestibule
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FACU
CHARGER VOLTAGE			

Open Corrective Action & Solution Summary

The following 10 corrective action(s) remain open following the system inspection, testing or maintenance activities

EQUIPMENT TYPE	ADDRESS	DESCRIPTION
Manual Pull Station 		STAIR BY RM. 200 2ND FLOOR
	Created By:	Nick Akoumianakis
	Creation Date:	11/28/2022
	Corrective Action:	Damaged Cannot Open & Reset
	Proposed Solution:	
	Manufacturer:	
	Model:	
Manual Pull Station 	-	RM 400 4TH FLOOR
	Created By:	Nick Akoumianakis
	Creation Date:	11/28/2022
	Corrective Action:	Blocked by File Cabinet. Inaccessible.
	Proposed Solution:	Move Cabinet
	Manufacturer:	
	Model:	
Horn / Strobe 	-	GYM 2ND FLOOR
	Created By:	Nick Akoumianakis
	Creation Date:	11/28/2022
	Corrective Action:	Strobe Failed Operation
	Proposed Solution:	
	Manufacturer:	Simplex
	Model:	
	Created By:	Nick Akoumianakis
	Creation Date:	11/28/2022
	Corrective Action:	Failed Operation
	Proposed Solution:	
	Manufacturer:	Simplex
	Model:	
Battery - Sealed Lead-acid 	FACU Batteries	1st Main Entrance Vestibule
	Created By:	Nick Akoumianakis
	Creation Date:	11/28/2022
	Corrective Action:	Date Expired
	Proposed Solution:	Replace
	Manufacturer:	Sealed Energy
	Model:	RB1270
Battery - Sealed Lead-acid 	RMB Battery	1st Main Entrance Vestibule
	Created By:	Nick Akoumianakis
	Creation Date:	11/28/2022
	Corrective Action:	Date Expired
	Proposed Solution:	Replace
	Manufacturer:	Sealed Energy
	Model:	RB1270
Battery - Sealed Lead-acid 	FCPS Batteries	1st Main Entrance Vestibule
	Created By:	Nick Akoumianakis
	Creation Date:	11/28/2022
	Corrective Action:	Date Expired
	Proposed Solution:	Replace
	Manufacturer:	Sealed Energy
	Model:	RB1270
Heat Detector 	Z5	STORAGE RM BY 232 2ND FLOOR

EQUIPMENT TYPE		ADDRESS	DESCRIPTION
		Created By:	Nick Akoumianakis
		Creation Date:	11/28/2022
		Corrective Action:	Popped during testing. Needs to be replaced
		Proposed Solution:	Replace
		Manufacturer:	
		Model:	
Strobe		-	GIRLS ROOM BY CAFE 2ND FLOOR
		Created By:	Nick Akoumianakis
		Creation Date:	11/28/2022
		Corrective Action:	Failed Operation
		Proposed Solution:	Investigate as these are new
		Manufacturer:	System Sensor
		Model:	SRL
Strobe		-	BOYS ROOM BY CAFE 2ND FLOOR
		Created By:	Nick Akoumianakis
		Creation Date:	11/28/2022
		Corrective Action:	Failed Operation
		Proposed Solution:	
		Manufacturer:	System Sensor
		Model:	SRL

Testing Details

Alarm Notification Appliance

Passed

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Horn / Strobe	Z10	RM 408 RM 4TH FLOOR	Manual	11/28/2022 4:44:09 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Horn / Strobe	-	BACK OF STAGE HALL 1ST FLOOR	Manual	11/28/2022 4:53:24 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Horn / Strobe	-	OFFICE CORRIDOR 1ST FLOOR	Manual	11/28/2022 4:53:26 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Horn / Strobe	-	CAFETERIA 1ST FLOOR	Manual	11/28/2022 4:53:28 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Horn / Strobe	-	O/S COAT RM 1ST FLOOR	Manual	11/28/2022 4:53:29 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Horn / Strobe	-	MECHANICAL RM 1ST FLOOR	Manual	11/28/2022 4:53:31 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Horn / Strobe	-	PRESCHOOL 1ST FLOOR	Manual	11/28/2022 4:53:32 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Horn / Strobe	-	KINDERGARTEN 1ST FLOOR	Manual	11/28/2022 4:53:34 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Horn / Strobe	-	RM 231 1ST FLOOR	Manual	11/28/2022 4:53:35 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Horn / Strobe	-	CORRIDOR O/S RM 231 1ST FLOOR	Manual	11/28/2022 4:53:37 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Horn / Strobe	-	GYM 2ND FLOOR	Manual	11/28/2022 4:53:39 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Horn / Strobe	-	GYM OFFICE 2ND FLOOR	Manual	11/28/2022 4:53:42 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Horn / Strobe	-	GIRLS LOCKER RM 2ND FLOOR	Manual	11/28/2022 4:53:44 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Horn / Strobe	-	CORRIDOR BY SIDE ENTRANCE 2ND FLOOR	Manual	11/28/2022 4:53:45 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Horn / Strobe	-	FRONT GYM CORRIDOR 2ND FLOOR	Manual	11/28/2022 4:53:47 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Horn / Strobe	-	O/S TEACHERS LOUNGE 2ND FLOOR	Manual	11/28/2022 4:53:48 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Horn / Strobe	-	RM.300 3RD FLOOR	Manual	11/28/2022 4:53:50 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Horn / Strobe	-	CORRIDOR O/S RM 302 3RD FLOOR	Manual	11/28/2022 4:53:51 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Horn / Strobe	-	4TH GRADE 3RD FLOOR	Manual	11/28/2022 4:53:52 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Horn / Strobe	-	RM 331 3RD FLOOR	Manual	11/28/2022 4:53:54 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Horn / Strobe	-	RM 334 3RD FLOOR	Manual	11/28/2022 4:53:56 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Horn / Strobe	-	CORRIDOR O/S RM 407 4TH FLOOR	Manual	11/28/2022 4:53:59 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Horn / Strobe	-	RM 407 4TH FLOOR	Manual	11/28/2022 4:54:00 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Horn / Strobe	-	RM 407 4TH FLOOR	Manual	11/28/2022 4:54:02 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Horn / Strobe	-	RM 402 4TH FLOOR	Manual	11/28/2022 4:54:03 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Horn / Strobe	-	CORRIDOR O/S LINCOLN HOUSE 1ST FLOOR	Manual	11/28/2022 4:54:05 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

Failed

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Strobe	-	BOYS ROOM BY CAFE 2ND FLOOR	Manual	11/28/2022 6:35:35 PM
		Manufacturer	System Sensor	
		Model	SRL	
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	
Strobe	-	GIRLS ROOM BY CAFE 2ND FLOOR	Manual	11/28/2022 6:36:04 PM
		Manufacturer	System Sensor	
		Model	SRL	
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	
Horn / Strobe	-	GYM 2ND FLOOR	Manual	11/28/2022 6:37:18 PM
		Manufacturer	Simplex	
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	

Fire Control Panel

Passed

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Fire Alarm Control Panel	FACU	1st Main Entrance Vestibule	Manual	11/28/2022 3:17:30 PM
Control unit visual Inspection	Passed	Manufacturer	SIMPLEX	
Control unit functional Inspection	Passed	Model	4002	
Lamps/LEDs/LCDs visual Inspection	Passed	Visual Inspection	Passed (Manual)	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Lamps/LEDs/LCDs functional Inspection	Passed	Functional Inspection	Passed	
Fuses visual Inspection	Passed			
Fuses functional Inspection	Passed			
Trouble Signals visual Inspection	Passed			
Trouble Signals functional Inspection	Passed			
Disconnect Switches visual Inspection	Passed			
Disconnect Switches functional Inspection	Passed			
Ground-fault monitoring visual Inspection	Passed			
Ground-fault monitoring functional Inspection	Passed			
Supervision visual Inspection	Passed			
Supervision functional Inspection	Passed			
Local annunciator visual Inspection	Passed			
Local annunciator functional Inspection	Passed			
Remote annunciators visual Inspection	Passed			
Remote annunciators functional Inspection	Passed			
Remote power panels visual Inspection	Passed			
Remote power panels functional Inspection	Passed			

Initiating Device

Passed

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Manual Pull Station	Z8	O/S RM. 330 3RD FLOOR	Manual	11/28/2022 3:47:51 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	Z10	O/S RM 406 4TH FLOOR	Manual	11/28/2022 3:52:10 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z10	RM 407 4TH FLOOR	Manual	11/28/2022 3:57:09 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	Z8	O/S RM. 302 3RD FLOOR	Manual	11/28/2022 4:02:57 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	Z8	GYM 3RD FLOOR	Manual	11/28/2022 4:05:49 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z10	STORAGE RM 401 4TH FLOOR	Manual	11/28/2022 4:32:10 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z10	CUSTODIAL RM 402 4TH FLOOR	Manual	11/28/2022 4:37:56 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z10	CUSTODIAL RM 404 4TH FLOOR	Manual	11/28/2022 4:37:59 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z10	RM 406 4TH FLOOR	Manual	11/28/2022 4:39:00 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	Z10	O/S RM. 407 4TH FLOOR	Manual	11/28/2022 4:42:22 PM

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Heat Detector	Z10	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z10	STORAGE RM 408 4TH FLOOR	Manual	11/28/2022 4:44:45 PM
Manual Pull Station	Z8	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	Z8	GYM 3RD FLOOR	Manual	11/28/2022 4:49:56 PM
Manual Pull Station	Z8	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	Z8	GYM CORRIDOR 3RD FLOOR	Manual	11/28/2022 4:52:09 PM
Heat Detector	Z8	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z8	BACK OF GYM CUSTODIAL RM 3RD FLOOR	Manual	11/28/2022 4:58:29 PM
Heat Detector	Z8	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z8	GYM STORAGE RM 3RD FLOOR	Manual	11/28/2022 4:59:34 PM
Heat Detector	Z8	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z8	GYM STORAGE RM 3RD FLOOR	Manual	11/28/2022 5:01:22 PM
Heat Detector	Z8	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z8	RM 335 GYM STORAGE RM 3RD FLOOR	Manual	11/28/2022 5:02:50 PM
Heat Detector	Z8	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z8	CUSTODIAL CLOSET 333 3RD FLOOR	Manual	11/28/2022 5:04:22 PM
Heat Detector	Z9	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z9	CUSTODIAL CLOSET 332 3RD FLOOR	Manual	11/28/2022 5:05:32 PM
Heat Detector	Z9	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z9	ROOM 330 CLOSET 3RD FLOOR	Manual	11/28/2022 5:07:56 PM
Heat Detector	Z9	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z9	ROOM 330 3RD FLOOR	Manual	11/28/2022 5:09:20 PM
Heat Detector	Z9	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z9	CUSTODIAL CLOSET 320 3RD FLOOR	Manual	11/28/2022 5:11:00 PM
Heat Detector	Z9	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z9	ROOM 323 CLOSET 3RD FLOOR	Manual	11/28/2022 5:13:56 PM
Heat Detector	Z7	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z7	ROOM 303 3RD FLOOR	Manual	11/28/2022 5:15:47 PM
Manual Pull Station	Z7	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	Z7	RM. 300 3RD FLOOR	Manual	11/28/2022 5:19:35 PM
Heat Detector	Z7	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z7	CUSTODIAL CLOSET O/S RM 302 3RD FLOOR	Manual	11/28/2022 5:25:11 PM
Heat Detector	Z8	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z8	CUSTODIAL CLOSET IN RM 333 3RD FLOOR	Manual	11/28/2022 5:30:33 PM
Heat Detector		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Heat Detector	Z2	STAGE CUSTODIAL CLOSET 2ND FLOOR	Manual	11/28/2022 5:35:58 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	Z4	MULTI-PURPOSE RM 2ND FLOOR	Manual	11/28/2022 5:38:18 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	Z4	MULTI-PURPOSE RM 2ND FLOOR	Manual	11/28/2022 5:38:29 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	Z4	MULTI-PURPOSE RM FOYER 2ND FLOOR	Manual	11/28/2022 5:40:00 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z10	CORRIDOR O/S RM 407 4TH FLOOR	Manual	11/28/2022 5:42:52 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	Z5	CORRIDOR O/S MECHANICAL RM 2ND FLOOR	Manual	11/28/2022 5:44:39 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z5	KITCHEN 2ND FLOOR	Manual	11/28/2022 6:14:12 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z5	KITCHEN 2ND FLOOR	Manual	11/28/2022 6:14:20 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	Z1	ADMIN OFFICE EXIT 1ST FLOOR	Manual	11/28/2022 6:22:24 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

Failed

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Manual Pull Station	-	RM 400 4TH FLOOR	Manual	11/28/2022 3:52:18 PM
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	
Manual Pull Station		STAIR BY RM. 200 2ND FLOOR	Manual	11/28/2022 5:33:41 PM
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	
Heat Detector	Z5	STORAGE RM BY 232 2ND FLOOR	Manual	11/28/2022 6:03:20 PM
	Comment:	Popped during testing. Bypassed; needs to be replaced		
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	

Power Supplies

Passed

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
FCPS	FCPS	1st Main Entrance Vestibule	Manual	11/28/2022 3:23:47 PM
Battery condition visual Inspection	Passed	Manufacturer	SIMPLEX	
Battery condition functional Inspection	Passed	Model	4009	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Battery Type	2x 7ah	
Discharge test functional Inspection	Passed			

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Charger test visual Inspection	Passed			
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Failed				
EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Battery - Sealed Lead-acid	FACU Batteries	1st Main Entrance Vestibule	Manual	11/28/2022 3:20:27 PM
	Comment:	2x 7ah		
Battery condition visual Inspection	Passed	Manufacturer	Sealed Energy	
Battery condition functional Inspection	Passed	Model	RB1270	
Load voltage visual Inspection	Passed	Visual Inspection	Failed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Failed	
Discharge test visual Inspection	Passed	Amp Hours	7	
Discharge test functional Inspection	Passed	Battery Location	Inside FACU	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	RMB Battery	1st Main Entrance Vestibule	Manual	11/28/2022 3:22:10 PM
	Comment:	1x 7ah		
Battery condition visual Inspection	Passed	Manufacturer	Sealed Energy	
Battery condition functional Inspection	Passed	Model	RB1270	
Load voltage visual Inspection	Passed	Visual Inspection	Failed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Failed	
Discharge test visual Inspection	Passed	Amp Hours	7	
Discharge test functional Inspection	Passed	Battery Location	Inside RMB	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries	1st Main Entrance Vestibule	Manual	11/28/2022 3:24:12 PM
	Comment:	2x 7ah		
Battery condition visual Inspection	Passed	Manufacturer	Sealed Energy	
Battery condition functional Inspection	Passed	Model	RB1270	
Load voltage visual Inspection	Passed	Visual Inspection	Failed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Failed	
Discharge test visual Inspection	Passed	Amp Hours	7	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			

Public Emergency Alarm Reporting

Passed

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Master Box	RMB #1051	1st Main Entrance Vestibule	Manual	11/28/2022 3:18:44 PM
		Manufacturer	AES	
		Model	7750-F-8	
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

Device/Equipment Details

Alarm Notification Appliance

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
Horn / Strobe					
-	BACK OF STAGE HALL 1ST FLOOR				10/04/2022
-	OFFICE CORRIDOR 1ST FLOOR				10/04/2022
-	CAFETERIA 1ST FLOOR				10/04/2022
-	O/S COAT RM 1ST FLOOR				10/04/2022
-	MECHANICAL RM 1ST FLOOR				10/04/2022
-	PRESCHOOL 1ST FLOOR				10/04/2022
-	KINDERGARTEN 1ST FLOOR				10/04/2022
-	RM 231 1ST FLOOR				10/04/2022
-	CORRIDOR O/S RM 231 1ST FLOOR				10/04/2022
-	GYM 2ND FLOOR	Simplex			10/04/2022
-	GYM OFFICE 2ND FLOOR				10/04/2022
-	GIRLS LOCKER RM 2ND FLOOR				10/04/2022
-	CORRIDOR BY SIDE ENTRANCE 2ND FLOOR				10/04/2022
-	FRONT GYM CORRIDOR 2ND FLOOR				10/04/2022
-	O/S TEACHERS LOUNGE 2ND FLOOR				10/04/2022
-	RM.300 3RD FLOOR				10/04/2022
-	CORRIDOR O/S RM 302 3RD FLOOR				10/04/2022
-	4TH GRADE 3RD FLOOR				10/04/2022
-	RM 331 3RD FLOOR				10/04/2022
-	RM 334 3RD FLOOR				10/04/2022
-	CORRIDOR O/S RM 407 4TH FLOOR				10/04/2022
-	RM 407 4TH FLOOR				10/04/2022
-	RM 407 4TH FLOOR				10/04/2022
Z10	RM 408 RM 4TH FLOOR				10/04/2022
-	RM 402 4TH FLOOR				10/04/2022
-	CORRIDOR O/S LINCOLN HOUSE 1ST FLOOR				10/04/2022
Strobe					
-	GIRLS ROOM BY CAFE 2ND FLOOR	System Sensor	SRL		10/04/2022
-	BOYS ROOM BY CAFE 2ND FLOOR	System Sensor	SRL		10/04/2022

Fire Control Panel

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
Fire Alarm Control Panel					
FACU	1st Main Entrance Vestibule	SIMPLEX	4002		10/03/1987

Initiating Device

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
Heat Detector					
Z5	KITCHEN 2ND FLOOR				10/04/2022
Z5	KITCHEN 2ND FLOOR				10/04/2022
Z8	GYM STORAGE RM 3RD FLOOR				10/04/2022
Z8	BACK OF GYM CUSTODIAL RM 3RD FLOOR				10/04/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
Z8	CUSTODIAL CLOSET IN RM 333 3RD FLOOR				10/04/2022
Z10	CORRIDOR O/S RM 407 4TH FLOOR				10/04/2022
Z10	RM 407 4TH FLOOR				10/04/2022
Z10	STORAGE RM 408 4TH FLOOR				10/04/2022
Z10	RM 406 4TH FLOOR				10/04/2022
Z10	CUSTODIAL RM 404 4TH FLOOR				10/04/2022
Z10	STORAGE RM 401 4TH FLOOR				10/04/2022
Z10	CUSTODIAL RM 402 4TH FLOOR				10/04/2022
Z8	GYM STORAGE RM 3RD FLOOR				10/04/2022
Z8	RM 335 GYM STORAGE RM 3RD FLOOR				10/04/2022
Z8	CUSTODIAL CLOSET 333 3RD FLOOR				10/04/2022
Z9	CUSTODIAL CLOSET 332 3RD FLOOR				10/04/2022
Z9	ROOM 330 CLOSET 3RD FLOOR				10/04/2022
Z9	ROOM 330 3RD FLOOR				10/04/2022
Z9	CUSTODIAL CLOSET 320 3RD FLOOR				10/04/2022
Z9	ROOM 323 CLOSET 3RD FLOOR				10/04/2022
Z7	ROOM 303 3RD FLOOR				10/04/2022
Z7	CUSTODIAL CLOSET O/S RM 302 3RD FLOOR				10/04/2022
Z2	STAGE CUSTODIAL CLOSET 2ND FLOOR				10/04/2022
Z5	STORAGE RM BY 232 2ND FLOOR				11/28/2022
Manual Pull Station					
Z8	GYM 3RD FLOOR				10/04/2022
Z8	GYM 3RD FLOOR				10/04/2022
	STAIR BY RM. 200 2ND FLOOR				10/04/2022
Z5	CORRIDOR O/S MECHANICAL RM 2ND FLOOR				10/04/2022
Z7	RM. 300 3RD FLOOR				10/04/2022
Z8	O/S RM. 302 3RD FLOOR				10/04/2022
Z8	O/S RM. 330 3RD FLOOR				10/04/2022
-	RM 400 4TH FLOOR				10/04/2022
Z10	O/S RM 406 4TH FLOOR				10/04/2022
Z10	O/S RM. 407 4TH FLOOR				10/04/2022
Z8	GYM CORRIDOR 3RD FLOOR				10/04/2022
Z4	MULTI-PURPOSE RM 2ND FLOOR				10/04/2022
Z4	MULTI-PURPOSE RM 2ND FLOOR				10/04/2022
Z4	MULTI-PURPOSE RM FOYER 2ND FLOOR				10/04/2022
Z1	ADMIN OFFICE EXIT 1ST FLOOR				10/04/2022
Power Supplies					
ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
Battery - Sealed Lead-acid					
FACU Batteries	1st Main Entrance Vestibule	Sealed Energy	RB1270		02/03/2018
RMB Battery	1st Main Entrance Vestibule	Sealed Energy	RB1270		07/03/2018
FCPS Batteries	1st Main Entrance Vestibule	Sealed Energy	RB1270		02/03/2018
FCPS					
FCPS	1st Main Entrance Vestibule	SIMPLEX	4009		10/03/1987

Public Emergency Alarm Reporting

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
Master Box					
RMB #1051	1st Main Entrance Vestibule	AES	7750-F-8		10/03/2017