Inspection and Testing Certificate

Presented To

The City of Worcester/ WPS

For

Goddard School of Science and Technology

14 Richards St.
Worcester, Massachusetts 01608
United States

This site has been inspected and tested in compliance with applicable standards.

Completed Tuesday, January 03, 2023

Test Session: 22 Dec 2022 16:34

ACCEPTED BY

The City of Worcester/ WPS
455 Main Street
Room 201
Worcester, Massachusetts 01608
United States

TESTED BY

Nick Akoumianakis Northeast Integrated Systems 17 Lincoln Street Malden MA 02148 United States

INSPECTION STATUS

Attention needed

One or more Deficiencies have been identified, system may respond if needed



Inspection Summary

Building Information

PROPERTY Goddard School of Science and

Technology

CONTACT

ADDRESS 14 Richards St.

PHONE

CITY/STATE/ZIP

Worcester, Massachusetts 01608

MOBILE

COUNTRY

United States EMAIL

Inspector Information

COMPANY Northeast Integrated Systems

CONTACT

Nick Akoumianakis

ADDRESS

17 Lincoln Street Malden MA 02148

PHONE

+1 781-780-1930

COUNTRY

United States

EMAIL

LICENSE NUMBER

nick.akoumianakis@nefs.us

Testing Summary

EQUIPMENT TYPE	TOTAL	TESTED	PASSED	FAILED
Alarm Notification Appliance	20	20(100%)	14(70%)	6(30%)
Fire Control Panel	1	1(100%)	1(100%)	0(0%)
Initiating Device	189	176(93%)	165(87%)	11(6%)
Power Supplies	2	2(100%)	1(50%)	1(50%)
Public Emergency Alarm Reporting	1	1(100%)	1(100%)	0(0%)

Certification

The equipment specified herein was inspected and tested according to the NFPA 72 standard for fire alarm and signaling systems, with the inspection completed on Tuesday, January 03, 2023

D

ACCEPTED BY

01/03/2023

Building Representative

TESTED BY

01/03/2023

Nick Akoumianakis

Technician

System Details

Control Units

MANUFACTURER	SIMPLEX	DESCRIPTION	Basement Boiler Room Building 2
MODEL		S/W VERSION	
SERIAL NUMBER		LAST UPDATE	
INSTALL DATE	10/20/1992	S/W LOCATION	

Secondary Power			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	Basement Boiler Room Building 2
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	35	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FACU
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	Basement Boiler Room Building 2
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7.5	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside RMB
CHARGER VOLTAGE			

Northeast Integrated Systems Page 3 of 26

Open Corrective Action & Solution Summary

The following 26 corrective action(s) remain open following the system inspection, testing or maintenance activities

EQUIPMENT TYPE	ADDRESS	DESCRIPTION
Manual Pull Station	-	FRONT LOBBY 1ST FLOOR
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/03/2023 Damaged
Manual Pull Station	-	O/S STAIRS #14 2ND FLOOR
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/03/2023 Device Missing
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/03/2023 Device Missing
Heat Detector	-	READING ROOM BY STAIRS #14 2ND FLOOR
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/03/2023 Broken and hanging
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/03/2023 Broken and hanging
Heat Detector	-	STAIRS #14 2ND FLOOR
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/03/2023 Broken off ceiling
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/03/2023 Broken off ceiling
Heat Detector	Z4	ART ROOM BASEMENT
	Created By: Creation Date: Corrective Action:	Nick Akoumianakis 12/22/2022 Painted

Northeast Integrated Systems Page 4 of 26

EQUIPMENT TYPE	ADDRESS	DESCRIPTION
	Proposed Solution: Manufacturer: Model:	Replace
Heat Detector	-	O/S ROOM 20 2ND FLOOR
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/03/2023 Failed Heat Test
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/03/2023 Failed Heat Test
Heat Detector	Z6	O/S ROOM 33 3RD FLOOR
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/03/2023 Painted
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/03/2023 Painted
Manual Pull Station	Z6	O/S ROOM 41 3RD FLOOR
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/03/2023 Damaged. Must replace
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/03/2023 Damaged. Must replace
Heat Detector	-	ROOM 36 3RD FLOOR
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/03/2023 Failed Heat Test
	Created By: Creation Date: Corrective Action:	Nick Akoumianakis 01/03/2023 Failed Heat Test

FOLUDMENT TYPE	ADDRESS	DESCRIPTION
EQUIPMENT TYPE	ADDRESS Proposed Solution:	DESCRIPTION
	Manufacturer:	
	Model:	
Lloot Datasta		DOOM 44 2 DD FLOOD
Heat Detector	- Created Pv	ROOM 41 3RD FLOOR Nick Akoumianakis
	Created By: Creation Date:	01/03/2023
	Corrective Action:	Device missing
	Proposed Solution: Manufacturer:	
	Model:	
	Created By: Creation Date:	Nick Akoumianakis 01/03/2023
	Corrective Action:	Device missing
	Proposed Solution:	
	Manufacturer: Model:	
	modol.	
Horn / Strobe	-	O/S STAIRS #14 2ND FLOOR
	Created By:	Nick Akoumianakis
	Creation Date: Corrective Action:	01/03/2023 Light not functional
	Proposed Solution:	S .
	Manufacturer: Model:	
	wodel.	
Horn / Strobe	-	O/S CAFE BASEMENT
	Created By:	Nick Akoumianakis
	Creation Date: Corrective Action:	01/03/2023 Light not functional
	Proposed Solution:	- 9
	Manufacturer:	
	Model:	
Battery - Sealed Lead-acid	RMB Battery	Basement Boiler Room Building 2
	Created By:	Nick Akoumianakis
	Creation Date: Corrective Action:	12/22/2022 Date Expired
	Proposed Solution:	Date Expired
	Manufacturer:	SigmasTek
	Model:	SP12-7.5
Smoke Detector - General	-	STAIRS #7 2ND FLOOR
	Created By:	Nick Akoumianakis
	Creation Date:	01/03/2023
	Corrective Action: Proposed Solution:	Device Missing
	Manufacturer:	
	Model:	
Horn / Strobe	-	O/S ROOM 28 2ND FLOOR
	Created By:	Nick Akoumianakis
	Creation Date: Corrective Action:	01/03/2023 Light not functional
	Proposed Solution:	Eight not fundama
	Manufacturer:	
	Model:	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION
Horn / Strobe	-	ROOM B6 BASEMENT
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/03/2023 Light failed operation
Horn / Strobe	-	GYM REAR
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/03/2023 Light not functional
Horn / Strobe	-	BOYS RM BASEMENT
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/03/2023 Strobe not functional

Resolved Corrective Action & Solution Summary

The following 1 corrective action(s) were resolved during the system inspection, testing or maintenance activities

EQUIPMENT TYPE	ADDRESS	DESCRIPTION
Manual Pull Station	Z4	O/S NURSES OFFICE 1ST FLOOR
	Created By:	Nick Akoumianakis
	Creation Date:	01/03/2023
	Corrective Action:	Damaged
	Resolution:	
	Resolved By:	Nick Akoumianakis
	Resolved On:	01/03/2023
	Manufacturer:	
	Model:	

Northeast Integrated Systems

Testing Details

Alarm Notification Appliance

Passed				
EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Horn / Strobe	-	WAITING ROOM FAMILY HEALTH CENTER	Manual	1/3/2023 4:30:56 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Horn / Strobe	-	SECRETARYS OFFICE FAMILY HEALTH CENTER	Manual	1/3/2023 4:31:03 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Horn / Strobe	-	STAIRS #7 STAIRWELL EXIT 1.5 FLOOR	Manual	1/3/2023 4:31:05 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Horn / Strobe	-	O/S STAIRS #17 2ND FLOOR	Manual	1/3/2023 4:31:08 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Horn / Strobe	-	O/S MAIN OFFICE 1ST FLOOR	Manual	1/3/2023 4:31:10 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Horn / Strobe	-	O/S NURSES OFFICE 1ST FLOOR	Manual	1/3/2023 4:31:12 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Horn / Strobe	-	AUDITORIUM 2ND FLOOR	Manual	1/3/2023 4:31:14 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Horn / Strobe	-	O/S ROOM 22 2ND FLOOR	Manual	1/3/2023 4:31:16 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Horn / Strobe	-	O/S ROOM 30A 3RD FLOOR	Manual	1/3/2023 4:31:18 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Horn / Strobe	-	O/S ROOM 31 3RD FLOOR	Manual	1/3/2023 4:31:20 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Horn / Strobe	-	O/S ROOM 34 3RD FLOOR	Manual	1/3/2023 4:31:22 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Horn / Strobe	-	O/S ROOM 35 3RD FLOOR	Manual	1/3/2023 4:31:23 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Horn / Strobe	-	O/S ROOM 4 BY SCIENCE ROOM BASEMENT	Manual	1/3/2023 4:31:27 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Horn / Strobe	-	CAFE BASEMENT	Manual	1/3/2023 9:11:02 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Failed				
EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Horn / Strobe	-	O/S ROOM 28 2ND FLOOR	Manual	1/3/2023 7:08:24 PM
		Visual Inspection Functional Inspection	Failed (Manual) Failed	

Northeast Integrated Systems Page 9 of 26

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Horn / Strobe	-	O/S STAIRS #14 2ND FLOOR	Manual	1/3/2023 7:09:12 PM
		Visual Inspection Functional Inspection	Failed (Manual) Failed	
Horn / Strobe	-	O/S CAFE BASEMENT	Manual	1/3/2023 7:12:24 PM
		Visual Inspection Functional Inspection	Failed (Manual) Failed	
Horn / Strobe	-	ROOM B6 BASEMENT	Manual	1/3/2023 7:14:56 PM
		Visual Inspection Functional Inspection	Failed (Manual) Failed	
Horn / Strobe	-	GYM REAR	Manual	1/3/2023 7:17:36 PM
		Visual Inspection Functional Inspection	Failed (Manual) Failed	
Horn / Strobe	-	BOYS RM BASEMENT	Manual	1/3/2023 9:11:35 PM
		Visual Inspection Functional Inspection	Failed (Manual) Failed	

Fire Control Panel

(B)			

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Fire Alarm Control Panel	FACU	Basement Boiler Room Building 2	Manual	12/22/2022 4:45:45 PM
Control unit visual Inspection	Passed	Manufacturer	SIMPLEX	
Control unit functional Inspection	Passed	Visual Inspection	Passed (Manual)	
Lamps/LEDs/LCDs visual Inspection	Passed	Functional Inspection	Passed	
Lamps/LEDs/LCDs functional Inspection	Passed			
Fuses visual Inspection	Passed			
Fuses functional Inspection	Passed			
Trouble Signals visual Inspection	Passed			
Trouble Signals functional Inspection	Passed			
Disconnect Switches visual Inspection	Passed			
Disconnect Switches functional Inspection	Passed			
Ground-fault monitoring visual Inspection	Passed			
Ground-fault monitoring functional Inspection	Passed			
Supervision visual Inspection	Passed			
Supervision functional Inspection	Passed			
Local annunciator visual Inspection	Passed			
Local annunciator functional Inspection	Passed			
Remote annunciators visual Inspection	Passed			
Remote annunciators functional Inspection	Passed			
Remote power panels visual Inspection	Passed			
Remote power panels functional Inspection	Passed			

Initiating Device

Passed

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Heat Detector	Z1	O/S PRE-KINDERGARTEN STOR BASEMENT	Manual	12/22/2022 5:01:37 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	Z1	PRE-KINDERGARTEN BASEMENT	Manual	12/22/2022 5:01:47 PM

Northeast Integrated Systems Page 10 of 26

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z1	PRE-KINDERGARTEN STORAGE BASEMENT	Manual	12/22/2022 5:04:59 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z2	GYM EQUIPMENT ROOM 1ST FLOOR	Manual	12/22/2022 5:11:28 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	Z2	GYM EXIT 1ST FLOOR	Manual	12/22/2022 5:11:34 PM
Wandari dii Otation	22	Visual Inspection	Passed (Manual)	12/22/2022 0.11.041 101
		Functional Inspection	Passed	
Manual Pull Station	Z2	GYM EXIT 1ST FLOOR	Manual	12/22/2022 5:11:40 PM
		Visual Inspection	Passed (Manual)	
Heat Datastan	70	Functional Inspection		40/00/0000 F.4.4.4 DM
Heat Detector	Z2	O/S GYM 1ST FLOOR	Manual	12/22/2022 5:14:44 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	Z2	O/S GYM 1ST FLOOR	Manual	12/22/2022 5:15:10 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	Z2	O/S GYM 1ST FLOOR	Manual	12/22/2022 5:17:17 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z2	O/S GYM 1ST FLOOR	Manual	12/22/2022 5:17:27 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z2	CONNECTOR HALL 1ST FLOOR	Manual	12/22/2022 5:21:47 PM
		Visual Inspection Functional Inspection	Passed (Manual)	
Manual Pull Station	Z2	CONNECTOR HALL 1ST FLOOR	Manual	12/22/2022 5:24:38 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	Z4	O/S CAFE BASEMENT	Manual	12/22/2022 5:27:51 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	CAFE BASEMENT	Manual	12/22/2022 5:31:11 PM
Tical Delector	L 1	Visual Inspection	Passed (Manual)	1212212022 J.J I. I I FIVI
		Functional Inspection	Passed (Manual)	
Heat Detector	Z4	CAFE BASEMENT	Manual	12/22/2022 5:31:18 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z4	CAFE BASEMENT	Manual	12/22/2022 5:31:39 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	CAFE BASEMENT	Manual	12/22/2022 5:32:44 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z4	KITCHEN BASEMENT	Manual	12/22/2022 5:36:17 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z4	KITCHEN BASEMENT	Manual	12/22/2022 5:36:28 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	KITCHEN BASEMENT	Manual	12/22/2022 5:39:19 PM
		Visual Inspection	Passed (Manual)	

Northeast Integrated Systems Page 11 of 26

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
	7.00.1.200	Functional Inspection	Passed	
Manual Pull Station	Z4	KITCHEN EXIT BASEMENT	Manual	12/22/2022 5:42:09 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	Z4	O/S GAS METER ROOM BASEMENT	Manual	12/22/2022 5:45:01 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	O/S GAS METER ROOM BASEMENT	Manual	12/22/2022 5:45:17 PM
. 1041 2 0100101		Visual Inspection	Passed (Manual)	,,_,
		Functional Inspection	Passed	
Heat Detector	Z4	O/S ARTS ROOM BASEMENT	Manual	12/22/2022 5:47:28 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z4	ART ROOM BASEMENT	Manual	12/22/2022 5:47:34 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	ART STORAGE ROOM BASEMENT	Manual	12/22/2022 5:48:19 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z4	ART ROOM BASEMENT	Manual	12/22/2022 5:53:46 PM
		Visual Inspection	Passed (Manual)	
	7.	Functional Inspection	Passed	40/00/0000 = =0 =0 =0
Heat Detector	Z4	ART ROOM BASEMENT	Manual (Manual)	12/22/2022 5:53:56 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	Z1	BOILER ROOM BY FIRE PANEL	Manual	12/22/2022 6:08:53 PM
		BASEMENT	December 1 (Manuscal)	
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z1	BOILER ROOM BASEMENT	Manual	12/22/2022 7:18:33 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	Z6	O/S ROOM 35 3RD FLOOR	Manual	1/3/2023 4:13:33 PM
		Visual Inspection	Passed (Manual)	
Heat Datastan	70	Functional Inspection	Passed Manual	4/0/0000 4:40:00 DM
Heat Detector	Z6	ROOM 30A 3RD FLOOR Visual Inspection	Passed (Manual)	1/3/2023 4:18:03 PM
		Functional Inspection	Passed (Mandal)	
Heat Detector	Z6	ROOM 30A 3RD FLOOR	Manual	1/3/2023 4:18:07 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	Z6	O/S ROOM 30A 3RD FLOOR	Manual	1/3/2023 4:19:50 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z6	O/S ROOM 35 3RD FLOOR	Manual	1/3/2023 4:22:09 PM
Hour Dototol		Visual Inspection	Passed (Manual)	17012020 4.22.03 T IVI
		Functional Inspection	Passed	
Heat Detector	Z6	O/S ROOM 35 3RD FLOOR	Manual	1/3/2023 4:22:09 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	1/0/0000 1 55 5 5 5 5
Heat Detector	Z6	ROOM 34 3RD FLOOR	Manual	1/3/2023 4:23:25 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z6	O/S ROOM 34 3RD FLOOR	Manual	1/3/2023 4:23:33 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

Northeast Integrated Systems Page 12 of 26

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Heat Detector	Z6	ROOM C2 3RD FLOOR	Manual	1/3/2023 4:26:13 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z6	O/S ROOM 31 3RD FLOOR	Manual	1/3/2023 4:29:50 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	Z6	O/S ROOM 31 3RD FLOOR	Manual	1/3/2023 4:30:47 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z6	O/S ROOM 30 3RD FLOOR	Manual	1/3/2023 4:32:18 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z6	O/S ROOM 41 3RD FLOOR	Manual	1/3/2023 4:33:58 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z6	O/S ROOM 41 3RD FLOOR	Manual	1/3/2023 4:34:09 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z6	O/S ROOM C1 3RD FLOOR	Manual	1/3/2023 4:38:00 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z6	ROOM C1 3RD FLOOR	Manual	1/3/2023 4:38:36 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z6	ROOM C1 3RD FLOOR	Manual	1/3/2023 4:38:55 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z6	ROOM C1 3RD FLOOR	Manual	1/3/2023 4:38:55 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z6	O/S ROOM C1 3RD FLOOR	Manual	1/3/2023 4:39:02 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z6	O/S ROOM 36 3RD FLOOR	Manual	1/3/2023 4:40:36 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z6	STORAGE ROOM BY ELEVATOR 3RD FLOOR	Manual	1/3/2023 4:40:55 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z6	O/S ROOM 38 3RD FLOOR	Manual	1/3/2023 4:43:30 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z6	ROOM 40 3RD FLOOR	Manual	1/3/2023 4:44:30 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z6	O/S ROOM 40 3RD FLOOR	Manual	1/3/2023 4:44:37 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z 5	ROOM 21 2ND FLOOR	Manual	1/3/2023 4:49:07 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z 5	O/S ROOM 21A 2ND FLOOR	Manual	1/3/2023 4:49:56 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z5	O/S ROOM 22 2ND FLOOR	Manual	1/3/2023 4:53:35 PM

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	Z5	O/S ROOM 23 2ND FLOOR	Manual	1/3/2023 4:54:42 PM
		Visual Inspection	Passed (Manual)	
	7.	Functional Inspection	Passed	4/0/0000 1 == 00 == 1
Heat Detector	Z5	O/S ROOM 23 2ND FLOOR	Manual	1/3/2023 4:55:06 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z5	CUSTODIAL ROOM BY STAFF	Manual	1/3/2023 4:56:06 PM
Tiodi Bototoi	20	RESTROOM 2ND FLOOR		17072020 4.00.00 T W
		Visual Inspection	Passed (Manual) Passed	
Heat Detector	Z5	Functional Inspection O/S STAFF BATHROOM 2ND FLOOR		1/3/2023 4:56:23 PM
Heat Detector	25			1/3/2023 4.30.23 PW
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z5	O/S ROOM 24 2ND FLOOR	Manual	1/3/2023 4:57:03 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z5	O/S STAFF REST ROOM 2ND FLOOR	Manual	1/3/2023 4:58:54 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z5	ROOM 25 2ND FLOOR	Manual	1/3/2023 5:00:16 PM
		Visual Inspection	Passed (Manual)	
Heat Datastan	75	Functional Inspection	Passed	4/2/2022 F-00-22 DM
Heat Detector	Z5	O/S ROOM 25 2ND FLOOR	Manual	1/3/2023 5:00:22 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z5	O/S ROOM 27 2ND FLOOR	Manual	1/3/2023 5:03:03 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z5	O/S ROOM 28 2ND FLOOR	Manual	1/3/2023 5:03:19 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	Z5	O/S ELEVATOR 2ND FLOOR	Manual	1/3/2023 5:03:51 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z5	AUDITORIUM 2ND FLOOR	Manual	1/3/2023 5:11:31 PM
Heat Detector	23	Visual Inspection	Passed (Manual)	1/3/2023 3. 11.31 PW
		Functional Inspection	Passed (Maridar)	
Heat Detector	Z5	AUDITORIUM 2ND FLOOR	Manual	1/3/2023 5:11:44 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z5	AUDITORIUM 2ND FLOOR	Manual	1/3/2023 5:11:54 PM
		Visual Inspection	Passed (Manual)	
	7.	Functional Inspection	Passed	41010000 = 44 = 1 = 1
Heat Detector	Z5	AUDITORIUM 2ND FLOOR	Manual	1/3/2023 5:11:54 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z5	AUDITORIUM 2ND FLOOR	Manual	1/3/2023 5:12:03 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z5	CONNECTOR HALL 2ND FLOOR	Manual	1/3/2023 5:12:24 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z5	HALL BY ROOM 58 2ND FLOOR	Manual	1/3/2023 5:15:40 PM
		Visual Inspection	Passed (Manual)	

Northeast Integrated Systems Page 14 of 26

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
LQOII WLINT TITL	ADDITESS	Functional Inspection	Passed	DATE/TIME
Manual Pull Station	Z 5	O/S ROOM 26 2ND FLOOR	Manual	1/3/2023 5:17:16 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	Z 5	O/S STAIRS #7 2ND FLOOR	Manual	1/3/2023 5:17:29 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z5	HALL BY ROOM 57 2ND FLOOR	Manual	1/3/2023 5:20:24 PM
Tiour Bottottoi	20	Visual Inspection	Passed (Manual)	1/0/2020 0.20.211111
		Functional Inspection	Passed	
Heat Detector	Z5	HALL BY ROOM 53 2ND FLOOR	Manual	1/3/2023 5:20:59 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z 5	HALL BY ROOM 51 2ND FLOOR	Manual	1/3/2023 5:21:26 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z5	STAIRS #14 2ND FLOOR	Manual	1/3/2023 5:22:44 PM
		Visual Inspection	Passed (Manual)	, o, loo o.LL. TT I W
		Functional Inspection	Passed	
Heat Detector	Z5	READING ROOM BY STAIRS #7 2ND FLOOR	Manual	1/3/2023 5:24:27 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z2	STAIRS #7 1ST FLOOR	Manual	1/3/2023 5:30:33 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z2	BALCONY BY STAIRS #14 1.5 FLOO		1/3/2023 5:31:15 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z2	BALCONY BY STAIRS #7 1.5 FLOOR		1/3/2023 5:31:27 PM
		Visual Inspection	Passed (Manual)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
		Functional Inspection	Passed	
Heat Detector	Z2	MATH ROOM 1.5 FLOOR	Manual	1/3/2023 5:31:50 PM
		Visual Inspection	Passed (Manual)	
	70	Functional Inspection	Passed	4/0/0000 5 05 44 504
Heat Detector	Z2	BALCONY BY STAIRS #7 1.5 FLOOF		1/3/2023 5:35:14 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z2	BALCONY BY STAIRS #14 1.5 FLOO		1/3/2023 5:35:20 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z2	BALCONY BY STAIRS #7 1.5 FLOOR	R Manual	1/3/2023 5:35:32 PM
		Visual Inspection	Passed (Manual)	
Lloot Data-ta-	70	Functional Inspection READING ROOM BY BALCONY	Passed	1/2/2022 F-25, 40 DM
Heat Detector	Z2	STAIRS #14 1.5 FLOOR	Manual	1/3/2023 5:35:40 PM
		Visual Inspection	Passed (Manual)	
MI B # 01 #	7.1	Functional Inspection	Passed	4/0/0000 5 00 04 514
Manual Pull Station	Z4	O/S ELEVATOR 1ST FLOOR	Manual Passed (Manual)	1/3/2023 5:38:21 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	Z4	O/S ELEVATOR BASEMENT	Manual	1/3/2023 5:39:35 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z4	CAFE BASEMENT	Manual	1/3/2023 5:41:18 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

Northeast Integrated Systems Page 15 of 26

EQUIPMENT THE	1000000	DECORPERATION	METHOR	DATE (TIME
EQUIPMENT TYPE Heat Detector	ADDRESS Z4	DESCRIPTION CAFE BASEMENT	METHOD Manual	DATE/TIME 1/3/2023 5:41:24 PM
rical Delector	L4	Visual Inspection	Passed (Manual)	1/3/2023 J.41.24 FIVI
		Functional Inspection	Passed	
Heat Detector	Z4	CAFE BASEMENT	Manual	1/3/2023 5:42:00 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	CAFE BASEMENT	Manual	1/3/2023 5:42:08 PM
		Visual Inspection	Passed (Manual)	
Heat Detector	Z4	Functional Inspection O/S CAFE BASEMENT	Passed Manual	1/3/2023 5:42:14 PM
Tieat Detector	24	Visual Inspection	Passed (Manual)	1/3/2020 3.42.14 1 W
		Functional Inspection	Passed	
Manual Pull Station	Z4	O/S CAFE BASEMENT	Manual	1/3/2023 5:42:24 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	O/S CAFE BASEMENT	Manual	1/3/2023 5:42:32 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	STORAGE ROOM BASEMENT	Manual	1/3/2023 5:43:57 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	BOILER ROOM BASEMENT	Manual	1/3/2023 5:45:26 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	BOILER ROOM BASEMENT	Manual	1/3/2023 5:45:33 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	COUNSELORS ROOM BASEMENT	Manual	1/3/2023 5:45:39 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	COUNSELORS ROOM BASEMENT	Manual	1/3/2023 5:45:51 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	CUSTODIAN ROOM BASEMENT	Manual	1/3/2023 5:46:01 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	O/S BATHROOM BASEMENT	Manual	1/3/2023 5:46:16 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	O/S BOILER ROOM BASEMENT	Manual	1/3/2023 5:46:24 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	Z4	O/S ELECTRIC METER ROOM BASEMENT	Manual	1/3/2023 5:46:30 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	BOYS ROOM BASEMENT	Manual	1/3/2023 5:46:54 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	GIRLS ROOM BASEMENT	Manual	1/3/2023 5:47:00 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	Z4	KITCHEN EXIT BASEMENT	Manual	1/3/2023 5:47:09 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	STAIRS #14 BASEMENT	Manual	1/3/2023 5:47:35 PM

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
LQOII MLINT TITL	ADDITESS	Visual Inspection	Passed (Manual)	DATE/TIME
		Functional Inspection	Passed	
Heat Detector	Z4	WATERMAIN ROOM BASEMENT	Manual	1/3/2023 5:47:50 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	Z4	STAIRS #14 BASEMENT	Manual	1/3/2023 5:48:31 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z4	KITCHEN STORAGE ROOM BASEMENT	Manual	1/3/2023 5:48:40 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z4	HALL BY ELEVATOR BASEMENT	Manual	1/3/2023 5:48:49 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z4	BOYS RESTROOM BASEMENT	Manual	1/3/2023 5:48:57 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z4	GIRLS ROOM BASEMENT	Manual	1/3/2023 5:49:02 PM
		Visual Inspection	Passed (Manual)	
Lloot Dott	74	Functional Inspection STORAGE ROOM BASEMENT	Passed	1/2/2022 5:40:40 514
Heat Detector	Z4		Manual	1/3/2023 5:49:16 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	OLD BOILER ROOM BASEMENT	Manual	1/3/2023 5:49:26 PM
near Detector	Z4			1/3/2023 3.49.20 PW
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	OLD BOILER ROOM BASEMENT	Manual	1/3/2023 5:49:33 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	Z4	OLD BOILER ROOM BASEMENT	Manual	1/3/2023 5:49:46 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z4	KITCHEN BASEMENT	Manual	1/3/2023 5:50:12 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z4	KITCHEN BASEMENT	Manual	1/3/2023 5:50:18 PM
		Visual Inspection	Passed (Manual)	
=		Functional Inspection	Passed	
Heat Detector	Z4	KITCHEN BASEMENT	Manual	1/3/2023 5:50:25 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	HALL BY ELEVATOR BASEMENT	Manual	1/3/2023 5:50:33 PM
Tieat Detector	<u> </u>			1/3/2023 3.30.33 PW
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	O/S SCIENCE ROOM BASEMENT	Manual	1/3/2023 5:52:51 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	Z4	O/S SCIENCE ROOM BASEMENT	Manual	1/3/2023 5:52:58 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z4	SCIENCE ROOM BASEMENT	Manual	1/3/2023 5:53:05 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z4	SCIENCE ROOM BASEMENT	Manual	1/3/2023 5:53:10 PM
		Visual Inspection	Passed (Manual)	

Northeast Integrated Systems Page 17 of 26

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
EQUITMENT TIPE	— ADDITESS	Functional Inspection	Passed	DATE/FINIL -
Heat Detector	Z4	SCIENCE ROOM BASEMENT	Manual	1/3/2023 5:53:39 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z4	SCIENCE ROOM OFFICE BASEMENT		1/3/2023 5:53:45 PM
		Visual Inspection	Passed (Manual)	
Heat Detector	Z4	Functional Inspection SCIENCE ROOM STORAGE	Passed Manual	1/3/2023 5:53:52 PM
Tieat Detector	24	BASEMENT	iviariuai	1/3/2023 3.33.32 FIVI
		Visual Inspection	Passed (Manual)	
Heat Detector	Z 4	Functional Inspection O/S HEALTH CENTER 1ST FLOOR	Passed Manual	1/3/2023 5:59:35 PM
Tieat Detector	24	Visual Inspection	Passed (Manual)	1/3/2023 3.39.33 FIVI
		Functional Inspection	Passed	
Manual Pull Station	Z4	O/S NURSES OFFICE 1ST FLOOR	Manual	1/3/2023 6:44:04 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z4	CENTER FRONT EXIT 1ST FLOOR	Manual	1/3/2023 6:46:41 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	Z4	O/S ROOM 10 1ST FLOOR	Manual	1/3/2023 6:48:20 PM
ivialiual i uli Statiuli	27	Visual Inspection	Passed (Manual)	1/3/2023 0.40.20 FW
		Functional Inspection	Passed	
Heat Detector	Z4	O/S ROOM 10 1ST FLOOR	Manual	1/3/2023 6:48:44 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z4	FRONT LOBBY 1ST FLOOR	Manual	1/3/2023 6:49:11 PM
		Visual Inspection	Passed (Manual) Passed	
Heat Detector	Z4	Functional Inspection STAIRS #14 1ST FLOOR	Manual	1/3/2023 6:50:23 PM
Tieat Detector	24	Visual Inspection	Passed (Manual)	1/3/2023 0.30.23 1 W
		Functional Inspection	Passed	
Manual Pull Station	Z4	FRONT BALCONY STAIRS #14 1ST	Manual	1/3/2023 6:51:28 PM
		FLOOR Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	Z4	REAR CENTER EXIT 1ST FLOOR	Manual	1/3/2023 6:51:34 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z4	REAR CENTER EXIT 1ST FLOOR	Manual	1/3/2023 6:51:46 PM
		Visual Inspection Functional Inspection	Passed (Manual)	
Host Detector	7/	REAR LOBBY 1ST FLOOR	Passed Manual	1/3/2023 6:51:56 DM
Heat Detector	Z4	Visual Inspection	Passed (Manual)	1/3/2023 6:51:56 PM
		Functional Inspection	Passed (Maridar)	
Heat Detector	Z4	REAR LOBBY 1ST FLOOR	Manual	1/3/2023 6:52:02 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z4	FRONT LOBBY 1ST FLOOR	Manual	1/3/2023 6:52:10 PM
		Visual Inspection	Passed (Manual)	
Hoot Dotostor	74	Functional Inspection O/S MAIN OFFICE 1ST FLOOR	Passed	1/3/2023 6:52:36 PM
Heat Detector	Z4	Visual Inspection	Manual Passed (Manual)	1/3/2023 0.32.30 PIVI
		Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	O/S LIBRARY 1ST FLOOR	Manual	1/3/2023 6:52:43 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

Northeast Integrated Systems Page 18 of 26

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Heat Detector	Z4	O/S LIBRARY 1ST FLOOR	Manual	1/3/2023 6:52:50 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector	Z4	MAIN OFFICE 1ST FLOOR	Manual	1/3/2023 6:53:16 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	O/S PRINCIPALS OFFICE 1ST FLOOR	Manual	1/3/2023 6:53:35 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	FRONT BALCONY STAIRS #14 1.5 FLOOR Visual Inspection	Manual Passed (Manual)	1/3/2023 6:53:48 PM
		Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	BALCONY STAIRWELL #7 EXIT 1.5 FLOOR	Manual	1/3/2023 6:53:55 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	BALCONY STAIRWELL #14 1.5 FLOOR	Manual	1/3/2023 6:54:02 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	BALCONY CLOSET STAIRS #7 1.5 FLOOR	Manual	1/3/2023 6:54:11 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	BALCONY CLOSET BY STAIRS #14 1.5 FLOOR	Manual	1/3/2023 6:54:18 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	REAR RIGHT HALL 1ST FLOOR	Manual	1/3/2023 6:54:35 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	FRONT CORRIDOR 1ST FLOOR	Manual	1/3/2023 6:54:49 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	BALCONY BY STAIRS #7 1.5 FLOOR	Manual	1/3/2023 6:54:59 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	STAIRS #14 1ST FLOOR	Manual	1/3/2023 6:55:06 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	REAR EXIT 1ST FLOOR	Manual	1/3/2023 6:55:15 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	STAIRS #7 STAIRWELL EXIT 1ST FLOOR	Manual	1/3/2023 6:55:43 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	AUDITORIUM 1ST FLOOR	Manual	1/3/2023 6:55:55 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	AUDITORIUM 1ST FLOOR	Manual	1/3/2023 6:56:00 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector	Z4	AUDITORIUM 1ST FLOOR	Manual	1/3/2023 6:56:09 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Skipped				

Northeast Integrated Systems Page 19 of 26

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Heat Detector	-	O/S ELEVATOR 1ST FLOOR	Manual	1/3/2023 5:24:34 PM
	Comment:	Recall		
Heat Detector	-	O/S ELEVATOR 2ND FLOOR	Manual	1/3/2023 5:24:34 PM
	Comment:	Recall		
Heat Detector	-	O/S ELEVATOR 3RD FLOOR	Manual	1/3/2023 5:24:34 PM
	Comment:	Recall		
Heat Detector	-	ELEVATOR MACHING ROOM 1ST FLOOR	Manual	1/3/2023 5:44:00 PM
	Comment:	Recall		
Heat Detector	-	O/S ELEVATOR 1ST FLOOR	Manual	1/3/2023 5:44:01 PM
Smoke Detector - General	-	WAITING ROOM FAMILY HEALTH	Manual	1/3/2023 6:21:24 PM
	Comment:	CENTER No Access		
Smoke Detector - General	-	SECRETARYS OFFICE FAMILY	Manual	1/3/2023 6:21:24 PM
Official Beleater General		HEALTH CENTER	Wallaal	1/0/2020 0.21.241 W
	Comment:	No Access		
Smoke Detector - General	- Commont	EXAM 1 FAMILY HEALTH CENTER	Manual	1/3/2023 6:21:24 PM
Outside Detector Outside	Comment:	No Access	Manual	4/0/0000 0 04 04 DM
Smoke Detector - General	- Comment:	EXAM 2 FAMILY HEALTH CENTER No Access	Manual	1/3/2023 6:21:24 PM
Smoke Detector - General	-	OFFICE 1 FAMILY HEALTH CENTER	Manual	1/3/2023 6:21:24 PM
CHICKE Detector - General	- Comment:	No Access	Manual	17072020 U.Z 1.Z4 F IVI
Smoke Detector - General	-	OFFICE 2 FAMILY HEALTH CENTER	Manual	1/3/2023 6:21:24 PM
Cincilo Delegator Constan	Comment:	No Access		,,0,2020 0.2 1.2 1 1 111
Smoke Detector - General	-	BATHROOM FAMILY HEALTH	Manual	1/3/2023 6:21:24 PM
	Comment:	CENTER No Access		
Heat Detector	Comment.	NURSES OFFICE 1ST FLOOR	Manual	1/3/2023 6:56:11 PM
Heat Detector	Comment:	No Access	iviariuai	1/3/2023 0.30.11 FW
E-H-J				
Falleo				
Failed FOURMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
EQUIPMENT TYPE	ADDRESS	DESCRIPTION ART ROOM BASEMENT	METHOD Manual	DATE/TIME 12/22/2022 5:51:01 PM
	ADDRESS Z4	ART ROOM BASEMENT	Manual	DATE/TIME 12/22/2022 5:51:01 PM
EQUIPMENT TYPE				
EQUIPMENT TYPE		ART ROOM BASEMENT Visual Inspection	Manual Failed (Manual)	
EQUIPMENT TYPE Heat Detector		ART ROOM BASEMENT Visual Inspection Functional Inspection	Manual Failed (Manual) Failed	12/22/2022 5:51:01 PM
EQUIPMENT TYPE Heat Detector		ART ROOM BASEMENT Visual Inspection Functional Inspection ROOM 36 3RD FLOOR	Manual Failed (Manual) Failed Manual	12/22/2022 5:51:01 PM
EQUIPMENT TYPE Heat Detector		ART ROOM BASEMENT Visual Inspection Functional Inspection ROOM 36 3RD FLOOR Visual Inspection	Manual Failed (Manual) Failed Manual Failed (Manual)	12/22/2022 5:51:01 PM
EQUIPMENT TYPE Heat Detector Heat Detector		ART ROOM BASEMENT Visual Inspection Functional Inspection ROOM 36 3RD FLOOR Visual Inspection Functional Inspection	Manual Failed (Manual) Failed Manual Failed (Manual) Failed	12/22/2022 5:51:01 PM 1/3/2023 4:08:48 PM
EQUIPMENT TYPE Heat Detector Heat Detector		ART ROOM BASEMENT Visual Inspection Functional Inspection ROOM 36 3RD FLOOR Visual Inspection Functional Inspection ROOM 41 3RD FLOOR	Manual Failed (Manual) Failed Manual Failed (Manual) Failed Manual	12/22/2022 5:51:01 PM 1/3/2023 4:08:48 PM
EQUIPMENT TYPE Heat Detector Heat Detector Heat Detector	-	ART ROOM BASEMENT Visual Inspection Functional Inspection ROOM 36 3RD FLOOR Visual Inspection Functional Inspection ROOM 41 3RD FLOOR Visual Inspection O/S ROOM 41 3RD FLOOR Visual Inspection	Manual Failed (Manual) Failed Manual Failed (Manual) Failed Manual Failed (Manual) Manual Failed (Manual)	12/22/2022 5:51:01 PM 1/3/2023 4:08:48 PM 1/3/2023 4:35:03 PM
EQUIPMENT TYPE Heat Detector Heat Detector Heat Detector Manual Pull Station	- - Z6	ART ROOM BASEMENT Visual Inspection Functional Inspection ROOM 36 3RD FLOOR Visual Inspection Functional Inspection ROOM 41 3RD FLOOR Visual Inspection O/S ROOM 41 3RD FLOOR Visual Inspection Functional Inspection Functional Inspection	Manual Failed (Manual) Failed Manual Failed (Manual) Failed Manual Failed (Manual) Manual Failed (Manual) Failed (Manual) Failed (Manual) Failed	12/22/2022 5:51:01 PM 1/3/2023 4:08:48 PM 1/3/2023 4:35:03 PM 1/3/2023 4:37:13 PM
EQUIPMENT TYPE Heat Detector Heat Detector Heat Detector	-	ART ROOM BASEMENT Visual Inspection Functional Inspection ROOM 36 3RD FLOOR Visual Inspection Functional Inspection ROOM 41 3RD FLOOR Visual Inspection O/S ROOM 41 3RD FLOOR Visual Inspection Functional Inspection Functional Inspection O/S ROOM 33 3RD FLOOR	Manual Failed (Manual) Failed Manual Failed (Manual) Failed Manual Failed (Manual) Manual Failed (Manual) Failed (Manual) Failed (Manual) Failed (Manual) Failed (Manual)	12/22/2022 5:51:01 PM 1/3/2023 4:08:48 PM 1/3/2023 4:35:03 PM
EQUIPMENT TYPE Heat Detector Heat Detector Heat Detector Manual Pull Station	- - Z6	ART ROOM BASEMENT Visual Inspection Functional Inspection ROOM 36 3RD FLOOR Visual Inspection Functional Inspection ROOM 41 3RD FLOOR Visual Inspection O/S ROOM 41 3RD FLOOR Visual Inspection Functional Inspection Functional Inspection O/S ROOM 33 3RD FLOOR Visual Inspection	Manual Failed (Manual) Failed Manual Failed (Manual) Failed Manual Failed (Manual) Manual Failed (Manual) Failed (Manual) Failed (Manual) Failed Manual Failed (Manual)	12/22/2022 5:51:01 PM 1/3/2023 4:08:48 PM 1/3/2023 4:35:03 PM 1/3/2023 4:37:13 PM
EQUIPMENT TYPE Heat Detector Heat Detector Heat Detector Manual Pull Station Heat Detector	- - Z6	ART ROOM BASEMENT Visual Inspection Functional Inspection ROOM 36 3RD FLOOR Visual Inspection Functional Inspection ROOM 41 3RD FLOOR Visual Inspection O/S ROOM 41 3RD FLOOR Visual Inspection Functional Inspection O/S ROOM 33 3RD FLOOR Visual Inspection Functional Inspection Functional Inspection Functional Inspection Functional Inspection	Manual Failed (Manual) Failed Manual Failed (Manual) Failed Manual Failed (Manual) Manual Failed (Manual) Failed (Manual) Failed (Manual) Failed (Manual) Failed (Manual)	12/22/2022 5:51:01 PM 1/3/2023 4:08:48 PM 1/3/2023 4:35:03 PM 1/3/2023 4:37:13 PM 1/3/2023 4:41:59 PM
EQUIPMENT TYPE Heat Detector Heat Detector Heat Detector Manual Pull Station	- - Z6	ART ROOM BASEMENT Visual Inspection Functional Inspection ROOM 36 3RD FLOOR Visual Inspection Functional Inspection ROOM 41 3RD FLOOR Visual Inspection O/S ROOM 41 3RD FLOOR Visual Inspection Functional Inspection O/S ROOM 33 3RD FLOOR Visual Inspection O/S ROOM 20 2ND FLOOR	Manual Failed (Manual) Failed Manual Failed (Manual) Failed Manual Failed (Manual) Manual Failed (Manual) Manual Failed (Manual) Failed Manual Failed (Manual) Failed Manual Failed (Manual) Failed Manual	12/22/2022 5:51:01 PM 1/3/2023 4:08:48 PM 1/3/2023 4:35:03 PM 1/3/2023 4:37:13 PM
EQUIPMENT TYPE Heat Detector Heat Detector Heat Detector Manual Pull Station Heat Detector	- - Z6	ART ROOM BASEMENT Visual Inspection Functional Inspection ROOM 36 3RD FLOOR Visual Inspection Functional Inspection ROOM 41 3RD FLOOR Visual Inspection O/S ROOM 41 3RD FLOOR Visual Inspection Functional Inspection O/S ROOM 33 3RD FLOOR Visual Inspection Functional Inspection Functional Inspection Functional Inspection Functional Inspection	Manual Failed (Manual) Failed Manual Failed (Manual) Failed Manual Failed (Manual) Manual Failed (Manual) Failed (Manual) Failed (Manual) Failed Manual Failed (Manual) Failed	12/22/2022 5:51:01 PM 1/3/2023 4:08:48 PM 1/3/2023 4:35:03 PM 1/3/2023 4:37:13 PM 1/3/2023 4:41:59 PM
EQUIPMENT TYPE Heat Detector Heat Detector Heat Detector Manual Pull Station Heat Detector	- - Z6	ART ROOM BASEMENT Visual Inspection Functional Inspection ROOM 36 3RD FLOOR Visual Inspection Functional Inspection ROOM 41 3RD FLOOR Visual Inspection O/S ROOM 41 3RD FLOOR Visual Inspection Functional Inspection O/S ROOM 33 3RD FLOOR Visual Inspection O/S ROOM 20 2ND FLOOR Visual Inspection	Manual Failed (Manual) Failed Manual Failed (Manual) Failed Manual Failed (Manual) Manual Failed (Manual) Failed (Manual) Failed Manual Failed (Manual) Failed Manual Failed (Manual) Failed Manual Failed (Manual) Failed	12/22/2022 5:51:01 PM 1/3/2023 4:08:48 PM 1/3/2023 4:35:03 PM 1/3/2023 4:37:13 PM 1/3/2023 4:41:59 PM
Heat Detector Heat Detector Heat Detector Manual Pull Station Heat Detector Heat Detector	Z4 - Z6 Z6	ART ROOM BASEMENT Visual Inspection Functional Inspection ROOM 36 3RD FLOOR Visual Inspection Functional Inspection ROOM 41 3RD FLOOR Visual Inspection O/S ROOM 41 3RD FLOOR Visual Inspection O/S ROOM 33 3RD FLOOR Visual Inspection O/S ROOM 30 2RD FLOOR Visual Inspection Functional Inspection Functional Inspection Functional Inspection Functional Inspection O/S ROOM 20 2ND FLOOR Visual Inspection Functional Inspection Functional Inspection	Manual Failed (Manual) Failed Manual Failed (Manual) Failed Manual Failed (Manual) Manual Failed (Manual) Failed (Manual) Failed Manual Failed (Manual) Failed Manual Failed (Manual) Failed Manual Failed (Manual) Failed	1/3/2023 4:08:48 PM 1/3/2023 4:35:03 PM 1/3/2023 4:37:13 PM 1/3/2023 4:41:59 PM 1/3/2023 4:47:38 PM
EQUIPMENT TYPE Heat Detector Heat Detector Manual Pull Station Heat Detector Heat Detector	Z4 - Z6 Z6	ART ROOM BASEMENT Visual Inspection Functional Inspection ROOM 36 3RD FLOOR Visual Inspection Functional Inspection ROOM 41 3RD FLOOR Visual Inspection O/S ROOM 41 3RD FLOOR Visual Inspection Functional Inspection O/S ROOM 33 3RD FLOOR Visual Inspection Functional Inspection O/S ROOM 20 2ND FLOOR Visual Inspection Functional Inspection STAIRS #7 2ND FLOOR	Manual Failed (Manual) Failed Manual Failed (Manual) Failed Manual Failed (Manual) Manual Failed (Manual) Failed (Manual) Failed (Manual) Failed Manual Failed (Manual) Failed (Manual) Failed Manual Failed (Manual) Failed Manual Failed (Manual) Failed	1/3/2023 4:08:48 PM 1/3/2023 4:35:03 PM 1/3/2023 4:37:13 PM 1/3/2023 4:41:59 PM 1/3/2023 4:47:38 PM
EQUIPMENT TYPE Heat Detector Heat Detector Manual Pull Station Heat Detector Heat Detector	Z4 - Z6 Z6	ART ROOM BASEMENT Visual Inspection Functional Inspection ROOM 36 3RD FLOOR Visual Inspection Functional Inspection ROOM 41 3RD FLOOR Visual Inspection O/S ROOM 41 3RD FLOOR Visual Inspection Functional Inspection O/S ROOM 33 3RD FLOOR Visual Inspection Functional Inspection Functional Inspection Visual Inspection Functional Inspection Functional Inspection STAIRS #7 2ND FLOOR Visual Inspection STAIRS #7 2ND FLOOR	Manual Failed (Manual) Failed Manual Failed (Manual) Failed Manual Failed (Manual) Manual Failed (Manual) Failed	1/3/2023 4:08:48 PM 1/3/2023 4:35:03 PM 1/3/2023 4:37:13 PM 1/3/2023 4:41:59 PM 1/3/2023 4:47:38 PM
EQUIPMENT TYPE Heat Detector Heat Detector Manual Pull Station Heat Detector Heat Detector Smoke Detector - General	Z4 - Z6 Z6	ART ROOM BASEMENT Visual Inspection Functional Inspection ROOM 36 3RD FLOOR Visual Inspection Functional Inspection ROOM 41 3RD FLOOR Visual Inspection O/S ROOM 41 3RD FLOOR Visual Inspection Functional Inspection O/S ROOM 33 3RD FLOOR Visual Inspection Functional Inspection O/S ROOM 20 2ND FLOOR Visual Inspection Functional Inspection STAIRS #7 2ND FLOOR Visual Inspection Functional Inspection STAIRS #1 2ND FLOOR Visual Inspection Functional Inspection STAIRS #14 2ND FLOOR Visual Inspection	Manual Failed (Manual) Failed Manual Failed (Manual) Failed Manual Failed (Manual) Manual Failed (Manual) Failed Failed (Manual) Failed	1/3/2023 4:08:48 PM 1/3/2023 4:35:03 PM 1/3/2023 4:37:13 PM 1/3/2023 4:41:59 PM 1/3/2023 4:47:38 PM
EQUIPMENT TYPE Heat Detector Heat Detector Manual Pull Station Heat Detector Heat Detector Smoke Detector - General Manual Pull Station	Z4 - Z6 Z6	ART ROOM BASEMENT Visual Inspection Functional Inspection ROOM 36 3RD FLOOR Visual Inspection Functional Inspection ROOM 41 3RD FLOOR Visual Inspection O/S ROOM 41 3RD FLOOR Visual Inspection Functional Inspection O/S ROOM 33 3RD FLOOR Visual Inspection Functional Inspection O/S ROOM 20 2ND FLOOR Visual Inspection Functional Inspection STAIRS #7 2ND FLOOR Visual Inspection Functional Inspection O/S STAIRS #14 2ND FLOOR Visual Inspection Functional Inspection	Manual Failed (Manual) Failed Manual Failed (Manual) Failed Manual Failed (Manual) Manual Failed (Manual) Failed	1/3/2023 4:08:48 PM 1/3/2023 4:35:03 PM 1/3/2023 4:37:13 PM 1/3/2023 4:41:59 PM 1/3/2023 4:47:38 PM 1/3/2023 5:19:46 PM
EQUIPMENT TYPE Heat Detector Heat Detector Manual Pull Station Heat Detector Heat Detector Smoke Detector - General	Z4 - Z6 Z6	ART ROOM BASEMENT Visual Inspection Functional Inspection ROOM 36 3RD FLOOR Visual Inspection Functional Inspection ROOM 41 3RD FLOOR Visual Inspection O/S ROOM 41 3RD FLOOR Visual Inspection Functional Inspection O/S ROOM 33 3RD FLOOR Visual Inspection O/S ROOM 20 2ND FLOOR Visual Inspection Functional Inspection STAIRS #7 2ND FLOOR Visual Inspection Functional Inspection STAIRS #14 2ND FLOOR Visual Inspection Functional Inspection Functional Inspection STAIRS #14 2ND FLOOR	Manual Failed (Manual) Failed Manual Failed (Manual) Failed Manual Failed (Manual) Manual Failed (Manual) Failed Manual	1/3/2023 4:08:48 PM 1/3/2023 4:35:03 PM 1/3/2023 4:37:13 PM 1/3/2023 4:41:59 PM 1/3/2023 4:47:38 PM
EQUIPMENT TYPE Heat Detector Heat Detector Manual Pull Station Heat Detector Heat Detector Smoke Detector - General Manual Pull Station	- Z6 Z6	ART ROOM BASEMENT Visual Inspection Functional Inspection ROOM 36 3RD FLOOR Visual Inspection Functional Inspection ROOM 41 3RD FLOOR Visual Inspection O/S ROOM 41 3RD FLOOR Visual Inspection Functional Inspection O/S ROOM 33 3RD FLOOR Visual Inspection Functional Inspection O/S ROOM 20 2ND FLOOR Visual Inspection Functional Inspection STAIRS #7 2ND FLOOR Visual Inspection Functional Inspection O/S STAIRS #14 2ND FLOOR Visual Inspection Functional Inspection	Manual Failed (Manual) Failed Manual Failed (Manual) Failed Manual Failed (Manual) Manual Failed (Manual) Failed	1/3/2023 4:08:48 PM 1/3/2023 4:35:03 PM 1/3/2023 4:37:13 PM 1/3/2023 4:41:59 PM 1/3/2023 4:47:38 PM 1/3/2023 5:19:46 PM

Northeast Integrated Systems Page 20 of 26

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Heat Detector	-	READING ROOM BY STAIRS #14 2ND FLOOR	Manual	1/3/2023 5:22:59 PM
		Visual Inspection Functional Inspection	Failed (Manual) Failed	
Manual Pull Station	-	FRONT LOBBY 1ST FLOOR	Manual	1/3/2023 6:46:57 PM
		Visual Inspection Functional Inspection	Failed (Manual) Failed	

Power Supplies

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Battery - Sealed Lead-acid	FACU Batteries	Basement Boiler Room Building 2	Manual	12/22/2022 4:51:01 PM
Battery condition visual Inspection	Passed	Manufacturer	SigmasTek	
Battery condition functional Inspection	Passed	Model	SP12-35	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	35	
Discharge test functional Inspection	Passed	Battery Location	Inside FACU	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			

Failed

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Battery - Sealed Lead-acid	RMB Battery	Basement Boiler Room Building 2	Manual	12/22/2022 4:49:25 PM
Battery condition visual Inspection	Passed	Manufacturer	SigmasTek	
Battery condition functional Inspection	Passed	Model	SP12-7.5	
Load voltage visual Inspection	Passed	Visual Inspection	Failed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Failed	
Discharge test visual Inspection	Passed	Amp Hours	7.5	
Discharge test functional Inspection	Passed	Battery Location	Inside RMB	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			

Public Emergency Alarm Reporting

Passed

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Master Box	RMB #1025	Basement Boiler Room Building 2	Manual	12/22/2022 4:46:19 PM
		Manufacturer	AES	
		Model	7750-F-8	
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

Northeast Integrated Systems Page 21 of 26

Device/Equipment Details

Alarm Notif <u>i</u> c	ation Appliance				
ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
lorn / Strobe					
	WAITING ROOM FAMILY HEALTH CENTER				10/21/2022
	SECRETARYS OFFICE FAMILY HEALTH CENTER				10/21/2022
	STAIRS #7 STAIRWELL EXIT 1. FLOOR	5			10/24/2022
	O/S STAIRS #14 2ND FLOOR				10/24/2022
	O/S STAIRS #17 2ND FLOOR				10/24/2022
	O/S MAIN OFFICE 1ST FLOOR				10/24/2022
	O/S NURSES OFFICE 1ST FLOOR				10/24/2022
	AUDITORIUM 2ND FLOOR				10/24/2022
	O/S ROOM 22 2ND FLOOR				10/24/2022
	O/S ROOM 30A 3RD FLOOR				10/24/2022
	O/S ROOM 31 3RD FLOOR				10/24/2022
	O/S ROOM 34 3RD FLOOR				10/24/2022
	O/S ROOM 35 3RD FLOOR				10/24/2022
	O/S CAFE BASEMENT				10/24/2022
	O/S ROOM 4 BY SCIENCE ROOM BASEMENT				10/24/2022
	O/S ROOM 28 2ND FLOOR				10/24/2022
	ROOM B6 BASEMENT				10/24/2022
	GYM REAR				10/24/2022
	CAFE BASEMENT				10/24/2022
ina Cambral I	BOYS RM BASEMENT				10/24/2022
ire Control F					
ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
Fire Alarm Contro	Basement Boiler Room Building	SIMPLEX	_	_	10/21/1992
	2	SIIVII LEX			10/21/1992
nitiating Dev	rice				
DDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
moke Detector -	General				
	WAITING ROOM FAMILY HEALTH CENTER				10/21/2022
	SECRETARYS OFFICE FAMILY HEALTH CENTER				10/21/2022
	EXAM 1 FAMILY HEALTH CENTER				10/21/2022
	EXAM 2 FAMILY HEALTH CENTER				10/21/2022
	OFFICE 1 FAMILY HEALTH CENTER				10/21/2022
	OFFICE 2 FAMILY HEALTH CENTER				10/21/2022
	BATHROOM FAMILY HEALTH CENTER				10/21/2022
	STAIRS #7 2ND FLOOR				10/21/2022
leat Detector					
' 4	CENTER FRONT EXIT 1ST FLOOR				10/21/2022
4					10/21/2022
	FRONT LOBBY 1ST FLOOR				
.4	FRONT LOBBY 1ST FLOOR FRONT LOBBY 1ST FLOOR				10/21/2022
4					10/21/2022 10/21/2022
	FRONT LOBBY 1ST FLOOR GYM EQUIPMENT ROOM 1ST				

Northeast Integrated Systems Page 22 of 26

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
Z4	REAR LOBBY 1ST FLOOR				10/21/2022
Z4	REAR LOBBY 1ST FLOOR				10/21/2022
Z4	REAR RIGHT HALL 1ST FLOOR	2			10/21/2022
Z4	STAIRS #14 1ST FLOOR				10/21/2022
Z4	STAIRS #14 1ST FLOOR				10/21/2022
Z2	STAIRS #7 1ST FLOOR				10/21/2022
Z4	STAIRS #7 STAIRWELL EXIT 1ST FLOOR				10/21/2022
Z2	READING ROOM BY BALCONY STAIRS #14 1.5 FLOOR				10/21/2022
Z2	BALCONY BY STAIRS #14 1.5 FLOOR				10/21/2022
Z2	BALCONY BY STAIRS #14 1.5 FLOOR				10/21/2022
Z2	BALCONY BY STAIRS #7 1.5 FLOOR				10/21/2022
Z2	BALCONY BY STAIRS #7 1.5 FLOOR				10/21/2022
Z2	BALCONY BY STAIRS #7 1.5 FLOOR				10/21/2022
Z4	BALCONY BY STAIRS #7 1.5 FLOOR				10/21/2022
Z4	BALCONY CLOSET BY STAIRS #14 1.5 FLOOR				10/21/2022
Z4	BALCONY CLOSET STAIRS #7 1.5 FLOOR				10/21/2022
Z4	BALCONY STAIRWELL #14 1.5 FLOOR				10/21/2022
Z4	BALCONY STAIRWELL #7 EXIT 1.5 FLOOR				10/21/2022
Z4	FRONT BALCONY STAIRS #14 1.5 FLOOR				10/21/2022
Z2	MATH ROOM 1.5 FLOOR				10/21/2022
Z5	CONNECTOR HALL 2ND FLOOR				10/21/2022
Z5	HALL BY ROOM 51 2ND FLOOF	₹			10/21/2022
Z5	HALL BY ROOM 53 2ND FLOOF	?			10/21/2022
Z5	HALL BY ROOM 57 2ND FLOOF				10/21/2022
Z 5	HALL BY ROOM 58 2ND FLOOF	3			10/21/2022
-	READING ROOM BY STAIRS #14 2ND FLOOR				10/21/2022
Z5	READING ROOM BY STAIRS #7 2ND FLOOR				10/21/2022
Z5	STAIRS #14 2ND FLOOR				10/21/2022
-	STAIRS #14 2ND FLOOR				10/21/2022
Z4	ART ROOM BASEMENT				10/21/2022
Z4	ART ROOM BASEMENT				10/21/2022
Z4	ART STORAGE ROOM BASEMENT				10/21/2022
Z4	BOILER ROOM BASEMENT				10/21/2022
Z4	BOILER ROOM BASEMENT				10/21/2022
Z1	BOILER ROOM BASEMENT				10/21/2022
Z4	COUNSELORS ROOM BASEMENT				10/21/2022
Z4	COUNSELORS ROOM BASEMENT				10/21/2022
Z4	CUSTODIAN ROOM BASEMENT				10/21/2022
Z1	O/S PRE-KINDERGARTEN STOR BASEMENT				10/21/2022
Z4	O/S ARTS ROOM BASEMENT				10/21/2022
Z4	O/S BATHROOM BASEMENT				10/21/2022
Z4	O/S BOILER ROOM BASEMENT				10/21/2022
Z1	PRE-KINDERGARTEN STORAGE BASEMENT				10/21/2022

Northeast Integrated Systems Page 23 of 26

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
Z4	STAIRS #14 BASEMENT				10/21/2022
Z4	WATERMAIN ROOM BASEMENT				10/21/2022
Z4	AUDITORIUM 1ST FLOOR				10/21/2022
Z4	AUDITORIUM 1ST FLOOR				10/21/2022
Z4	AUDITORIUM 1ST FLOOR				10/21/2022
-	ELEVATOR MACHING ROOM 1ST FLOOR				10/21/2022
Z4	FRONT CORRIDOR 1ST FLOOR				10/21/2022
Z4	MAIN OFFICE 1ST FLOOR				10/21/2022
-	NURSES OFFICE 1ST FLOOR				10/21/2022
-	O/S ELEVATOR 1ST FLOOR				10/21/2022
-	O/S ELEVATOR 1ST FLOOR				10/21/2022
Z4	O/S HEALTH CENTER 1ST FLOOR				10/21/2022
Z4	O/S LIBRARY 1ST FLOOR				10/21/2022
Z4	O/S LIBRARY 1ST FLOOR				10/21/2022
Z4	O/S MAIN OFFICE 1ST FLOOR				10/21/2022
Z4	O/S PRINCIPALS OFFICE 1ST FLOOR				10/21/2022
Z4	O/S ROOM 10 1ST FLOOR				10/21/2022
Z4	REAR EXIT 1ST FLOOR				10/21/2022
Z5	AUDITORIUM 2ND FLOOR				10/21/2022
Z5	AUDITORIUM 2ND FLOOR				10/21/2022
Z5	AUDITORIUM 2ND FLOOR				10/21/2022
Z 5	CUSTODIAL ROOM BY STAFF RESTROOM 2ND FLOOR				10/21/2022
-	O/S ROOM 20 2ND FLOOR				10/21/2022
-	O/S ELEVATOR 2ND FLOOR				10/21/2022
Z5	O/S ROOM 21A 2ND FLOOR				10/21/2022
Z5	O/S ROOM 22 2ND FLOOR				10/21/2022
Z5	O/S ROOM 23 2ND FLOOR				10/21/2022
Z5	O/S ROOM 24 2ND FLOOR				10/21/2022
Z5	O/S ROOM 25 2ND FLOOR				10/21/2022
Z5	O/S ROOM 27 2ND FLOOR				10/21/2022
Z5	O/S ROOM 28 2ND FLOOR				10/21/2022
Z5	O/S STAFF BATHROOM 2ND FLOOR				10/21/2022
Z5	O/S STAFF REST ROOM 2ND FLOOR				10/21/2022
Z5	ROOM 21 2ND FLOOR				10/21/2022
Z5	ROOM 25 2ND FLOOR				10/21/2022
-	O/S ELEVATOR 3RD FLOOR				10/21/2022
Z6	O/S ROOM 30 3RD FLOOR				10/21/2022
Z6	O/S ROOM 31 3RD FLOOR				10/21/2022
Z6	O/S ROOM 33 3RD FLOOR				10/21/2022
Z6	O/S ROOM 34 3RD FLOOR				10/21/2022
Z6	O/S ROOM 36 3RD FLOOR				10/24/2022
Z6	O/S ROOM 40 3RD FLOOR				10/24/2022
Z6	O/S ROOM 41 3RD FLOOR				10/24/2022
Z6	O/S ROOM C1 3RD FLOOR				10/24/2022
Z6	ROOM 30A 3RD FLOOR				10/24/2022
Z6	ROOM 30A 3RD FLOOR				10/24/2022
Z6	ROOM 34 3RD FLOOR				10/24/2022
-	ROOM 36 3RD FLOOR				10/24/2022
Z6	ROOM 40 3RD FLOOR				10/24/2022

Northeast Integrated Systems Page 24 of 26

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
-	ROOM 41 3RD FLOOR	MANUFACTURER	MODEL	SENIAL	10/24/2022
Z6	ROOM C1 3RD FLOOR				10/24/2022
Z6	ROOM C2 3RD FLOOR				10/24/2022
Z6	STORAGE ROOM BY				10/24/2022
20	ELEVATOR 3RD FLOOR				10/24/2022
Z4	BOYS ROOM BASEMENT				10/24/2022
Z4	CAFE BASEMENT				10/24/2022
Z4	CAFE BASEMENT				10/24/2022
Z4	CAFE BASEMENT				10/24/2022
Z4	CAFE BASEMENT				10/24/2022
Z4	GIRLS ROOM BASEMENT				10/24/2022
Z4 Z4	HALL BY ELEVATOR BASEMENT KITCHEN BASEMENT				10/24/2022
Z4 Z4	KITCHEN BASEMENT				10/24/2022
Z4	KITCHEN BASEMENT				10/24/2022
Z4 Z4	KITCHEN STORAGE ROOM				10/24/2022
Z4 Z4	BASEMENT O/S CAFE BASEMENT				10/24/2022
Z6	O/S ROOM 38 3RD FLOOR				10/24/2022
Z6	O/S ROOM 41 3RD FLOOR				10/24/2022
Z6	O/S ROOM C1 3RD FLOOR				10/24/2022
Z4	BOYS RESTROOM BASEMENT				10/24/2022
Z4	CAFE BASEMENT				10/24/2022
Z4	CAFE BASEMENT				10/24/2022
Z4	CAFE BASEMENT				10/24/2022
Z4	CAFE BASEMENT				10/24/2022
Z4	GIRLS ROOM BASEMENT				10/24/2022
Z4	HALL BY ELEVATOR				10/24/2022
Z4	BASEMENT KITCHEN BASEMENT				10/24/2022
Z4	KITCHEN BASEMENT				10/24/2022
Z4	KITCHEN BASEMENT				10/24/2022
Z4	O/S CAFE BASEMENT				10/24/2022
Z4	O/S GAS METER ROOM				10/24/2022
	BASEMENT				
Z4	O/S SCIENCE ROOM BASEMENT				10/24/2022
Z4	OLD BOILER ROOM BASEMENT				10/24/2022
Z4	OLD BOILER ROOM BASEMENT				10/24/2022
Z4	SCIENCE ROOM BASEMENT				10/24/2022
Z4	SCIENCE ROOM BASEMENT				10/24/2022
Z4	SCIENCE ROOM BASEMENT				10/24/2022
Z4	SCIENCE ROOM OFFICE BASEMENT				10/24/2022
Z4	SCIENCE ROOM STORAGE BASEMENT				10/24/2022
Z4	STORAGE ROOM BASEMENT				10/24/2022
Z4	STORAGE ROOM BASEMENT				10/24/2022
Z 2	O/S GYM 1ST FLOOR				10/21/2022
Z 2	O/S GYM 1ST FLOOR				10/21/2022
Z2	CONNECTOR HALL 1ST FLOOR				10/21/2022
Z4	ART ROOM BASEMENT				10/21/2022
Z4	ART ROOM BASEMENT				10/21/2022
Z6	O/S ROOM 35 3RD FLOOR				10/24/2022
Z6	ROOM C1 3RD FLOOR				10/24/2022

Northeast Integrated Systems Page 25 of 26

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
Z 5	AUDITORIUM 2ND FLOOR				10/21/2022
Z6	O/S ROOM 35 3RD FLOOR				10/24/2022
Z6	ROOM C1 3RD FLOOR				10/24/2022
Z5	AUDITORIUM 2ND FLOOR				10/21/2022
Manual Pull Station					
Z4	FRONT BALCONY STAIRS #14 1ST FLOOR				10/21/2022
-	FRONT LOBBY 1ST FLOOR				10/21/2022
Z2	GYM EXIT 1ST FLOOR				10/21/2022
Z2	GYM EXIT 1ST FLOOR				10/21/2022
Z4	REAR CENTER EXIT 1ST FLOOR				10/21/2022
-	O/S STAIRS #14 2ND FLOOR				10/21/2022
Z5	O/S STAIRS #7 2ND FLOOR				10/21/2022
Z1 Z4	BOILER ROOM BY FIRE PANEL BASEMENT O/S ELECTRIC METER ROOM				10/21/2022
Z1	BASEMENT PRE-KINDERGARTEN				10/21/2022
	BASEMENT				
Z4	STAIRS #14 BASEMENT				10/21/2022
Z4	O/S ELEVATOR 1ST FLOOR				10/21/2022
Z4	O/S NURSES OFFICE 1ST FLOOR				10/21/2022
Z4	O/S ROOM 10 1ST FLOOR				10/21/2022
Z 5	O/S ELEVATOR 2ND FLOOR				10/21/2022
Z5	O/S ROOM 23 2ND FLOOR				10/21/2022
Z 5	O/S ROOM 26 2ND FLOOR				10/21/2022
Z6	O/S ROOM 30A 3RD FLOOR				10/21/2022
Z6	O/S ROOM 31 3RD FLOOR				10/21/2022
Z6	O/S ROOM 35 3RD FLOOR				10/21/2022
Z6	O/S ROOM 41 3RD FLOOR				10/24/2022
Z4	KITCHEN EXIT BASEMENT				10/24/2022
Z4	O/S CAFE BASEMENT				10/24/2022
Z4	KITCHEN EXIT BASEMENT				10/24/2022
Z4	O/S CAFE BASEMENT				10/24/2022
Z4	O/S ELEVATOR BASEMENT				10/24/2022
Z4	O/S GAS METER ROOM BASEMENT O/S SCIENCE ROOM				10/24/2022
Z4	BASEMENT				10/24/2022
Z4 Z2	OLD BOILER ROOM BASEMENT O/S GYM 1ST FLOOR				10/24/2022
Z2 Z2	O/S GYM 1ST FLOOR O/S GYM 1ST FLOOR				10/21/2022
Z2	CONNECTOR HALL 1ST				10/21/2022
	FLOOR				1012 112022
Power Supplies					
ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
Battery - Sealed Lead					
RMB Battery	Basement Boiler Room Building 2	SigmasTek	SP12-7.5		02/21/2015
FACU Batteries	Basement Boiler Room Building 2	SigmasTek	SP12-35		04/21/2019
Public Emergen	cy Alarm Reporting				
ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
Master Box RMB #1025	Basement Boiler Room Building 2	AES	7750-F-8		10/21/2015

Northeast Integrated Systems Page 26 of 26