

Inspection and Testing Certificate

Presented To

The City of Worcester/ WPS

For

North High School

140 Harrington Way
Worcester, Massachusetts 01608
United States

This site has been inspected and tested in compliance with applicable standards.

Completed
Thursday, January 05, 2023

Test Session :04 Jan 2023 15:43

ACCEPTED BY

The City of Worcester/ WPS
455 Main Street
Room 201
Worcester, Massachusetts 01608
United States

TESTED BY

Nick Akoumianakis
Northeast Integrated Systems
17 Lincoln Street
Malden MA 02148
United States

INSPECTION STATUS

Attention needed

One or more Deficiencies have been identified, system may respond if needed



Inspection Summary

Building Information

PROPERTY	North High School	CONTACT
ADDRESS	140 Harrington Way	PHONE
CITY/STATE/ZIP	Worcester, Massachusetts 01608	MOBILE
COUNTRY	United States	EMAIL

Inspector Information

COMPANY	Northeast Integrated Systems	CONTACT	Nick Akoumianakis
ADDRESS	17 Lincoln Street Malden MA 02148	LICENSE NUMBER	
		PHONE	+1 781-780-1930
COUNTRY	United States	EMAIL	nick.akoumianakis@nefs.us

Testing Summary

EQUIPMENT TYPE	TOTAL	TESTED	PASSED	FAILED
Alarm Notification Appliance	204	204(100%)	204(100%)	0(0%)
Emergency Control Equipment	40	40(100%)	40(100%)	0(0%)
Fire Control Panel	3	3(100%)	2(67%)	1(33%)
Initiating Device	309	295(95%)	265(86%)	30(10%)
Power Supplies	45	45(100%)	38(84%)	7(16%)
Public Emergency Alarm Reporting	1	1(100%)	1(100%)	0(0%)

Certification

The equipment specified herein was inspected and tested according to the NFPA 72 standard for fire alarm and signaling systems, with the inspection completed on Thursday, January 05, 2023



ACCEPTED BY 01/05/2023

Building Representative



TESTED BY 01/05/2023

Nick Akoumianakis
Technician

System Details

Control Units

MANUFACTURER	EDWARDS	DESCRIPTION	1st Emergency Electrical Room 129A
MODEL	EST3	S/W VERSION	
SERIAL NUMBER		LAST UPDATE	
INSTALL DATE	11/06/2010	S/W LOCATION	

Secondary Power

TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Emergency Electrical Room 129A
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	35	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside Battery Cabinet
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Emergency Electrical Room 129A
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	35	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside Battery Cabinet
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Emergency Electrical Room 129A
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	40	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside Battery Cabinet
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Emergency Electrical Room 129A
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	40	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside Battery Cabinet
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Emergency Electrical Room 129A
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7.5	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Emergency Electrical Room 129A
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7.5	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	2nd Electrical Room 206
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7.5	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS

CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	2nd Electrical Room 226
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7.5	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	3rd Electrical Room 306
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7.5	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	3rd Electrical Room 326
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7.5	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	4th Electrical Room 406
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7.5	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	4th Electrical Room 426
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7.5	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	Basement Emergency Electrical Room 011
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7.5	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	Basement Emergency Electrical Room 011
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7.5	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	Basement Emergency Electrical Room 011
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7.5	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	Basement Emergency Electrical Room 011

NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7.5	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	Basement Emergency Electrical Room 011
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7.5	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	Basement Emergency Electrical Room 011
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7.5	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	Basement Emergency Electrical Room 011
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7.5	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	Basement Emergency Electrical Room 011
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7.5	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	Basement Emergency Electrical Room 011
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7.5	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	Basement Emergency Electrical Room 011
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7.5	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	Basement Emergency Electrical Room 011
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7.5	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	Basement Emergency Electrical Room 011
NOMINAL VOLTAGE	12	LOAD VOLTAGE	

AMP HOURS	7.5	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Emergency Electrical Room 129A
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7.5	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside RMB
CHARGER VOLTAGE			

Open Corrective Action & Solution Summary

The following 95 corrective action(s) remain open following the system inspection, testing or maintenance activities

EQUIPMENT TYPE	ADDRESS	DESCRIPTION
Fire Alarm Control Panel	FACU	1st Emergency Electrical Room 129A
	Created By:	Nick Akoumianakis
	Creation Date:	01/04/2023
	Corrective Action:	Troubles upon arrival & departure; -P/S. P1C8D133. 3rd Stair 4 -Map Fault. 01080682 DataCard2 -Map Fault. 01070682 DataCard2 -FACU display damaged/defective
	Proposed Solution:	
	Manufacturer:	EDWARDS
	Model:	EST3
Smoke Detector - General	P1C7D15	EMERGENCY ELEC RM 129A 1ST FLOOR
	Created By:	Nick Akoumianakis
	Creation Date:	01/04/2023
	Corrective Action:	Reports as a Supervisory Trouble
	Proposed Solution:	
	Manufacturer:	
	Model:	
Manual Pull Station	P1C7D127	MAIN CORRIDOR BY STAIR 100W 1ST FLOOR
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	@ Stair 5
	Proposed Solution:	
	Manufacturer:	
	Model:	
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	@ Stair 5
	Proposed Solution:	
	Manufacturer:	
	Model:	
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	@ Stair 5
	Proposed Solution:	
	Manufacturer:	
	Model:	
Smoke Detector - General	P1C7D284	MAIN LOBBY BY VESTIBULE 1ST FLOOR
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	Inside Main Office
	Proposed Solution:	
	Manufacturer:	
	Model:	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	Inside Main Office
	Proposed Solution:	
	Manufacturer:	
	Model:	
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	Inside Main Office
	Proposed Solution:	
	Manufacturer:	
	Model:	
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	Inside Main Office
	Proposed Solution:	
	Manufacturer:	
	Model:	
Smoke Detector - General	P1C7D295	GIRLS RM 103G 1ST FLOOR
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	Reports as Room 26
	Proposed Solution:	
	Manufacturer:	
	Model:	
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	Reports as Room 26
	Proposed Solution:	
	Manufacturer:	
	Model:	
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	Reports as Room 26
	Proposed Solution:	
	Manufacturer:	
	Model:	
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	Reports as Room 26
	Proposed Solution:	
	Manufacturer:	
	Model:	
Smoke Detector - General	P1C7D302	STORAGE RM 103N 1ST FLOOR
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	Reports as Room 103M
	Proposed Solution:	
	Manufacturer:	
	Model:	
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	Reports as Room 103M
	Proposed Solution:	
	Manufacturer:	
	Model:	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION
	Proposed Solution: Manufacturer: Model:	
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/05/2023 Reports as Room 103M
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/05/2023 Reports as Room 103M
Smoke Detector - General	P1C7D301	STORAGE RM 103N 1ST FLOOR
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/05/2023 Reports as Room 103M
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/05/2023 Reports as Room 103M
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/05/2023 Reports as Room 103M
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/05/2023 Reports as Room 103M
Smoke Detector - General	P1C7D319	STORE RM 0032 BASEMENT
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/05/2023 Inside Storage rm 07
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/05/2023 Inside Storage rm 07

EQUIPMENT TYPE	ADDRESS	DESCRIPTION
----------------	---------	-------------

Created By: Nick Akoumianakis
Creation Date: 01/05/2023
Corrective Action: Inside Storage rm 07
Proposed Solution:
Manufacturer:
Model:

Created By: Nick Akoumianakis
Creation Date: 01/05/2023
Corrective Action: Inside Storage rm 07
Proposed Solution:
Manufacturer:
Model:

Smoke Detector - General	P1C7D320	IDF ROOM 0001 BASEMENT
--------------------------	----------	------------------------

Created By: Nick Akoumianakis
Creation Date: 01/05/2023
Corrective Action: Inside IDF 09
Proposed Solution:
Manufacturer:
Model:

Created By: Nick Akoumianakis
Creation Date: 01/05/2023
Corrective Action: Inside IDF 09
Proposed Solution:
Manufacturer:
Model:

Created By: Nick Akoumianakis
Creation Date: 01/05/2023
Corrective Action: Inside IDF 09
Proposed Solution:
Manufacturer:
Model:

Created By: Nick Akoumianakis
Creation Date: 01/05/2023
Corrective Action: Inside IDF 09
Proposed Solution:
Manufacturer:
Model:

Smoke Detector - General	P1C7D321	EMERGENCY ELEC RM 00E2 BASEMENT
--------------------------	----------	---------------------------------

Created By: Nick Akoumianakis
Creation Date: 01/05/2023
Corrective Action: Inside Emergency Electrical RM 011
Proposed Solution:
Manufacturer:
Model:

Created By: Nick Akoumianakis
Creation Date: 01/05/2023
Corrective Action: Inside Emergency Electrical RM 011
Proposed Solution:
Manufacturer:
Model:

Created By: Nick Akoumianakis
Creation Date: 01/05/2023

EQUIPMENT TYPE	ADDRESS	DESCRIPTION
	Corrective Action: Proposed Solution: Manufacturer: Model:	Inside Emergency Electrical RM 011
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/05/2023 Inside Emergency Electrical RM 011
Smoke Detector - General	P1C7D323	STORAGE RM 000C6 BASEMENT
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/05/2023 Inside storage room 10
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/05/2023 Inside storage room 10
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/05/2023 Inside storage room 10
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/05/2023 Inside storage room 10
Smoke Detector - General	P1C7D324	CORRIDOR 000CC BY COACHES RM 002B BASEMENT
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/05/2023 Only rooms near by are 14, 15, 16 or 17
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/05/2023 Only rooms near by are 14, 15, 16 or 17
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer:	Nick Akoumianakis 01/05/2023 Only rooms near by are 14, 15, 16 or 17

EQUIPMENT TYPE	ADDRESS	DESCRIPTION
----------------	---------	-------------

Model:

Created By: Nick Akoumianakis
 Creation Date: 01/05/2023
 Corrective Action: Only rooms near by are 14, 15, 16 or 17
 Proposed Solution:
 Manufacturer:
 Model:

Smoke Detector - General	P1C7D325	UNIFORM STORAGE RM 000C6 BASEMENT
--------------------------	----------	-----------------------------------

Created By: Nick Akoumianakis
 Creation Date: 01/05/2023
 Corrective Action: Inside Room 017
 Proposed Solution:
 Manufacturer:
 Model:

Created By: Nick Akoumianakis
 Creation Date: 01/05/2023
 Corrective Action: Inside Room 017
 Proposed Solution:
 Manufacturer:
 Model:

Created By: Nick Akoumianakis
 Creation Date: 01/05/2023
 Corrective Action: Inside Room 017
 Proposed Solution:
 Manufacturer:
 Model:

Created By: Nick Akoumianakis
 Creation Date: 01/05/2023
 Corrective Action: Inside Room 017
 Proposed Solution:
 Manufacturer:
 Model:

Smoke Detector - General	P1C7D329	WOMENS ROOM 000W BASEMENT
--------------------------	----------	---------------------------

Created By: Nick Akoumianakis
 Creation Date: 01/05/2023
 Corrective Action: Inside Room 019A
 Proposed Solution:
 Manufacturer:
 Model:

Created By: Nick Akoumianakis
 Creation Date: 01/05/2023
 Corrective Action: Inside Room 019A
 Proposed Solution:
 Manufacturer:
 Model:

Created By: Nick Akoumianakis
 Creation Date: 01/05/2023
 Corrective Action: Inside Room 019A
 Proposed Solution:
 Manufacturer:
 Model:

EQUIPMENT TYPE	ADDRESS	DESCRIPTION
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	Inside Room 019A
	Proposed Solution:	
	Manufacturer:	
	Model:	
Smoke Detector - General	P1C7D330	MENS RM 000M BASEMENT
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	Inside Room 019B
	Proposed Solution:	
	Manufacturer:	
	Model:	
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	Inside Room 019B
	Proposed Solution:	
	Manufacturer:	
	Model:	
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	Inside Room 019B
	Proposed Solution:	
	Manufacturer:	
	Model:	
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	Inside Room 019B
	Proposed Solution:	
	Manufacturer:	
	Model:	
Smoke Detector - General	P1C7D333 PA RM 000PA BASEMENT	Basement P.A Room 000PA
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	Inside Room 23
	Proposed Solution:	
	Manufacturer:	
	Model:	
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	Inside Room 23
	Proposed Solution:	
	Manufacturer:	
	Model:	
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	Inside Room 23
	Proposed Solution:	
	Manufacturer:	
	Model:	
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023

EQUIPMENT TYPE	ADDRESS	DESCRIPTION
	Corrective Action: Proposed Solution: Manufacturer: Model:	Inside Room 23
Smoke Detector - General	P1C7D335	ELECTRIC RM 000E1 BASEMENT
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/05/2023 Inside Room 4
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/05/2023 Inside Room 4
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/05/2023 Inside Room 4
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/05/2023 Inside Room 4
Smoke Detector - General	P1C7D336	CORRIDOR 000CE BY 000T BASEMENT
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/05/2023 Inside Storage Rm 05B
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/05/2023 Inside Storage Rm 05B
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer: Model:	Nick Akoumianakis 01/05/2023 Inside Storage Rm 05B
	Created By: Creation Date: Corrective Action: Proposed Solution: Manufacturer:	Nick Akoumianakis 01/05/2023 Inside Storage Rm 05B

EQUIPMENT TYPE	ADDRESS	DESCRIPTION
----------------	---------	-------------

Model:

Manual Pull Station	P1C7D394	CORR 100B BY STAIR 100SE 1ST FLOOR
---------------------	----------	------------------------------------

Created By: Nick Akoumianakis
Creation Date: 01/05/2023
Corrective Action: @ Stair 3
Proposed Solution:
Manufacturer:
Model:

Created By: Nick Akoumianakis
Creation Date: 01/05/2023
Corrective Action: @ Stair 3
Proposed Solution:
Manufacturer:
Model:

Created By: Nick Akoumianakis
Creation Date: 01/05/2023
Corrective Action: @ Stair 3
Proposed Solution:
Manufacturer:
Model:

Created By: Nick Akoumianakis
Creation Date: 01/05/2023
Corrective Action: @ Stair 3
Proposed Solution:
Manufacturer:
Model:

Manual Pull Station	P1C7D405	CORR 000CC BY RM 0003 BASEMENT
---------------------	----------	--------------------------------

Created By: Nick Akoumianakis
Creation Date: 01/05/2023
Corrective Action: No Room 3 near by
Proposed Solution:
Manufacturer:
Model:

Created By: Nick Akoumianakis
Creation Date: 01/05/2023
Corrective Action: No Room 3 near by
Proposed Solution:
Manufacturer:
Model:

Created By: Nick Akoumianakis
Creation Date: 01/05/2023
Corrective Action: No Room 3 near by
Proposed Solution:
Manufacturer:
Model:

Created By: Nick Akoumianakis
Creation Date: 01/05/2023
Corrective Action: No Room 3 near by
Proposed Solution:
Manufacturer:
Model:

EQUIPMENT TYPE	ADDRESS	DESCRIPTION
Manual Pull Station	P1C7D406	CORR 000CE BY RM 0006 BASEMENT
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	By Room 22
	Proposed Solution:	
	Manufacturer:	
	Model:	
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	By Room 22
	Proposed Solution:	
	Manufacturer:	
	Model:	
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	By Room 22
	Proposed Solution:	
	Manufacturer:	
	Model:	
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	By Room 22
	Proposed Solution:	
	Manufacturer:	
	Model:	
Smoke Detector - General	P1C8D22	WOMENS RM 414A 4TH FLOOR
	Created By:	Nick Akoumianakis
	Creation Date:	01/04/2023
	Corrective Action:	Reports as Mens Room 414B
	Proposed Solution:	
	Manufacturer:	
	Model:	
Smoke Detector - General	P1C8D23	MENS RM 414B 4TH FLOOR
	Created By:	Nick Akoumianakis
	Creation Date:	01/04/2023
	Corrective Action:	Reports as Ladies Room 414A
	Proposed Solution:	
	Manufacturer:	
	Model:	
Smoke Detector - General	P1C8D60	BOYS RM 219B 2ND FLOOR
	Created By:	Nick Akoumianakis
	Creation Date:	01/04/2023
	Corrective Action:	Reports as "Main Corridor By 219B" when it is located inside room 219B
	Proposed Solution:	
	Manufacturer:	
	Model:	
Manual Pull Station	P1C8D133	STAIR 4 3RD FLOOR
	Created By:	Nick Akoumianakis
	Creation Date:	01/04/2023
	Corrective Action:	Failed Operation
	Proposed Solution:	
	Manufacturer:	
	Model:	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION
Manual Pull Station	P1C8D386	STAIR 2 2ND FLOOR
	Created By:	Nick Akoumianakis
	Creation Date:	01/04/2023
	Corrective Action:	Reports as Stair 3
	Proposed Solution:	
	Manufacturer:	
	Model:	
Manual Pull Station	P1C8D385	STAIR 3 2ND FLOOR
	Created By:	Nick Akoumianakis
	Creation Date:	01/04/2023
	Corrective Action:	Reports as Stair 2 when at Stair 3
	Proposed Solution:	
	Manufacturer:	
	Model:	
Battery - Sealed Lead-acid	RMB Battery	1st Emergency Electrical Room 129A
	Created By:	Nick Akoumianakis
	Creation Date:	01/04/2023
	Corrective Action:	Date Expired
	Proposed Solution:	Replace
	Manufacturer:	SigmasTek
	Model:	SP12-7.5
Battery - Sealed Lead-acid	FCPS 1 Batteries	1st Emergency Electrical Room 129A
	Created By:	Nick Akoumianakis
	Creation Date:	01/04/2023
	Corrective Action:	Date Expired
	Proposed Solution:	
	Manufacturer:	SigmasTek
	Model:	SP12-7.5
Battery - Sealed Lead-acid	FCPS 2 Batteries	1st Emergency Electrical Room 129A
	Created By:	Nick Akoumianakis
	Creation Date:	01/04/2023
	Corrective Action:	Date Expired
	Proposed Solution:	
	Manufacturer:	SigmasTek
	Model:	SP12-7.5
Battery - Sealed Lead-acid	FACU Batteries	1st Emergency Electrical Room 129A
	Created By:	Nick Akoumianakis
	Creation Date:	01/04/2023
	Corrective Action:	Date Expired
	Proposed Solution:	
	Manufacturer:	Power-Sonic
	Model:	PS-12400 NB
Battery - Sealed Lead-acid	Voice Evac Batteries	1st Emergency Electrical Room 129A
	Created By:	Nick Akoumianakis
	Creation Date:	01/04/2023
	Corrective Action:	Date Expired
	Proposed Solution:	
	Manufacturer:	SigmasTek
	Model:	SP12-35
Battery - Sealed Lead-acid	FACU Batteries	1st Emergency Electrical Room 129A

EQUIPMENT TYPE	ADDRESS	DESCRIPTION
	Created By:	Nick Akoumianakis
	Creation Date:	01/04/2023
	Corrective Action:	Date Expired
	Proposed Solution:	
	Manufacturer:	Power-Sonic
	Model:	PS-12400 NB
Battery - Sealed Lead-acid	Voice Evac Batteries	1st Emergency Electrical Room 129A
	Created By:	Nick Akoumianakis
	Creation Date:	01/04/2023
	Corrective Action:	Date Expired
	Proposed Solution:	
	Manufacturer:	SigmatTek
	Model:	SP12-35
Smoke Detector - General	P1C7D327	STORAGE RM 000S1 Basement
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	Inside Room 018C
	Proposed Solution:	
	Manufacturer:	
	Model:	
Smoke Detector - General	P1C7D327	STORAGE RM 000S1 Basement
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	Inside Room 018C
	Proposed Solution:	
	Manufacturer:	
	Model:	
Smoke Detector - General	P1C7D327	STORAGE RM 000S1 Basement
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	Inside Room 018C
	Proposed Solution:	
	Manufacturer:	
	Model:	
Smoke Detector - General	P1C7D327	STORAGE RM 000S1 Basement
	Created By:	Nick Akoumianakis
	Creation Date:	01/05/2023
	Corrective Action:	Inside Room 018C
	Proposed Solution:	
	Manufacturer:	
	Model:	

Resolved Corrective Action & Solution Summary

The following 1 corrective action(s) were resolved during the system inspection, testing or maintenance activities

EQUIPMENT TYPE	ADDRESS	DESCRIPTION
Battery - Sealed Lead-acid	FCPS Batteries	3rd Electrical Room 326
Created By: Nick Akoumianakis		
Creation Date: 01/04/2023		
Corrective Action: Not dated		
Resolution:		
Resolved By: Nick Akoumianakis		
Resolved On: 01/04/2023		
Manufacturer: SigmasTek		
Model: SP12-7.5		

Testing Details

Alarm Notification Appliance

Passed

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Speaker/Strobe	-	GYM REAR EXIT BASEMENT	Manual	1/4/2023 4:43:04 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	STORAGE ROOM 05B BASEMENT	Manual	1/4/2023 4:43:06 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	SPRINKLER ROOM 013 BASEMENT	Manual	1/4/2023 4:43:07 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	EMERGENCY ELECTRIC ROOM 011 BASEMENT	Manual	1/4/2023 4:43:09 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	IDF ROOM 09 BASEMENT	Manual	1/4/2023 4:43:10 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	STORAGE ROOM 07 BASEMENT	Manual	1/4/2023 4:43:12 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	ELEC ROOM 4 BASEMENT	Manual	1/4/2023 4:43:14 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	SPORTS EQUIPMENT 022A BASEMENT	Manual	1/4/2023 4:43:15 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	O/S GYM BASEMENT	Manual	1/4/2023 4:43:17 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	CLASS ROOM 22 BASEMENT	Manual	1/4/2023 4:43:20 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	UNIFORM STORAGE ROOM 17 BASEMENT	Manual	1/4/2023 4:43:22 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	HALL O/S ROOM 16 BASEMENT	Manual	1/4/2023 4:43:24 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	ROOM 14 BASEMENT	Manual	1/4/2023 4:43:30 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	WEIGHT ROOM 015 BASEMENT	Manual	1/4/2023 4:43:32 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	WEIGHT ROOM 015 BASEMENT	Manual	1/4/2023 4:43:35 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	GIRLS LOCKER ROOM BASEMENT	Manual	1/4/2023 4:43:37 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Speaker/Strobe	-	O/S GIRLS LOCKER ROOM BASEMENT	Manual	1/4/2023 4:43:40 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	GYM BASEMENT	Manual	1/4/2023 4:43:42 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	GYM BASEMENT	Manual	1/4/2023 4:43:44 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	GYM BASEMENT	Manual	1/4/2023 4:43:46 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	GYM BASEMENT	Manual	1/4/2023 4:43:49 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	GYM BASEMENT	Manual	1/4/2023 4:43:52 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	GYM BASEMENT	Manual	1/4/2023 4:43:54 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	HALL BY STAIR 2 BASEMENT	Manual	1/4/2023 4:43:57 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	HALL BY STAIR 1 BASEMENT	Manual	1/4/2023 4:43:59 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	KITCHEN 1ST FLOOR	Manual	1/4/2023 4:44:01 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	KITCHEN 1ST FLOOR	Manual	1/4/2023 4:44:03 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	KITCHEN 1ST FLOOR	Manual	1/4/2023 4:44:05 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	O/S COMPUTER LAB 431 4TH FLOOR	Manual	1/4/2023 4:44:19 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	COMPUTER LAB 432 & 431 4TH FLOOR	Manual	1/4/2023 4:44:21 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	CLASS ROOM 433 & 434 4TH FLOOR	Manual	1/4/2023 4:44:22 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	SCIENCE LAB 428 4TH FLOOR	Manual	1/4/2023 4:44:24 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	CLASS ROOM 429 & 427 4TH FLOOR	Manual	1/4/2023 4:44:25 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	PREP ROOM 428A 4TH FLOOR	Manual	1/4/2023 4:44:27 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Speaker/Strobe	-	CLASS ROOM 425 & 423 4TH FLOOR	Manual	1/4/2023 4:44:29 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	O/S CLASS ROOM 422 4TH FLOOR	Manual	1/4/2023 4:44:31 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	CLASS ROOM 420 & 421 4TH FLOOR	Manual	1/4/2023 4:44:32 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	O/S CLASS ROOM 421 4TH FLOOR	Manual	1/4/2023 4:44:33 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	419B BOYS 4TH FLOOR	Manual	1/4/2023 4:44:35 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	419A GIRLS 4TH FLOOR	Manual	1/4/2023 4:44:37 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	ADMIN SUITE 418 4TH FLOOR	Manual	1/4/2023 4:44:38 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	CONFERENCE ROOM 418A 4TH FLOOR	Manual	1/4/2023 4:44:41 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	O/S OFFICE 418B 4TH FLOOR	Manual	1/4/2023 4:44:42 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	OFFICE 418B, 418D & 418C 4TH FLOOR	Manual	1/4/2023 4:44:43 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	TEACHER WORK ROOM 414 4TH FLOOR	Manual	1/4/2023 4:44:45 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	O/S TEACHER WORK ROOM 414 4TH FLOOR	Manual	1/4/2023 4:44:46 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	CLASS ROOM 417, 415, 413, 412, 411 & 409 4TH FLOOR	Manual	1/4/2023 4:44:48 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	SCIENCE LAB 410 4TH FLOOR	Manual	1/4/2023 4:44:49 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	PREP ROOM 404A 4TH FLOOR	Manual	1/4/2023 4:44:51 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	SCIENCE LAB 404 4TH FLOOR	Manual	1/4/2023 4:44:53 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	O/S ELEV ROOM 406 4TH FLOOR	Manual	1/4/2023 4:44:55 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	SCIENCE LAB 404 4TH FLOOR	Manual	1/4/2023 4:44:57 PM
		Visual Inspection	Passed (Manual)	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
		Functional Inspection	Passed	
Speaker/Strobe	-	CLASS ROOM 402C 4TH FLOOR	Manual	1/4/2023 4:44:58 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	CLASS ROOM 407 4TH FLOOR	Manual	1/4/2023 4:45:00 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	COMPUTER LAB 405 4TH FLOOR	Manual	1/4/2023 4:45:03 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	O/S COMPUTER LAB 403 4TH FLOOR	Manual	1/4/2023 4:45:05 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	COMPUTER LAB 403 4TH FLOOR	Manual	1/4/2023 4:45:06 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	CLASS ROOM 401 4TH FLOOR	Manual	1/4/2023 4:45:08 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	CLASS ROOM 402B 4TH FLOOR	Manual	1/4/2023 4:45:10 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	O/S CLASS ROOM 303 3RD FLOOR	Manual	1/4/2023 4:45:12 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	WPC OFFICE 301 3RD FLOOR	Manual	1/4/2023 4:45:14 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	HEALTH SCIENCE LAB 302 3RD FLOOR	Manual	1/4/2023 4:45:16 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	HEALTH SCIENCE LAB 302 3RD FLOOR	Manual	1/4/2023 4:45:18 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	HEALTH SCIENCE LAB 302 3RD FLOOR	Manual	1/4/2023 4:45:19 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	CLASS ROOM 305 & 307 3RD FLOOR	Manual	1/4/2023 4:45:21 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	SCIENCE LAB 304 3RD FLOOR	Manual	1/4/2023 4:45:23 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	PREP ROOM 304A 3RD FLOOR	Manual	1/4/2023 4:45:25 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	TOILET 308 3RD FLOOR	Manual	1/4/2023 4:45:26 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	O/S ELEC ROOM 306 3RD FLOOR	Manual	1/4/2023 4:45:28 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	CLASS ROOM 309, 311, 313, 315, 312 & 317 3RD FLOOR	Manual	1/4/2023 4:45:30 PM

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	SCIENCE LAB 310 3RD FLOOR	Manual	1/4/2023 4:45:32 PM
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	TEACHER WORK ROOM 314 3RD FLOOR	Manual	1/4/2023 4:45:33 PM
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	OFFICE 318C, 318D & 318B 3RD FLOOR	Manual	1/4/2023 4:45:35 PM
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	OFFICE 318D 3RD FLOOR	Manual	1/4/2023 4:45:37 PM
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	CONFERENCE ROOM 318A 3RD FLOOR	Manual	1/4/2023 4:45:38 PM
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	ADMIN SUITE 318 3RD FLOOR	Manual	1/4/2023 4:45:40 PM
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	319A GIRLS ROOM & 319B BOYS ROOM 3RD FLOOR	Manual	1/4/2023 4:45:41 PM
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	O/S CLASS ROOM 321 3RD FLOOR	Manual	1/4/2023 4:45:43 PM
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	SCIENCE LAB 320 3RD FLOOR	Manual	1/4/2023 4:45:44 PM
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	CLASS ROOM 321 3RD FLOOR	Manual	1/4/2023 4:45:46 PM
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	SCIENCE PREP ROOM 328A 3RD FLOOR	Manual	1/4/2023 4:45:47 PM
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	O/S CLASS ROOM 323 3RD FLOOR	Manual	1/4/2023 4:45:49 PM
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	CLASS ROOM 323 & 325 3RD FLOOR	Manual	1/4/2023 4:45:50 PM
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	SCIENCE LAB 328 3RD FLOOR	Manual	1/4/2023 4:45:51 PM
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	CLASS ROOM 327 & 329 3RD FLOOR	Manual	1/4/2023 4:45:53 PM
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	O/S CLASS ROOM 333 3RD FLOOR	Manual	1/4/2023 4:45:55 PM
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	CLASS ROOM 333, 334 & 332 3RD FLOOR	Manual	1/4/2023 4:45:56 PM
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Speaker/Strobe	-	COMPUTER ROOM 331 3RD FLOOR	Manual	1/4/2023 4:45:58 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	O/S CLASS ROOM 234 2ND FLOOR	Manual	1/4/2023 4:46:00 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	CLASS ROOM 234 & 233 2ND FLOOR	Manual	1/4/2023 4:46:02 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	COMPUTER LAB 232 & 231 2ND FLOOR	Manual	1/4/2023 4:46:03 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	SCIENCE LAB 228 2ND FLOOR	Manual	1/4/2023 4:46:05 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	CLASS ROOM 229 & 227 2ND FLOOR	Manual	1/4/2023 4:46:07 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	O/S CLASS ROOM 223 2ND FLOOR	Manual	1/4/2023 4:46:09 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	COMPUTER LAB 222 2ND FLOOR	Manual	1/4/2023 4:46:10 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	GYM REAR EXIT BASEMENT	Manual	1/4/2023 4:46:16 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	ROOM 16 BASEMENT	Manual	1/4/2023 4:46:17 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	KITCHEN 1ST FLOOR	Manual	1/4/2023 4:46:19 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	HALL BY MAIN STORAGE 1ST FLOOR	Manual	1/4/2023 4:46:20 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	CUSTODIAL ROOM 128 1ST FLOOR	Manual	1/4/2023 4:46:22 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	ELEC SCIENCE ROOM 129 1ST FLOOR	Manual	1/4/2023 4:46:23 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	ELEC SCIENCE ROOM 129 1ST FLOOR	Manual	1/4/2023 4:46:25 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	TECHNOLOGY ROBO LAB ROOM 125 1ST FLOOR	Manual	1/4/2023 4:46:26 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	TECHNOLOGY SERVICE ROOM 127 1ST FLOOR	Manual	1/4/2023 4:46:28 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Speaker/Strobe	-	BOILER ROOM 131 1ST FLOOR	Manual	1/4/2023 4:46:30 PM
		Visual Inspection	Passed (Manual)	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
		Functional Inspection	Passed	
Speaker/Strobe	-	CORRIDOR 123 1ST FLOOR	Manual	1/4/2023 4:46:31 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	CORRIDOR 123 1ST FLOOR	Manual	1/4/2023 4:46:34 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	CORRIDOR 123 1ST FLOOR	Manual	1/4/2023 4:46:35 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	CAFETERIA 1ST FLOOR	Manual	1/4/2023 4:46:37 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	FACULTY DINING ROOM 121 1ST FLOOR	Manual	1/4/2023 4:46:38 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	CAFETERIA 1ST FLOOR	Manual	1/4/2023 4:46:40 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	CAFETERIA 1ST FLOOR	Manual	1/4/2023 4:46:41 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	CAFETERIA 1ST FLOOR	Manual	1/4/2023 4:46:43 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	CAFETERIA 1ST FLOOR	Manual	1/4/2023 4:46:44 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	HEALTH CARE RECEPTION 112A 1ST FLOOR	Manual	1/4/2023 4:46:46 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	O/S BOYS ROOM 115B 1ST FLOOR	Manual	1/4/2023 4:46:48 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	PREP ROOM 112M 1ST FLOOR	Manual	1/4/2023 4:46:50 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	O/S MEDICAL RECORDS 112C 1ST FLOOR	Manual	1/4/2023 4:46:51 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	O/S EXAM 112J 1ST FLOOR	Manual	1/4/2023 4:46:53 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	O/S OFFICE 112G 1ST FLOOR	Manual	1/4/2023 4:46:54 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	CLASS ROOM 115 1ST FLOOR	Manual	1/4/2023 4:46:56 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	ROOM 112 WAITING AREA 1ST FLOOR	Manual	1/4/2023 4:46:57 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	O/S WAITING ROOM 112 1ST FLOOR	Manual	1/4/2023 4:46:59 PM
		Visual Inspection	Passed (Manual)	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
		Functional Inspection	Passed	
Speaker/Strobe	-	NJROTC 113 1ST FLOOR	Manual	1/4/2023 4:47:00 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	SPRINKLER ROOM 013 BASEMENT	Manual	1/4/2023 4:47:02 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	O/S MAIN OFFICE 102 1ST FLOOR	Manual	1/4/2023 4:47:04 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	NJROTC 111 1ST FLOOR	Manual	1/4/2023 4:47:06 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	O/S NJROTC 111 1ST FLOOR	Manual	1/4/2023 4:47:07 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	O/S 102P MENS ROOM 1ST FLOOR	Manual	1/4/2023 4:47:09 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	O/S RECORDS VAULT 102L 1ST FLOOR	Manual	1/4/2023 4:47:10 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	MAIL BOX AREA 1ST FLOOR	Manual	1/4/2023 4:47:11 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	O/S OFFICE 102F 1ST FLOOR	Manual	1/4/2023 4:47:13 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	CONFERENCE ROOM 102C 1ST FLOOR	Manual	1/4/2023 4:47:14 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	OFFICE 102D 1ST FLOOR	Manual	1/4/2023 4:47:16 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	O/S CONFERENCE ROOM 102C 1ST FLOOR	Manual	1/4/2023 4:47:17 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	MAIN OFFICE 102 1ST FLOOR	Manual	1/4/2023 4:47:19 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	CONFERENCE ROOM 102B 1ST FLOOR	Manual	1/4/2023 4:47:20 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	STAGE 1ST FLOOR	Manual	1/4/2023 4:47:22 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	GREEN ROOM 103D 1ST FLOOR	Manual	1/4/2023 4:47:24 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	STAGE 1ST FLOOR	Manual	1/4/2023 4:47:25 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	CLASS ROOM 8 BASEMENT	Manual	1/4/2023 4:47:27 PM
		Visual Inspection	Passed (Manual)	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Speaker/Strobe	-	Functional Inspection	Passed	1/4/2023 4:47:29 PM
		O/S STAGE LIGHTING 103K 1ST FLOOR	Manual	
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	1/4/2023 4:47:30 PM
		Functional Inspection	Passed	
Speaker/Strobe	-	AUDITORIUM 1ST FLOOR	Manual	1/4/2023 4:47:32 PM
		Visual Inspection	Passed (Manual)	
Speaker/Strobe	-	Functional Inspection	Passed	1/4/2023 4:47:33 PM
		O/S TICKET OFFICE 103B 1ST FLOOR	Manual	
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	1/4/2023 4:47:35 PM
		Functional Inspection	Passed	
Speaker/Strobe	-	O/S AUDITORIUM 1ST FLOOR	Manual	1/4/2023 4:47:36 PM
		Visual Inspection	Passed (Manual)	
Speaker/Strobe	-	Functional Inspection	Passed	1/4/2023 4:47:38 PM
		O/S BOX OFFICE 1ST FLOOR	Manual	
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	1/4/2023 4:47:40 PM
		Functional Inspection	Passed	
Speaker/Strobe	-	SCHOOL STORE 104 1ST FLOOR	Manual	1/4/2023 4:47:41 PM
		Visual Inspection	Passed (Manual)	
Speaker/Strobe	-	Functional Inspection	Passed	1/4/2023 4:47:43 PM
		MAIN ENTRANCE 1ST FLOOR	Manual	
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	1/4/2023 4:47:44 PM
		Functional Inspection	Passed	
Speaker/Strobe	-	MUSIC/DRAMA 109 1ST FLOOR	Manual	1/4/2023 4:47:46 PM
		Visual Inspection	Passed (Manual)	
Speaker/Strobe	-	Functional Inspection	Passed	1/4/2023 4:47:48 PM
		O/S ELEC ROOM 108 1ST FLOOR	Manual	
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	1/4/2023 4:47:50 PM
		Functional Inspection	Passed	
Speaker/Strobe	-	AUDITORIUM 1ST FLOOR	Manual	1/4/2023 4:47:51 PM
		Visual Inspection	Passed (Manual)	
Speaker/Strobe	-	Functional Inspection	Passed	1/4/2023 4:47:52 PM
		ART ROOM 107 1ST FLOOR	Manual	
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	1/4/2023 4:47:54 PM
		Functional Inspection	Passed	
Speaker/Strobe	-	O/S MUSIC ROOM 106 1ST FLOOR	Manual	1/4/2023 4:47:56 PM
		Visual Inspection	Passed (Manual)	
Speaker/Strobe	-	Functional Inspection	Passed	1/4/2023 4:47:58 PM
		MUSIC ROOM 106 1ST FLOOR	Manual	
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	1/4/2023 4:48:00 PM
		Functional Inspection	Passed	
Speaker/Strobe	-	O/S CLASS ROOM 202 2ND FLOOR	Manual	1/4/2023 4:48:02 PM
		Visual Inspection	Passed (Manual)	
Speaker/Strobe	-	Functional Inspection	Passed	1/4/2023 4:48:04 PM
		SCIENCE LAB 204 2ND FLOOR	Manual	
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	1/4/2023 4:48:06 PM
		Functional Inspection	Passed	
Speaker/Strobe	-	CLASS ROOM 202, 201 & 203 2ND FLOOR	Manual	1/4/2023 4:48:08 PM
		Visual Inspection	Passed (Manual)	
Speaker/Strobe	-	Functional Inspection	Passed	1/4/2023 4:48:10 PM
		CLASS ROOM 207 & 205 2ND FLOOR	Manual	
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	1/4/2023 4:48:12 PM
		Functional Inspection	Passed	
Speaker/Strobe	-	CLASS ROOM 207 & 205 2ND FLOOR	Manual	1/4/2023 4:48:14 PM
		Visual Inspection	Passed (Manual)	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Speaker/Strobe	-	Functional Inspection	Passed	1/4/2023 4:47:58 PM
		PREP ROOM 204A 2ND FLOOR	Manual	
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	1/4/2023 4:47:59 PM
		Functional Inspection	Passed	
Speaker/Strobe	-	SCIENCE LAB 210 2ND FLOOR	Manual	1/4/2023 4:48:01 PM
		Visual Inspection	Passed (Manual)	
Speaker/Strobe	-	Functional Inspection	Passed	1/4/2023 4:48:02 PM
		O/S CLASS ROOM 209 2ND FLOOR	Manual	
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	1/4/2023 4:48:04 PM
		Functional Inspection	Passed	
Speaker/Strobe	-	CLASS ROOM 213, 215, 211 & 209 2ND FLOOR	Manual	1/4/2023 4:48:05 PM
		Visual Inspection	Passed (Manual)	
Speaker/Strobe	-	Functional Inspection	Passed	1/4/2023 4:48:06 PM
		SCIENCE LAB 210 2ND FLOOR	Manual	
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	1/4/2023 4:48:08 PM
		Functional Inspection	Passed	
Speaker/Strobe	-	CLASS ROOM 212 2ND FLOOR	Manual	1/4/2023 4:48:10 PM
		Visual Inspection	Passed (Manual)	
Speaker/Strobe	-	Functional Inspection	Passed	1/4/2023 4:48:12 PM
		OFFICE 214B & 214D 2ND FLOOR	Manual	
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	1/4/2023 4:48:14 PM
		Functional Inspection	Passed	
Speaker/Strobe	-	ADMIN SUITE 214 2ND FLOOR	Manual	1/4/2023 4:48:15 PM
		Visual Inspection	Passed (Manual)	
Speaker/Strobe	-	Functional Inspection	Passed	1/4/2023 4:48:17 PM
		TEACHER WORK ROOM 218 2ND FLOOR	Manual	
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	1/4/2023 4:48:18 PM
		Functional Inspection	Passed	
Speaker/Strobe	-	CLASS ROOM 217 2ND FLOOR	Manual	1/4/2023 4:48:20 PM
		Visual Inspection	Passed (Manual)	
Speaker/Strobe	-	Functional Inspection	Passed	1/4/2023 4:48:21 PM
		O/S CLASS ROOM 217 2ND FLOOR	Manual	
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	1/4/2023 4:48:23 PM
		Functional Inspection	Passed	
Speaker/Strobe	-	BOYS 219B & GIRLS 219A 2ND FLOOR	Manual	1/4/2023 4:48:24 PM
		Visual Inspection	Passed (Manual)	
Speaker/Strobe	-	Functional Inspection	Passed	1/4/2023 4:48:25 PM
		LIBRARY WORK ROOM 220 2ND FLOOR	Manual	
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	1/4/2023 4:48:26 PM
		Functional Inspection	Passed	
Speaker/Strobe	-	LIBRARY 2ND FLOOR	Manual	1/4/2023 4:48:27 PM
		Visual Inspection	Passed (Manual)	
Speaker/Strobe	-	Functional Inspection	Passed	1/4/2023 4:48:28 PM
		LIBRARY 2ND FLOOR	Manual	
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	1/4/2023 4:48:29 PM
		Functional Inspection	Passed	
Speaker/Strobe	-	LIBRARY 2ND FLOOR	Manual	1/4/2023 4:48:30 PM
		Visual Inspection	Passed (Manual)	
Speaker/Strobe	-	Functional Inspection	Passed	1/4/2023 4:48:31 PM
		O/S WOMENS ROOM 105A 1ST FLOOR	Manual	
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	1/4/2023 4:48:32 PM
		Functional Inspection	Passed	
Speaker/Strobe	-	O/S GREEN ROOM 103D 1ST FLOOR	Manual	1/4/2023 4:48:33 PM
		Visual Inspection	Passed (Manual)	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	O/S BAY STATE JOBS 221 2ND FLOOR	Manual	1/4/2023 4:48:25 PM
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	BAY STATE JOBS 221 2ND FLOOR	Manual	1/4/2023 4:48:27 PM
Speaker/Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	-	CLASS ROOM 402A 4TH FLOOR	Manual	1/4/2023 4:48:56 PM
Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Strobe	-	424 TOILET 4TH FLOOR	Manual	1/4/2023 4:49:19 PM
Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Strobe	-	MENS ROOM 414B & WOMENS ROOM 414A 4TH FLOOR	Manual	1/4/2023 4:49:21 PM
Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Strobe	-	TOILET ROOM 408 4TH FLOOR	Manual	1/4/2023 4:49:23 PM
Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Strobe	-	MENS ROOM 314B & WOMENS ROOM 314A 3RD FLOOR	Manual	1/4/2023 4:49:24 PM
Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Strobe	-	TOILET 324 3RD FLOOR	Manual	1/4/2023 4:49:26 PM
Strobe	P1C8D53	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Strobe	-	TOILET ROOM 224 2ND FLOOR	Manual	1/4/2023 4:49:27 PM
Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Strobe	-	CONFERENCE ROOM 214A 2ND FLOOR	Manual	1/4/2023 4:49:29 PM
Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Strobe	-	GIRLS 212A & BOYS 212B 2ND FLOOR	Manual	1/4/2023 4:49:30 PM
Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Strobe	-	STAFF BATHROOM 020 BASEMENT	Manual	1/4/2023 4:49:34 PM
Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Strobe	-	WOMENS ROOM 124A 1ST FLOOR	Manual	1/4/2023 4:49:35 PM
Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Strobe	-	BOYS ROOM 119B & GIRLS ROOM 119A 1ST FLOOR	Manual	1/4/2023 4:49:37 PM
Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Strobe	-	TOILET 112R 1ST FLOOR	Manual	1/4/2023 4:49:38 PM
Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Strobe	-	BOYS ROOM 115B & GIRLS ROOM 115A 1ST FLOOR	Manual	1/4/2023 4:49:40 PM
Strobe	-	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Strobe	-	102A WOMENS ROOM 1ST FLOOR	Manual	1/4/2023 4:49:42 PM
Strobe		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Strobe	-	TOILET 112Q 1ST FLOOR	Manual	1/4/2023 4:49:44 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Strobe	-	GIRLS ROOM 103G & BOYS ROOM 103L 1ST FLOOR	Manual	1/4/2023 4:49:45 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Strobe	-	MENS ROOM 105B 1ST FLOOR	Manual	1/4/2023 4:49:47 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Strobe	-	WOMENS ROOM 105A 1ST FLOOR	Manual	1/4/2023 4:49:48 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Strobe	-	102P MENS ROOM 1ST FLOOR	Manual	1/4/2023 4:49:50 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Strobe	-	MENS LOCKER ROOM 122 1ST FLOOR	Manual	1/4/2023 4:49:51 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Strobe	-	WOMENS ROOM 19A BASEMENT	Manual	1/4/2023 4:49:53 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Strobe	-	TOILET 208 2ND FLOOR	Manual	1/4/2023 4:49:54 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Strobe	-	O/S MENS 218B & WOMENS 218A 2ND FLOOR	Manual	1/4/2023 4:49:56 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Visible	-	EXTERIOR BEACON 1ST FLOOR	Manual	1/4/2023 7:12:00 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

Emergency Control Equipment

Passed

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Door Holder Release	-	STAIR 5 4TH FLOOR	Manual	1/4/2023 4:41:07 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Door Holder Release	-	STAIR 5 4TH FLOOR	Manual	1/4/2023 4:41:09 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Door Holder Release	-	STAIR 4 4TH FLOOR	Manual	1/4/2023 4:41:11 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Door Holder Release	-	STAIR 4 4TH FLOOR	Manual	1/4/2023 4:41:19 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Door Holder Release	-	STAIR 3 4TH FLOOR	Manual	1/4/2023 4:41:21 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Door Holder Release	-	STAIR 3 4TH FLOOR	Manual	1/4/2023 4:41:22 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Door Holder Release	-	STAIR 2 4TH FLOOR	Manual	1/4/2023 4:41:24 PM
		Visual Inspection	Passed (Manual)	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
		Functional Inspection	Passed	
Door Holder Release	-	STAIR 2 4TH FLOOR	Manual	1/4/2023 4:41:26 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Door Holder Release	-	STAIR 5 3RD FLOOR	Manual	1/4/2023 4:41:27 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Door Holder Release	-	STAIR 5 3RD FLOOR	Manual	1/4/2023 4:41:29 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Door Holder Release	-	STAIR 4 3RD FLOOR	Manual	1/4/2023 4:41:30 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Door Holder Release	-	STAIR 4 3RD FLOOR	Manual	1/4/2023 4:41:32 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Door Holder Release	-	STAIR 3 3RD FLOOR	Manual	1/4/2023 4:41:33 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Door Holder Release	-	STAIR 3 3RD FLOOR	Manual	1/4/2023 4:41:35 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Door Holder Release	-	STAIR 2 3RD FLOOR	Manual	1/4/2023 4:41:37 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Door Holder Release	-	STAIR 2 3RD FLOOR	Manual	1/4/2023 4:41:38 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Door Holder Release	-	STAIR 5 2ND FLOOR	Manual	1/4/2023 4:41:40 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Door Holder Release	-	STAIR 5 2ND FLOOR	Manual	1/4/2023 4:41:42 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Door Holder Release	-	STAIR 4 2ND FLOOR	Manual	1/4/2023 4:41:44 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Door Holder Release	-	STAIR 4 2ND FLOOR	Manual	1/4/2023 4:41:46 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Door Holder Release	-	STAIR 3 2ND FLOOR	Manual	1/4/2023 4:41:48 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Door Holder Release	-	STAIR 3 2ND FLOOR	Manual	1/4/2023 4:41:49 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Door Holder Release	-	STAIR 2 2ND FLOOR	Manual	1/4/2023 4:41:51 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Door Holder Release	-	STAIR 2 2ND FLOOR	Manual	1/4/2023 4:41:52 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Door Holder Release	-	STAIR 3 1ST FLOOR	Manual	1/4/2023 4:41:53 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Door Holder Release	-	STAIR 3 1ST FLOOR	Manual	1/4/2023 4:41:55 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Door Holder Release	-	STAIR 2 1ST FLOOR	Manual	1/4/2023 4:41:57 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Door Holder Release	-	STAIR 2 1ST FLOOR	Manual	1/4/2023 4:41:58 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Door Holder Release	-	CORRIDOR 101A 1ST FLOOR	Manual	1/4/2023 4:42:00 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Door Holder Release	-	CORRIDOR 101A 1ST FLOOR	Manual	1/4/2023 4:42:02 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Door Holder Release	-	TO CAFETERIA NEAR 115 1ST FLOOR	Manual	1/4/2023 4:42:03 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Door Holder Release	-	TO CAFETERIA NEAR 115 1ST FLOOR	Manual	1/4/2023 4:42:05 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Door Holder Release	-	HALL BY STORAGE RM 10 BASEMENT	Manual	1/4/2023 4:42:06 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Door Holder Release	-	HALL BY STORAGE RM 10 BASEMENT	Manual	1/4/2023 4:42:08 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Door Holder Release	-	O/S WOMENS BATHROOM BASEMENT	Manual	1/4/2023 4:42:09 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Door Holder Release	-	O/S WOMENS BATHROOM BASEMENT	Manual	1/4/2023 4:42:11 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Door Holder Release	-	ENTRANCE TO GYM BASEMENT	Manual	1/4/2023 4:42:12 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Door Holder Release	-	ENTRANCE TO GYM BASEMENT	Manual	1/4/2023 4:42:14 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Door Holder Release	-	ENTRANCE TO GYM BASEMENT	Manual	1/4/2023 4:42:16 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Door Holder Release	-	ENTRANCE TO GYM BASEMENT	Manual	1/4/2023 4:42:17 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	

Fire Control Panel

Passed

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Annunciator/Sequential display	-	PRINCIPALS OFFICE	Manual	1/4/2023 4:49:09 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Annunciator/Sequential display	-	MAIN ENTRY	Manual	1/4/2023 4:49:12 PM

Visual Inspection
Functional Inspection

Passed (Manual)
Passed

Failed

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Fire Alarm Control Panel	FACU	1st Emergency Electrical Room 129A	Manual	1/4/2023 3:57:44 PM

Control unit visual Inspection Passed
Control unit functional Inspection Passed
Lamps/LEDs/LCDs visual Inspection Passed
Lamps/LEDs/LCDs functional Inspection Passed
Fuses visual Inspection Passed
Fuses functional Inspection Passed
Trouble Signals visual Inspection Passed
Trouble Signals functional Inspection Passed
Disconnect Switches visual Inspection Passed
Disconnect Switches functional Inspection Passed
Ground-fault monitoring visual Inspection Passed
Ground-fault monitoring functional Inspection Passed
Supervision visual Inspection Passed
Supervision functional Inspection Passed
Local annunciator visual Inspection Passed
Local annunciator functional Inspection Passed
Remote annunciators visual Inspection Passed
Remote annunciators functional Inspection Passed
Remote power panels visual Inspection Passed
Remote power panels functional Inspection Passed

Initiating Device

Passed

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	P1C7D13	ELEC RM 129 1ST FLOOR	Manual	1/4/2023 3:56:16 PM

Manufacturer
Model
Visual Inspection
Functional Inspection

Edwards
SIGA-PS
Passed (Manual)
Passed

Smoke Detector - General	P1C8D19	PENTHOUSE STAIR 5 ROOF ACCESS 5TH FLOOR	Manual	1/4/2023 4:40:21 PM
--------------------------	---------	---	--------	---------------------

Visual Inspection
Functional Inspection

Passed (Manual)
Passed

Smoke Detector - General	P1C8D17	MAIN CORR BY RM 433 4TH FLOOR	Manual	1/4/2023 4:52:30 PM
--------------------------	---------	-------------------------------	--------	---------------------

Visual Inspection
Functional Inspection

Passed (Manual)
Passed

Manual Pull Station	P1C8D129	STAIR 5 4TH FLOOR	Manual	1/4/2023 4:53:32 PM
---------------------	----------	-------------------	--------	---------------------

Visual Inspection
Functional Inspection

Passed (Manual)
Passed

Smoke Detector - General	P1C8D15	MAIN CORR BY RM 430 4TH FLOOR	Manual	1/4/2023 4:55:10 PM
--------------------------	---------	-------------------------------	--------	---------------------

Visual Inspection
Functional Inspection

Passed (Manual)
Passed

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	P1C8D14	MAIN CORR BY RM 427 4TH FLOOR	Manual	1/4/2023 4:56:07 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D10	MAIN CORR BY RM 425 4TH FLOOR	Manual	1/4/2023 4:57:06 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D9	MAIN CORR BY RM 421 4TH FLOOR	Manual	1/4/2023 4:57:46 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D5	MAIN CORR BY STAIR 4 4TH FLOOR	Manual	1/4/2023 4:59:36 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D4	STAIR 4 4TH FLOOR	Manual	1/4/2023 5:00:08 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D20	BOYS RM 419B 4TH FLOOR	Manual	1/4/2023 5:00:59 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D21	GIRLS RM 419A 4TH FLOOR	Manual	1/4/2023 5:01:54 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D3	IDF RM 417A 4TH FLOOR	Manual	1/4/2023 5:02:45 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D8	ADMIN HALL RM 418 4TH FLOOR	Manual	1/4/2023 5:03:46 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D7	ADMIN SUITE RM 418 4TH FLOOR	Manual	1/4/2023 5:04:18 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D1	MAIN CORR BY RM 417 4TH FLOOR	Manual	1/4/2023 5:09:54 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D259	MAIN CORR BY RM 413 4TH FLOOR	Manual	1/4/2023 5:10:44 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D258	MAIN CORR BY RM 411 4TH FLOOR	Manual	1/4/2023 5:11:17 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D257	MAIN CORR BY RM 409 4TH FLOOR	Manual	1/4/2023 5:11:58 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D255	MAIN CORR BY STAIR 3 4TH FLOOR	Manual	1/4/2023 5:14:10 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	P1C8D377	STAIR 3 4TH FLOOR	Manual	1/4/2023 5:15:05 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D256	STAIR 3 4TH FLOOR	Manual	1/4/2023 5:15:56 PM
		Manufacturer Model Visual Inspection Functional Inspection	Edwards SIGA-278 Passed (Manual) Passed	
Smoke Detector - General	P1C8D254	MAIN CORR BY RM 407 4TH FLOOR	Manual	1/4/2023 5:16:35 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	P1C8D253	MAIN CORR BY RM 405 4TH FLOOR	Manual	1/4/2023 5:17:29 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D251	MAIN CORR BY RM 402B 4TH FLOOR	Manual	1/4/2023 5:18:40 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D252	STAIR 2 4TH FLOOR	Manual	1/4/2023 5:19:20 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	P1C8D376	STAIR 2 4TH FLOOR	Manual	1/4/2023 5:19:55 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D264	PENTHOUSE STAIR 2 ROOF ACCESS 5TH FLOOR	Manual	1/4/2023 5:20:57 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	P1C8D129	STAIR 4 4TH FLOOR	Manual	1/4/2023 5:25:19 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	P1C8D134	STAIR 5 3RD FLOOR	Manual	1/4/2023 5:28:26 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D41	STAIR 5 3RD FLOOR	Manual	1/4/2023 5:29:09 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D40	MAIN CORR BY STAIR 5 3RD FLOOR	Manual	1/4/2023 5:29:43 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D39	MAIN CORR BY RM 330 3RD FLOOR	Manual	1/4/2023 5:30:18 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D38	MAIN CORR BY RM 327 3RD FLOOR	Manual	1/4/2023 5:31:23 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D35	MAIN CORR BY RM 325 3RD FLOOR	Manual	1/4/2023 5:32:00 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D34	MAIN CORR BY RM 321 3RD FLOOR	Manual	1/4/2023 5:32:52 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D32	STAIR 4 3RD FLOOR	Manual	1/4/2023 5:35:30 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D31	MAIN CORR BY STAIR 4 3RD FLOOR	Manual	1/4/2023 5:37:30 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D33	MAIN CORR BY RM 318 3RD FLOOR	Manual	1/4/2023 5:43:06 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D27	ADMIN HALL RM 318B 3RD FLOOR	Manual	1/4/2023 5:43:45 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D26	MENS RM 314B 3RD FLOOR	Manual	1/4/2023 5:45:10 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	P1C8D25	WOMENS RM 314A 3RD FLOOR	Manual	1/4/2023 5:46:22 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D43	IDF RM 317A 3RD FLOOR	Manual	1/4/2023 5:47:21 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D24	MAIN CORR BY RM 317 3RD FLOOR	Manual	1/4/2023 5:47:46 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D273	MAIN CORR BY RM 313 3RD FLOOR	Manual	1/4/2023 5:48:35 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D272	MAIN CORR BY RM 311 3RD FLOOR	Manual	1/4/2023 5:49:34 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D271	MAIN CORR BY RM 309 3RD FLOOR	Manual	1/4/2023 5:50:14 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D274	ELEC RM 306 3RD FLOOR	Manual	1/4/2023 5:51:06 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - Duct	P1C8D274	ERU-2 EXHAUST RM 306 3RD FLOOR	Manual	1/4/2023 5:54:32 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - Duct	P1C8D274	ERU-2 EXHAUST RM 306 3RD FLOOR	Manual	1/4/2023 5:55:28 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	P1C8D382	STAIR 3 3RD FLOOR	Manual	1/4/2023 6:02:11 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D259	MAIN CORR BY STAIR 3 3RD FLOOR	Manual	1/4/2023 6:02:47 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D270	STAIR 3 3RD FLOOR	Manual	1/4/2023 6:04:05 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D268	MAIN CORR BY RM 307 3RD FLOOR	Manual	1/4/2023 6:04:54 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D267	MAIN CORR BY RM 305 3RD FLOOR	Manual	1/4/2023 6:05:34 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D265	MAIN CORR BY RM 303 3RD FLOOR	Manual	1/4/2023 6:06:11 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D266	STAIR 2 3RD FLOOR	Manual	1/4/2023 6:07:23 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	P1C8D381	STAIR 2 3RD FLOOR	Manual	1/4/2023 6:08:05 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D275	PREP RM 304A 3RD FLOOR	Manual	1/4/2023 6:10:10 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	P1C8D276	BATHROOM 308 3RD FLOOR	Manual	1/4/2023 6:11:06 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D277	SCIENCE STORAGE RM 315A 3RD FLOOR	Manual	1/4/2023 6:12:12 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D29	GIRLS RM 319A 3RD FLOOR	Manual	1/4/2023 6:13:12 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D30	BOYS RM 319B 3RD FLOOR	Manual	1/4/2023 6:13:53 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D36	TOILET RM 324 3RD FLOOR	Manual	1/4/2023 6:15:34 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D42	ELEC RM 326 3RD FLOOR	Manual	1/4/2023 6:16:38 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - Duct	P1C8D73	ERU-4 IN RM 326 3RD FLOOR	Manual	1/4/2023 6:20:35 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D37	PREP RM 328A 3RD FLOOR	Manual	1/4/2023 6:24:04 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D77	BOOK STORAGE RM 330 3RD FLOOR	Manual	1/4/2023 6:25:06 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D16	BOOK STORAGE RM 430 4TH FLOOR	Manual	1/4/2023 6:27:28 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D13	PREP RM 428A 4TH FLOOR	Manual	1/4/2023 6:28:36 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D11	TOILET RM 424 4TH FLOOR	Manual	1/4/2023 6:29:29 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D12	ELEC RM 426 4TH FLOOR	Manual	1/4/2023 6:30:16 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - Duct	P1C8D62	ERU-4 EXHAUST Room 426 4TH FLOOR	Manual	1/4/2023 6:34:25 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - Duct	P1C8D66	ERU-1 EXHAUST Room 426 4TH FLOOR	Manual	1/4/2023 6:35:15 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - Duct	P1C8D67	ERU-1 EXHAUST Room 426 4TH FLOOR	Manual	1/4/2023 6:35:58 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - Duct	P1C8D68	ERU-1 SUPPLY Room 426 4TH FLOOR	Manual	1/4/2023 6:36:42 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - Duct	P1C8D63	MAU-1 Room 426 4TH FLOOR	Manual	1/4/2023 6:37:25 PM

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - Duct	P1C8D65	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	P1C8D65	RTU-C SUPPLY Room 426 4TH FLOOR	Manual	1/4/2023 6:39:01 PM
Smoke Detector - Duct	P1C8D72	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	P1C8D72	ERU-L RETURN Room 426 4TH FLOOR	Manual	1/4/2023 6:40:01 PM
Smoke Detector - Duct	P1C8D71	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	P1C8D71	RTU-L RETURN Room 426 4TH FLOOR	Manual	1/4/2023 6:40:50 PM
Smoke Detector - Duct	P1C8D64	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	P1C8D64	RTU-C RETURN Room 426 4TH FLOOR	Manual	1/4/2023 6:41:49 PM
Smoke Detector - Duct	P1C8D69	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	P1C8D69	ERU-4 Supply Room 426 4TH FLOOR	Manual	1/4/2023 6:42:27 PM
Smoke Detector - General	P1C8D260	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C8D260	ELEC RM 415A 4TH FLOOR	Manual	1/4/2023 6:44:58 PM
Smoke Detector - General	P1C8D263	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C8D263	TOILET RM 408 4TH FLOOR	Manual	1/4/2023 6:45:57 PM
Smoke Detector - General	P1C8D261	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C8D261	PREP RM 404A 4TH FLOOR	Manual	1/4/2023 6:47:08 PM
Smoke Detector - General	P1C8D262	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C8D262	ELEC RM 406 4TH FLOOR	Manual	1/4/2023 6:48:20 PM
Smoke Detector - Duct	P1C8D296	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	P1C8D296	RTU-H EXHAUST Room 406 4TH FLOOR	Manual	1/4/2023 6:52:53 PM
Smoke Detector - Duct	P1C8D297	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	P1C8D297	RTU-H SUPPLY Room 406 4TH FLOOR	Manual	1/4/2023 6:53:22 PM
Smoke Detector - Duct	P1C8D299	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	P1C8D299	ERU-2 SUPPLY Room 406 4TH FLOOR	Manual	1/4/2023 6:54:06 PM
Smoke Detector - Duct	P1C8D298	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	P1C8D298	ERU-2 SUPPLY Room 406 4TH FLOOR	Manual	1/4/2023 6:54:36 PM
Smoke Detector - Duct	P1C8D305	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	P1C8D305	ERU-2 SUPPLY Room 406 4TH FLOOR	Manual	1/4/2023 6:55:32 PM
	Comment:	Reports as Alarm!		
Smoke Detector - Duct	P1C8D295	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	P1C8D295	ERU-3 EXHAUST Room 406 4TH FLOOR	Manual	1/4/2023 6:56:16 PM
Smoke Detector - Duct	P1C8D306	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	P1C8D306	ERU-2 RETURN Room 406 4TH FLOOR	Manual	1/4/2023 6:56:56 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - Duct	P1C8D300	ERU-2 Exhaust Room 406 4TH FLOOR	Manual	1/4/2023 6:57:30 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D57	STAIR 5 2ND FLOOR	Manual	1/4/2023 8:02:24 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	P1C8D148	STAIR 5 2ND FLOOR	Manual	1/4/2023 8:03:37 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D59	MAIN CORR BY RM 233 2ND FLOOR	Manual	1/4/2023 8:04:38 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D56	MAIN CORR BY RM 229 2ND FLOOR	Manual	1/4/2023 8:05:16 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D58	BOOK STORAGE RM 230 2ND FLOOR	Manual	1/4/2023 8:06:04 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D61	PREP RM 228A 2ND FLOOR	Manual	1/4/2023 8:07:16 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D54	ELEC RM 226 2ND FLOOR	Manual	1/4/2023 8:08:28 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D55	MAIN CORR BY RM 227 2ND FLOOR	Manual	1/4/2023 8:12:30 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D52	MAIN CORR BY RM 223 2ND FLOOR	Manual	1/4/2023 8:13:01 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D51	MAIN CORR BY RM 220 2ND FLOOR	Manual	1/4/2023 8:13:45 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	P1C8D142	STAIR 4 2ND FLOOR	Manual	1/4/2023 8:14:43 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D48	MAIN CORR BY STAIR 4 2ND FLOOR	Manual	1/4/2023 8:15:16 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D49	STAIR 4 2ND FLOOR	Manual	1/4/2023 8:15:49 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D47	GIRLS RM 219A 2ND FLOOR	Manual	1/4/2023 8:20:16 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D44	MAIN CORR BY RM 218 2ND FLOOR	Manual	1/4/2023 8:21:05 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D45	IDF RM 217A 2ND FLOOR	Manual	1/4/2023 8:21:42 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D289	MAIN CORR BY RM 215 2ND FLOOR	Manual	1/4/2023 8:23:09 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	P1C8D290	ADMIN SUITE 214 2ND FLOOR	Manual	1/4/2023 8:23:35 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D291	ADMIN SUITE 214 BY RM 214B 2ND FLOOR	Manual	1/4/2023 8:24:13 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D292	ADMIN HALL RM 214 2ND FLOOR	Manual	1/4/2023 8:24:42 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D288	MAIN CORR BY RM 211 2ND FLOOR	Manual	1/4/2023 8:25:30 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D287	MAIN CORR BY RM 209 2ND FLOOR	Manual	1/4/2023 8:26:08 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D285	MAIN CORR BY STAIR 3 2ND FLOOR	Manual	1/4/2023 8:27:02 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D286	STAIR 3 2ND FLOOR	Manual	1/4/2023 8:27:34 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D281	PREP RM 204A 2ND FLOOR	Manual	1/4/2023 8:31:40 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D284	MAIN CORR BY RM 207 2ND FLOOR	Manual	1/4/2023 8:32:20 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D283	TOILET RM 208 2ND FLOOR	Manual	1/4/2023 8:33:38 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D282	ELEC RM 206 2ND FLOOR	Manual	1/4/2023 8:34:18 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - Duct	P1C8D303	ERU-2 EXHAUST RM 206 2ND FLOOR	Manual	1/4/2023 8:36:13 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - Duct	P1C8D304	ERU-2 EXHAUST RM 206 2ND FLOOR	Manual	1/4/2023 8:37:32 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D280	MAIN CORR BY RM 205 2ND FLOOR	Manual	1/4/2023 8:40:59 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D279	MAIN CORR BY RM 203 2ND FLOOR	Manual	1/4/2023 8:43:44 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D278	STAIR 2 2ND FLOOR	Manual	1/4/2023 8:44:41 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D293	GIRLS RM 212A 2ND FLOOR	Manual	1/4/2023 8:48:56 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C8D294	BOYS RM 212B 2ND FLOOR	Manual	1/4/2023 8:49:39 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	P1C7D1	WEST STAIR 5 1ST FLOOR	Manual	1/5/2023 5:06:26 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D2	MAIN CORR BY RM 131 1ST FLOOR	Manual	1/5/2023 5:07:15 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D3	CORRIDOR 130 1ST FLOOR	Manual	1/5/2023 5:12:01 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D7	STORAGE RM 132 N.E. 1ST FLOOR	Manual	1/5/2023 5:12:48 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D6	STORAGE RM 132 S.E. 1ST FLOOR	Manual	1/5/2023 5:13:24 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D4	STORAGE RM 132 S.W. 1ST FLOOR	Manual	1/5/2023 5:14:03 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D5	STORAGE RM 132 N.W. 1ST FLOOR	Manual	1/5/2023 5:14:33 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	P1C7D129	CORRIDOR 130 BY BY EQUIP STOR RM 126 1ST FLOOR	Manual	1/5/2023 5:15:43 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D8	WOMENS LOCKER RM 124 1ST FLOOR	Manual	1/5/2023 5:16:27 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D9	MENS LOCKER RM 122 1ST FLOOR	Manual	1/5/2023 5:17:09 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	P1C7D130	RECEIVING/RECYCLE RM 118 1ST FLOOR	Manual	1/5/2023 5:18:07 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D10	DRY STORAGE KITCHEN RM 116B 1ST FLOOR	Manual	1/5/2023 5:19:11 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	P1C7D128	CHILLER RM 131A 1ST FLOOR	Manual	1/5/2023 5:23:58 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	P1C7D128	CHILLER RM 131A 1ST FLOOR	Manual	1/5/2023 5:23:58 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	P1C7D128	CHILLER RM 131A 1ST FLOOR	Manual	1/5/2023 5:23:58 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	P1C7D128	CHILLER RM 131A 1ST FLOOR	Manual	1/5/2023 5:23:58 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D11	CORRIDOR 123 BY RM 129 1ST FLOOR	Manual	1/5/2023 5:24:43 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D28	CUSTODIAN RM 128 1ST FLOOR	Manual	1/5/2023 5:25:50 PM
		Visual Inspection	Passed (Manual)	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
		Functional Inspection	Passed	
Manual Pull Station	P1C7D133	TECHNICAL SERVICES RM 127B 1ST FLOOR	Manual	1/5/2023 5:28:11 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D17	MDF RM 127A 1ST FLOOR	Manual	1/5/2023 5:29:45 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D16	MAIN CORR BY MDF RM 127A 1ST FLOOR	Manual	1/5/2023 5:30:34 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D18	MAIN CORR BY TEC/ROBOTICS LAB 1ST FLOOR	Manual	1/5/2023 5:31:15 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	P1C7D136	TECH/ROBOTICS RM 125 1ST FLOOR	Manual	1/5/2023 5:32:28 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D19	MAIN CORRIDOR BY CAFETERIA 1ST FLOOR	Manual	1/5/2023 5:33:18 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D20	CAFETERIA BY STAIR 4 1ST FLOOR	Manual	1/5/2023 5:33:58 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	P1C7D134	CAFETERIA BY STAIR 4 1ST FLOOR	Manual	1/5/2023 5:34:52 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	P1C7D137	FACULTY DINING RM 121 1ST FLOOR	Manual	1/5/2023 5:36:16 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	P1C7D135	CAFETERIA EXIT DOOR 1ST FLOOR	Manual	1/5/2023 5:37:39 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D26	CAFETERIA BY B BLDG ENTRANCE 1ST FLOOR	Manual	1/5/2023 5:38:25 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D22	CAFETERIA HALL TO STAIR 4 1ST FLOOR	Manual	1/5/2023 5:38:54 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D23	STAIR 4 1ST FLOOR	Manual	1/5/2023 5:39:19 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D24	BOYS RM 119B 1ST FLOOR	Manual	1/5/2023 5:39:57 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D25	GIRLS ROOM 119A 1ST FLOOR	Manual	1/5/2023 5:40:57 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D255	LIFE SKILLS RM 115 1ST FLOOR	Manual	1/5/2023 5:42:21 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	P1C7D395	LIFE SKILLS RM 115 1ST FLOOR	Manual	1/5/2023 5:43:23 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	P1C7D257	LIFE SKILLS BOYS RM 115B 1ST FLOOR	Manual	1/5/2023 5:44:07 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D256	LIFE SKILLS GIRLS RM 115A 1ST FLOOR	Manual	1/5/2023 5:44:48 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D254	MAIN CORRIDOR BY RM 115 1ST FLOOR	Manual	1/5/2023 5:45:44 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D260	HEALTH HALL BY RM 112D 1ST FLOOR	Manual	1/5/2023 5:46:46 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D262	ENTRANCE TO REST AREA RM 112F 1ST FLOOR	Manual	1/5/2023 5:47:24 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D261	MEDICAL RECORDS 112C 1ST FLOOR	Manual	1/5/2023 5:48:36 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D263	CORR 112B BY TOILET 112Q 1ST FLOOR	Manual	1/5/2023 5:49:14 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	P1C7D396	NROTC RM 113 1ST FLOOR	Manual	1/5/2023 5:50:47 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D258	UNIFORM STORAGE 113A 1ST FLOOR	Manual	1/5/2023 5:52:10 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D273	MAIN OFFICE HALL BY RM 102R 1ST FLOOR	Manual	1/5/2023 5:53:27 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D259	MAIN CORR BY RM 102R 1ST FLOOR	Manual	1/5/2023 6:00:00 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D274	MAIN OFFICE HALL BY RM 102L 1ST FLOOR	Manual	1/5/2023 6:01:03 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D280	MAIL RM 102S 1ST FLOOR	Manual	1/5/2023 6:02:05 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D281	MAIN OFFICE LEFT SIDE HIGH 1ST FLOOR	Manual	1/5/2023 6:04:20 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D278	Main Office Waiting RM 102A 1ST FLOOR	Manual	1/5/2023 6:08:47 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D278	Main Office Waiting RM 102A 1ST FLOOR	Manual	1/5/2023 6:08:47 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D278	Main Office Waiting RM 102A 1ST FLOOR	Manual	1/5/2023 6:08:47 PM

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	P1C7D278	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D278	Main Office Waiting RM 102A 1ST FLOOR	Manual	1/5/2023 6:08:47 PM
Smoke Detector - General	P1C7D279	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D279	Main Office Waiting RM 102A 1ST FLOOR	Manual	1/5/2023 6:09:05 PM
Smoke Detector - General	P1C7D279	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D279	Main Office Waiting RM 102A 1ST FLOOR	Manual	1/5/2023 6:09:05 PM
Smoke Detector - General	P1C7D279	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D279	Main Office Waiting RM 102A 1ST FLOOR	Manual	1/5/2023 6:09:05 PM
Smoke Detector - General	P1C7D279	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D279	Main Office Waiting RM 102A 1ST FLOOR	Manual	1/5/2023 6:09:05 PM
Smoke Detector - General	P1C7D276	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D276	CORRIDOR 102K BY RM 102E 1ST FLOOR	Manual	1/5/2023 6:09:41 PM
Smoke Detector - General	P1C7D277	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D277	CORRIDOR 102K BY RM 102G 1ST FLOOR	Manual	1/5/2023 6:10:21 PM
Smoke Detector - General	P1C7D264	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D264	CORR 100B BY ROTC RM 111 1ST FLOOR	Manual	1/5/2023 6:12:25 PM
Smoke Detector - General	P1C7D265	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D265	CORRIDOR 100B BY STAIR 3 1ST FLOOR	Manual	1/5/2023 6:14:24 PM
Smoke Detector - General	P1C7D266	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D266	STAIR 3 1ST FLOOR	Manual	1/5/2023 6:14:54 PM
Smoke Detector - General	P1C7D267	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D267	CORRIDOR 100B BY IDF ROOM 110 1ST FLOOR	Manual	1/5/2023 6:15:23 PM
Smoke Detector - General	P1C7D271	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D271	IDF RM 110 1ST FLOOR	Manual	1/5/2023 6:16:11 PM
Smoke Detector - General	P1C7D272	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D272	ELECTRIC RM 108 1ST FLOOR	Manual	1/5/2023 6:17:03 PM
Smoke Detector - Duct	P1C7D344	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	P1C7D344	RTU-A SUPPLY RM 108 1ST FLOOR	Manual	1/5/2023 6:18:20 PM
Smoke Detector - Duct	P1C7D345	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	P1C7D345	RTU-A RETURN RM 108 1ST FLOOR	Manual	1/5/2023 6:19:28 PM
Smoke Detector - Duct	P1C7D350	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	P1C7D350	ERU-2 DRAMA RM 109 (RM 108) 1ST FLOOR	Manual	1/5/2023 6:21:42 PM
Smoke Detector - Duct	P1C7D350	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	P1C7D350	ERU-2 DRAMA RM 109 (RM 108) 1ST FLOOR	Manual	1/5/2023 6:21:42 PM

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - Duct	P1C7D350	Visual Inspection	Passed (Manual)	1/5/2023 6:21:42 PM
		Functional Inspection	Passed	
Smoke Detector - Duct	P1C7D350	ERU-2 DRAMA RM 109 (RM 108) 1ST FLOOR	Manual	1/5/2023 6:21:42 PM
Smoke Detector - Duct	P1C7D350	Visual Inspection	Passed (Manual)	1/5/2023 6:21:42 PM
		Functional Inspection	Passed	
Smoke Detector - Duct	P1C7D350	ERU-2 DRAMA RM 109 (RM 108) 1ST FLOOR	Manual	1/5/2023 6:21:42 PM
Smoke Detector - General	P1C7D268	Visual Inspection	Passed (Manual)	1/5/2023 6:22:37 PM
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D268	CORRIDOR 100B BY ELECTRIC RM 108 1ST FLOOR	Manual	1/5/2023 6:22:37 PM
Smoke Detector - General	P1C7D269	Visual Inspection	Passed (Manual)	1/5/2023 6:23:14 PM
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D269	CORRIDOR 100B BY MUSIC RM 106 1ST FLOOR	Manual	1/5/2023 6:23:14 PM
Smoke Detector - General	P1C7D270	Visual Inspection	Passed (Manual)	1/5/2023 6:23:48 PM
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D270	STAIR 2 1ST FLOOR	Manual	1/5/2023 6:23:48 PM
Manual Pull Station	P1C7D396	Visual Inspection	Passed (Manual)	1/5/2023 6:24:51 PM
		Functional Inspection	Passed	
Manual Pull Station	P1C7D396	CORR 100B BY MUSIC RM 106 1ST FLOOR	Manual	1/5/2023 6:24:51 PM
Manual Pull Station	P1C7D398	Visual Inspection	Passed (Manual)	1/5/2023 6:26:30 PM
		Functional Inspection	Passed	
Manual Pull Station	P1C7D398	MUSIC RM 106 1ST FLOOR	Manual	1/5/2023 6:26:30 PM
Manual Pull Station	P1C7D397	Visual Inspection	Passed (Manual)	1/5/2023 6:28:22 PM
		Functional Inspection	Passed	
Manual Pull Station	P1C7D397	ART RM 107 1ST FLOOR	Manual	1/5/2023 6:28:22 PM
Smoke Detector - General	P1C7D285	Visual Inspection	Passed (Manual)	1/5/2023 6:29:04 PM
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D285	ART STORAGE RM 107A 1ST FLOOR	Manual	1/5/2023 6:29:04 PM
Smoke Detector - General	P1C7D282	Visual Inspection	Passed (Manual)	1/5/2023 6:30:30 PM
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D282	MAIN LOBBY BY CORRIDOR 100B 1ST FLOOR	Manual	1/5/2023 6:30:30 PM
Smoke Detector - General	P1C7D283	Visual Inspection	Passed (Manual)	1/5/2023 6:32:46 PM
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D283	MAIN LOBBY BY VESTIBULE 1ST FLOOR	Manual	1/5/2023 6:32:46 PM
Manual Pull Station	P1C7D403	Visual Inspection	Passed (Manual)	1/5/2023 6:33:23 PM
		Functional Inspection	Passed	
Manual Pull Station	P1C7D403	MAIN LOBBY 100 1ST FLOOR	Manual	1/5/2023 6:33:23 PM
Smoke Detector - General	P1C7D286	Visual Inspection	Passed (Manual)	1/5/2023 6:34:17 PM
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D286	MAIN LOBBY 1ST FLOOR	Manual	1/5/2023 6:34:17 PM
Smoke Detector - General	P1C7D286	Visual Inspection	Passed (Manual)	1/5/2023 6:34:17 PM
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D286	MAIN LOBBY 1ST FLOOR	Manual	1/5/2023 6:34:17 PM
Smoke Detector - General	P1C7D286	Visual Inspection	Passed (Manual)	1/5/2023 6:34:17 PM
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D286	MAIN LOBBY 1ST FLOOR	Manual	1/5/2023 6:34:17 PM
Smoke Detector - General	P1C7D287	Visual Inspection	Passed (Manual)	1/5/2023 6:34:51 PM
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D287	MAIN LOBBY BY CORRIDOR 101A 1ST FLOOR	Manual	1/5/2023 6:34:51 PM
		Visual Inspection	Passed (Manual)	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D309	LOBBY 101 BY MAIN LOBBY 100 1ST FLOOR	Manual	1/5/2023 6:35:38 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D309	LOBBY 101 BY MAIN LOBBY 100 1ST FLOOR	Manual	1/5/2023 6:35:38 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D309	LOBBY 101 BY MAIN LOBBY 100 1ST FLOOR	Manual	1/5/2023 6:35:38 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D309	LOBBY 101 BY MAIN LOBBY 100 1ST FLOOR	Manual	1/5/2023 6:35:38 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D310	LOBBY 101 BY STAIR 1 HIGH 1ST FLOOR	Manual	1/5/2023 6:38:02 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Pull Station	P1C7D402	LOBBY 101 BY STAIR 1 1ST FLOOR	Manual	1/5/2023 6:38:51 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D307	LOBBY 101 BY STAIR 1 1ST FLOOR	Manual	1/5/2023 6:41:44 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D307	LOBBY 101 BY STAIR 1 1ST FLOOR	Manual	1/5/2023 6:41:44 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D307	LOBBY 101 BY STAIR 1 1ST FLOOR	Manual	1/5/2023 6:41:44 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D307	LOBBY 101 BY STAIR 1 1ST FLOOR	Manual	1/5/2023 6:41:44 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D303	LOBBY 101 BY VESTIBULE 103L	Manual	1/5/2023 6:43:01 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D303	LOBBY 101 BY VESTIBULE 103L	Manual	1/5/2023 6:43:01 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D303	LOBBY 101 BY VESTIBULE 103L	Manual	1/5/2023 6:43:01 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D303	LOBBY 101 BY VESTIBULE 103L	Manual	1/5/2023 6:43:01 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D305	AUDITORIUM VESTIBULE 1ST FLOOR	Manual	1/5/2023 6:43:44 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D312	STORAGE RM 103N TO AUD VESTIBULE 1ST FLOOR	Manual	1/5/2023 6:45:28 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D306	AUDITORIUM BEHIND TICKET OFFICE 1ST FLOOR	Manual	1/5/2023 6:50:07 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	P1C7D297	AUDITORIUM VESTIBULE BY RM 103K 1ST FLOOR	Manual	1/5/2023 6:52:15 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D298	AUDITRORIUM VESTIBULE 103L 1ST FLOOR	Manual	1/5/2023 6:53:03 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D299	STAGE LIGHTING RM 103K 1ST FLOOR	Manual	1/5/2023 6:54:27 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D300	STORAGE RM 103M 1ST FLOOR	Manual	1/5/2023 6:55:48 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	P1C7D401	STAGE BY RM 103 1ST FLOOR	Manual	1/5/2023 6:56:57 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D296	STORAGE RM 103J ON STAGE 1ST FLOOR	Manual	1/5/2023 6:57:45 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	P1C7D400	STAGE BY RM 103D 1ST FLOOR	Manual	1/5/2023 6:59:27 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D294	BOYS RM 103H 1ST FLOOR	Manual	1/5/2023 7:02:46 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Pull Station	P1C7D299	CORR 101A EXIT DOOR 1ST FLOOR	Manual	1/5/2023 7:05:55 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D292	CORRIDOR 101A STAIRS TO AUDITORIUM 1ST FLOOR	Manual	1/5/2023 7:06:39 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D291	CORRIDOR 101A BY MENS RM 105B 1ST FLOOR	Manual	1/5/2023 7:07:10 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D288	CORRIDOR 101A BY WOMENS RM 105A 1ST FLOOR	Manual	1/5/2023 7:07:42 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D289	WOMENS RM 105A 1ST FLOOR	Manual	1/5/2023 7:08:19 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D290	MENS RM 105B 1ST FLOOR	Manual	1/5/2023 7:09:31 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D311	STAIR 1 1ST FLOOR	Manual	1/5/2023 7:11:57 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D316	STAIR 1 BASEMENT	Manual	1/5/2023 7:18:02 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Pull Station	P1C7D404	CORRIDOR 000CW BY STAIR 1 BASEMENT	Manual	1/5/2023 7:21:03 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	P1C7D322	CORRIDOR 000CC BASEMENT	Manual	1/5/2023 7:40:00 PM

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	P1C7D326	Visual Inspection	Passed (Manual)	1/5/2023 7:46:16 PM
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D326	CORRIDOR 000CC BY CORRIDOR 000CE BASEMENT	Manual	1/5/2023 7:46:16 PM
Smoke Detector - General	P1C7D328	Visual Inspection	Passed (Manual)	1/5/2023 7:50:14 PM
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D328	CORRIDOR 000CE BY Corridor 00CC BASEMENT	Manual	1/5/2023 7:50:14 PM
Smoke Detector - General	P1C7D328	Visual Inspection	Passed (Manual)	1/5/2023 7:50:14 PM
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D328	CORRIDOR 000CE BY Corridor 00CC BASEMENT	Manual	1/5/2023 7:50:14 PM
Smoke Detector - General	P1C7D328	Visual Inspection	Passed (Manual)	1/5/2023 7:50:14 PM
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D328	CORRIDOR 000CE BY Corridor 00CC BASEMENT	Manual	1/5/2023 7:50:14 PM
Smoke Detector - General	P1C7D331	Visual Inspection	Passed (Manual)	1/5/2023 7:54:26 PM
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D331	CORRIDOR 000CE BY EXIT DOOR BASEMENT	Manual	1/5/2023 7:54:26 PM
Smoke Detector - Duct	P1C7D251	Visual Inspection	Passed (Manual)	1/5/2023 7:59:43 PM
		Functional Inspection	Passed	
Smoke Detector - Duct	P1C7D251	GYM EAST SIDE HV-1 RETURN	Manual	1/5/2023 7:59:43 PM
Smoke Detector - Duct	P1C7D252	Visual Inspection	Passed (Manual)	1/5/2023 8:00:22 PM
		Functional Inspection	Passed	
Smoke Detector - Duct	P1C7D252	GYM WEST SIDE HV-1 RETURN	Manual	1/5/2023 8:00:22 PM
Smoke Detector - Duct	P1C7D253	Visual Inspection	Passed (Manual)	1/5/2023 8:00:56 PM
		Functional Inspection	Passed	
Smoke Detector - Duct	P1C7D253	GYM HV-1 SUPPLY	Manual	1/5/2023 8:00:56 PM
Manual Pull Station	P1C7D407	Visual Inspection	Passed (Manual)	1/5/2023 8:02:24 PM
		Functional Inspection	Passed	
Manual Pull Station	P1C7D407	GYM LOBBY BASEMENT	Manual	1/5/2023 8:02:24 PM
Smoke Detector - General	P1C7D338	Visual Inspection	Passed (Manual)	1/5/2023 8:02:37 PM
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D338	GYM LOBBY BASEMENT	Manual	1/5/2023 8:02:37 PM
Smoke Detector - General	P1C7D339	Visual Inspection	Passed (Manual)	1/5/2023 8:03:14 PM
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D339	GYM LOBBY BASEMENT	Manual	1/5/2023 8:03:14 PM
Smoke Detector - General	P1C7D337	Visual Inspection	Passed (Manual)	1/5/2023 8:03:48 PM
		Functional Inspection	Passed	
Smoke Detector - General	P1C7D337	GYM LOBBY BASEMENT	Manual	1/5/2023 8:03:48 PM
Manual Pull Station	P1C7D441	Visual Inspection	Passed (Manual)	1/5/2023 8:04:35 PM
		Functional Inspection	Passed	
Manual Pull Station	P1C7D441	GYM LOBBY BASEMENT	Manual	1/5/2023 8:04:35 PM
Manual Pull Station	P1C7D386	Visual Inspection	Passed (Manual)	1/5/2023 8:05:57 PM
		Functional Inspection	Passed	
Manual Pull Station	P1C7D386	GYM SW CORNER BASEMENT	Manual	1/5/2023 8:05:57 PM
Skipped				
EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	-	MAIN CORR BY ELEVATOR 1 4TH FLOOR	Manual	1/4/2023 6:57:41 PM
	Comment:	Recall		

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	-	MAIN CORR BY ELEVATOR 1 3RD FLOOR	Manual	1/4/2023 6:57:41 PM
	Comment:	Recall		
Smoke Detector - General	-	CAFETERIA BY ELEVATOR 1 1ST FLOOR	Manual	1/4/2023 8:44:44 PM
	Comment:	Recall		
Smoke Detector - General	-	LOBBY BY 101 ELEVATOR 2 1ST FLOOR	Manual	1/4/2023 8:44:44 PM
	Comment:	Recall		
Smoke Detector - General	-	CORRIDOR 000CW BY ELEVATOR 2 BASEMENT	Manual	1/4/2023 8:44:45 PM
	Comment:	Recall		
Smoke Detector - General	-	ELEVATOR 2 MACH RM 014 BASEMENT	Manual	1/4/2023 8:44:45 PM
	Comment:	Recall		
Smoke Detector - General	-	MAIN CORR BY ELEVATOR 1 2ND FLOOR	Manual	1/4/2023 8:44:45 PM
	Comment:	Recall		
Smoke Detector - General	-	ELEV 1 MACH RM 117 1ST FLOOR	Manual	1/5/2023 8:09:06 PM
	Comment:	Recall		
Heat Detector	-	EQUIP STORAGE RM 126 1ST FLOOR	Manual	1/5/2023 8:09:06 PM
	Comment:	No Access. Too much equipment inside room		
Smoke Detector - General	-	RECORDS VAULT RM 102L 1ST FLOOR	Manual	1/5/2023 8:09:07 PM
	Comment:	No Access		
Heat Detector	-	EQUIP STORAGE RM 126 1ST FLOOR	Manual	1/5/2023 8:09:10 PM
	Comment:	No Access. Too much equipment inside room		
Heat Detector	-	EQUIP STORAGE RM 126 1ST FLOOR	Manual	1/5/2023 9:54:18 PM
	Comment:	No Access. Too much equipment inside room		
Heat Detector	-	EQUIP STORAGE RM 126 1ST FLOOR	Manual	1/5/2023 9:56:09 PM
	Comment:	No Access. Too much equipment inside room		
Heat Detector	-	EQUIP STORAGE RM 126 1ST FLOOR	Manual	1/5/2023 9:56:25 PM
	Comment:	No Access. Too much equipment inside room		
Failed				
EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	P1C7D15	EMERGENCY ELEC RM 129A 1ST FLOOR	Manual	1/4/2023 3:59:08 PM
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	
Smoke Detector - General	P1C8D23	MENS RM 414B 4TH FLOOR	Manual	1/4/2023 5:05:24 PM
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	
Smoke Detector - General	P1C8D22	WOMENS RM 414A 4TH FLOOR	Manual	1/4/2023 5:06:18 PM
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	
Manual Pull Station	P1C8D133	STAIR 4 3RD FLOOR	Manual	1/4/2023 5:39:52 PM
	Comment:	Not Functional		
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	
Smoke Detector - General	P1C8D60	BOYS RM 219B 2ND FLOOR	Manual	1/4/2023 8:16:47 PM
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	
Manual Pull Station	P1C8D385	STAIR 3 2ND FLOOR	Manual	1/4/2023 8:29:02 PM
		Visual Inspection	Failed (Manual)	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
		Functional Inspection	Failed	
Manual Pull Station	P1C8D386	STAIR 2 2ND FLOOR	Manual	1/4/2023 8:41:45 PM
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	
Manual Pull Station	P1C7D127	MAIN CORRIDOR BY STAIR 100W 1ST FLOOR	Manual	1/5/2023 5:09:54 PM
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	
Manual Pull Station	P1C7D394	CORR 100B BY STAIR 100SE 1ST FLOOR	Manual	1/5/2023 6:13:37 PM
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	
Smoke Detector - General	P1C7D284	MAIN LOBBY BY VESTIBULE 1ST FLOOR	Manual	1/5/2023 6:31:18 PM
	Comment:	Inside Main Office...		
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	
Smoke Detector - General	P1C7D301	STORAGE RM 103N 1ST FLOOR	Manual	1/5/2023 6:48:17 PM
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	
Smoke Detector - General	P1C7D302	STORAGE RM 103N 1ST FLOOR	Manual	1/5/2023 6:48:47 PM
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	
Smoke Detector - General	P1C7D295	GIRLS RM 103G 1ST FLOOR	Manual	1/5/2023 7:03:59 PM
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	
Smoke Detector - General	P1C7D336	CORRIDOR 000CE BY 000T BASEMENT	Manual	1/5/2023 7:16:34 PM
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	
Smoke Detector - General	P1C7D335	ELECTRIC RM 000E1 BASEMENT	Manual	1/5/2023 7:24:03 PM
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	
Smoke Detector - General	P1C7D319	STORE RM 0032 BASEMENT	Manual	1/5/2023 7:26:30 PM
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	
Smoke Detector - General	P1C7D320	IDF ROOM 0001 BASEMENT	Manual	1/5/2023 7:28:09 PM
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	
Smoke Detector - General	P1C7D321	EMERGENCY ELEC RM 00E2 BASEMENT	Manual	1/5/2023 7:29:44 PM
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	
Smoke Detector - General	P1C7D323	STORAGE RM 000C6 BASEMENT	Manual	1/5/2023 7:38:53 PM
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	
Manual Pull Station	P1C7D405	CORR 000CC BY RM 0003 BASEMENT	Manual	1/5/2023 7:41:04 PM
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	
Smoke Detector - General	P1C7D324	CORRIDOR 000CC BY COACHES RM 002B BASEMENT	Manual	1/5/2023 7:42:36 PM
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	
Smoke Detector - General	P1C7D325	UNIFORM STORAGE RM 000C6 BASEMENT	Manual	1/5/2023 7:45:13 PM
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	
Smoke Detector - General	P1C7D327	STORAGE RM 000S1 Basement	Manual	1/5/2023 7:48:16 PM
		Visual Inspection	Failed (Manual)	
		Functional Inspection	Failed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	P1C7D327	STORAGE RM 000S1 Basement	Manual	1/5/2023 7:48:16 PM
		Visual Inspection Functional Inspection	Failed (Manual) Failed	
Smoke Detector - General	P1C7D327	STORAGE RM 000S1 Basement	Manual	1/5/2023 7:48:16 PM
		Visual Inspection Functional Inspection	Failed (Manual) Failed	
Smoke Detector - General	P1C7D327	STORAGE RM 000S1 Basement	Manual	1/5/2023 7:48:16 PM
		Visual Inspection Functional Inspection	Failed (Manual) Failed	
Smoke Detector - General	P1C7D329	WOMENS ROOM 000W BASEMENT	Manual	1/5/2023 7:51:21 PM
		Visual Inspection Functional Inspection	Failed (Manual) Failed	
Smoke Detector - General	P1C7D330	MENS RM 000M BASEMENT	Manual	1/5/2023 7:53:15 PM
		Visual Inspection Functional Inspection	Failed (Manual) Failed	
Manual Pull Station	P1C7D406	CORR 000CE BY RM 0006 BASEMENT	Manual	1/5/2023 7:55:22 PM
		Visual Inspection Functional Inspection	Failed (Manual) Failed	
Smoke Detector - General	P1C7D333 PA RM 000PA BASEMENT	Basement P.A Room 000PA	Manual	1/5/2023 7:57:35 PM
		Visual Inspection Functional Inspection	Failed (Manual) Failed	

Power Supplies

Passed

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
FCPS	FCPS 1 (P1C7D179)	1st Emergency Electrical Room 129A	Manual	1/4/2023 4:02:28 PM
Battery condition visual Inspection	Passed	Manufacturer	EDWARDS	
Battery condition functional Inspection	Passed	Model	BPS6A	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed			
Discharge test functional Inspection	Passed			
Charger test visual Inspection	Passed			
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
FCPS	FCPS 2 (P1C7D179)	1st Emergency Electrical Room 129A	Manual	1/4/2023 4:03:00 PM
Battery condition visual Inspection	Passed	Manufacturer	EDWARDS	
Battery condition functional Inspection	Passed	Model	BPS6A	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed			
Discharge test functional Inspection	Passed			
Charger test visual Inspection	Passed			
Charger test functional Inspection	Passed			

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
FCPS	FCPS (P1C8D390)	3rd Electrical Room 306	Manual	1/4/2023 5:57:08 PM
Battery condition visual Inspection	Passed	Manufacturer	EDWARDS	
Battery condition functional Inspection	Passed	Model	BPS6A	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed			
Discharge test functional Inspection	Passed			
Charger test visual Inspection	Passed			
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries	3rd Electrical Room 306	Manual	1/4/2023 5:58:35 PM
Battery condition visual Inspection	Passed	Manufacturer	SigmatTek	
Battery condition functional Inspection	Passed	Model	SP12-7.5	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7.5	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed	Type	SLA	
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
FCPS	FCPS (P1C8D146)	3rd Electrical Room 326	Manual	1/4/2023 6:18:43 PM
Battery condition visual Inspection	Passed	Manufacturer	EDWARDS	
Battery condition functional Inspection	Passed	Model	BPS6A	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed			
Discharge test functional Inspection	Passed			
Charger test visual Inspection	Passed			
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
FCPS	FCPS (P1C8D145)	4th Electrical Room 426	Manual	1/4/2023 6:32:30 PM
Battery condition visual Inspection	Passed	Manufacturer	EDWARDS	
Battery condition functional Inspection	Passed	Model	BPS6A	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed			
Discharge test functional Inspection	Passed			
Charger test visual Inspection	Passed			
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries	4th Electrical Room 426	Manual	1/4/2023 6:33:06 PM
Battery condition visual Inspection	Passed	Manufacturer	SigmatTek	
Battery condition functional Inspection	Passed	Model	SP12-7.5	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7.5	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed	Type	SLA	
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries	3rd Electrical Room 326	Manual	1/4/2023 6:50:11 PM
	Comment:	Not Dated		
Battery condition visual Inspection	Passed	Manufacturer	SigmatTek	
Battery condition functional Inspection	Passed	Model	SP12-7.5	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7.5	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed	Type	SLA	
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
FCPS	FCPS (P1C8D391)	4th Electrical Room 406	Manual	1/4/2023 6:50:26 PM
Battery condition visual Inspection	Passed	Manufacturer	EDWARDS	
Battery condition functional Inspection	Passed	Model	BPS6A	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed			
Discharge test functional Inspection	Passed			

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Charger test visual Inspection	Passed			
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries	4th Electrical Room 406	Manual	1/4/2023 6:51:24 PM
	Comment:	Not Dated		
Battery condition visual Inspection	Passed	Manufacturer	SigmatTek	
Battery condition functional Inspection	Passed	Model	SP12-7.5	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7.5	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed	Type	SLA	
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
FCPS	FCPS (P1C8D147)	2nd Electrical Room 226	Manual	1/4/2023 8:09:38 PM
Battery condition visual Inspection	Passed	Manufacturer	EDWARDS	
Battery condition functional Inspection	Passed	Model	BPS6A	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed			
Discharge test functional Inspection	Passed			
Charger test visual Inspection	Passed			
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries	2nd Electrical Room 226	Manual	1/4/2023 8:10:24 PM
Battery condition visual Inspection	Passed	Manufacturer	SigmatTek	
Battery condition functional Inspection	Passed	Model	SP12-7.5	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7.5	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed	Type	SLA	
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
FCPS	FCPS (P1C8D389)	2nd Electrical Room 206	Manual	1/4/2023 8:39:21 PM

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Battery condition visual Inspection	Passed	Manufacturer	EDWARDS	
Battery condition functional Inspection	Passed	Model	BPS6A	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed			
Discharge test functional Inspection	Passed			
Charger test visual Inspection	Passed			
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries	2nd Electrical Room 206	Manual	1/4/2023 8:39:45 PM
	Comment:	Not Dated!		
Battery condition visual Inspection	Passed	Manufacturer	SigmatTek	
Battery condition functional Inspection	Passed	Model	SP12-7.5	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7.5	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed	Type	SLA	
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
FCPS	FCPS (P1C7D424)	Basement Emergency Electrical Room 011	Manual	1/5/2023 7:32:20 PM
Battery condition visual Inspection	Passed	Manufacturer	EDWARDS	
Battery condition functional Inspection	Passed	Model	BPS6A	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed			
Discharge test functional Inspection	Passed			
Charger test visual Inspection	Passed			
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
FCPS	FCPS (P1C7D424)	Basement Emergency Electrical Room 011	Manual	1/5/2023 7:32:20 PM
Battery condition visual Inspection	Passed	Manufacturer	EDWARDS	
Battery condition functional Inspection	Passed	Model	BPS6A	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Discharge test visual Inspection	Passed			
Discharge test functional Inspection	Passed			
Charger test visual Inspection	Passed			
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
FCPS	FCPS (P1C7D424)	Basement Emergency Electrical Room 011	Manual	1/5/2023 7:32:20 PM
Battery condition visual Inspection	Passed	Manufacturer	EDWARDS	
Battery condition functional Inspection	Passed	Model	BPS6A	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed			
Discharge test functional Inspection	Passed			
Charger test visual Inspection	Passed			
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
FCPS	FCPS (P1C7D424)	Basement Emergency Electrical Room 011	Manual	1/5/2023 7:32:20 PM
Battery condition visual Inspection	Passed	Manufacturer	EDWARDS	
Battery condition functional Inspection	Passed	Model	BPS6A	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed			
Discharge test functional Inspection	Passed			
Charger test visual Inspection	Passed			
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
FCPS	FCPS (P1C7D424)	Basement Emergency Electrical Room 011	Manual	1/5/2023 7:33:38 PM
Battery condition visual Inspection	Passed	Manufacturer	EDWARDS	
Battery condition functional Inspection	Passed	Model	BPS6A	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed			
Discharge test functional Inspection	Passed			
Charger test visual Inspection	Passed			
Charger test functional Inspection	Passed			

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
FCPS	FCPS (P1C7D424)	Basement Emergency Electrical Room 011	Manual	1/5/2023 7:33:38 PM
Battery condition visual Inspection	Passed	Manufacturer	EDWARDS	
Battery condition functional Inspection	Passed	Model	BPS6A	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed			
Discharge test functional Inspection	Passed			
Charger test visual Inspection	Passed			
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
FCPS	FCPS (P1C7D424)	Basement Emergency Electrical Room 011	Manual	1/5/2023 7:33:38 PM
Battery condition visual Inspection	Passed	Manufacturer	EDWARDS	
Battery condition functional Inspection	Passed	Model	BPS6A	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed			
Discharge test functional Inspection	Passed			
Charger test visual Inspection	Passed			
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
FCPS	FCPS (P1C7D424)	Basement Emergency Electrical Room 011	Manual	1/5/2023 7:33:38 PM
Battery condition visual Inspection	Passed	Manufacturer	EDWARDS	
Battery condition functional Inspection	Passed	Model	BPS6A	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed			
Discharge test functional Inspection	Passed			
Charger test visual Inspection	Passed			
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
FCPS	FCPS (P1C7D424)	Basement Emergency Electrical Room 011	Manual	1/5/2023 7:33:52 PM
Battery condition visual Inspection	Passed	Manufacturer	EDWARDS	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Battery condition functional Inspection	Passed	Model	BPS6A	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed			
Discharge test functional Inspection	Passed			
Charger test visual Inspection	Passed			
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
FCPS	FCPS (P1C7D424)	Basement Emergency Electrical Room 011	Manual	1/5/2023 7:33:52 PM
Battery condition visual Inspection	Passed	Manufacturer	EDWARDS	
Battery condition functional Inspection	Passed	Model	BPS6A	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed			
Discharge test functional Inspection	Passed			
Charger test visual Inspection	Passed			
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
FCPS	FCPS (P1C7D424)	Basement Emergency Electrical Room 011	Manual	1/5/2023 7:33:52 PM
Battery condition visual Inspection	Passed	Manufacturer	EDWARDS	
Battery condition functional Inspection	Passed	Model	BPS6A	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed			
Discharge test functional Inspection	Passed			
Charger test visual Inspection	Passed			
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
FCPS	FCPS (P1C7D424)	Basement Emergency Electrical Room 011	Manual	1/5/2023 7:33:52 PM
Battery condition visual Inspection	Passed	Manufacturer	EDWARDS	
Battery condition functional Inspection	Passed	Model	BPS6A	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed			

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Discharge test functional Inspection	Passed			
Charger test visual Inspection	Passed			
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries	Basement Emergency Electrical Room 011	Manual	1/5/2023 7:34:38 PM
	Comment:	Not Dated!		
Battery condition visual Inspection	Passed	Manufacturer	SigmatTek	
Battery condition functional Inspection	Passed	Model	SP12-7.5	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7.5	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed	Type	SLA	
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries	Basement Emergency Electrical Room 011	Manual	1/5/2023 7:34:38 PM
	Comment:	Not Dated!		
Battery condition visual Inspection	Passed	Manufacturer	SigmatTek	
Battery condition functional Inspection	Passed	Model	SP12-7.5	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7.5	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed	Type	SLA	
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries	Basement Emergency Electrical Room 011	Manual	1/5/2023 7:34:38 PM
	Comment:	Not Dated!		
Battery condition visual Inspection	Passed	Manufacturer	SigmatTek	
Battery condition functional Inspection	Passed	Model	SP12-7.5	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7.5	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed	Type	SLA	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries	Basement Emergency Electrical Room 011	Manual	1/5/2023 7:34:38 PM
	Comment:	Not Dated!		
Battery condition visual Inspection	Passed	Manufacturer	SigmatTek	
Battery condition functional Inspection	Passed	Model	SP12-7.5	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7.5	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed	Type	SLA	
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries	Basement Emergency Electrical Room 011	Manual	1/5/2023 7:34:49 PM
	Comment:	Not Dated!		
Battery condition visual Inspection	Passed	Manufacturer	SigmatTek	
Battery condition functional Inspection	Passed	Model	SP12-7.5	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7.5	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed	Type	SLA	
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries	Basement Emergency Electrical Room 011	Manual	1/5/2023 7:34:49 PM
	Comment:	Not Dated!		
Battery condition visual Inspection	Passed	Manufacturer	SigmatTek	
Battery condition functional Inspection	Passed	Model	SP12-7.5	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7.5	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed	Type	SLA	
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Battery - Sealed Lead-acid	FCPS Batteries	Basement Emergency Electrical Room 011	Manual	1/5/2023 7:34:49 PM
	Comment:	Not Dated!		
Battery condition visual Inspection	Passed	Manufacturer	SigmatTek	
Battery condition functional Inspection	Passed	Model	SP12-7.5	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7.5	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed	Type	SLA	
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries	Basement Emergency Electrical Room 011	Manual	1/5/2023 7:34:49 PM
	Comment:	Not Dated!		
Battery condition visual Inspection	Passed	Manufacturer	SigmatTek	
Battery condition functional Inspection	Passed	Model	SP12-7.5	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7.5	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed	Type	SLA	
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries	Basement Emergency Electrical Room 011	Manual	1/5/2023 7:34:55 PM
	Comment:	Not Dated!		
Battery condition visual Inspection	Passed	Manufacturer	SigmatTek	
Battery condition functional Inspection	Passed	Model	SP12-7.5	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7.5	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed	Type	SLA	
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries	Basement Emergency Electrical Room 011	Manual	1/5/2023 7:34:55 PM
	Comment:	Not Dated!		
Battery condition visual Inspection	Passed	Manufacturer	SigmatTek	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Battery condition functional Inspection	Passed	Model	SP12-7.5	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7.5	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed	Type	SLA	
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries	Basement Emergency Electrical Room 011	Manual	1/5/2023 7:34:55 PM
	Comment:	Not Dated!		
Battery condition visual Inspection	Passed	Manufacturer	SigmatTek	
Battery condition functional Inspection	Passed	Model	SP12-7.5	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7.5	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed	Type	SLA	
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries	Basement Emergency Electrical Room 011	Manual	1/5/2023 7:34:55 PM
	Comment:	Not Dated!		
Battery condition visual Inspection	Passed	Manufacturer	SigmatTek	
Battery condition functional Inspection	Passed	Model	SP12-7.5	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7.5	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed	Type	SLA	
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Failed				
EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Battery - Sealed Lead-acid	RMB Battery	1st Emergency Electrical Room 129A	Manual	1/4/2023 4:08:11 PM
Battery condition visual Inspection	Passed	Manufacturer	SigmatTek	
Battery condition functional Inspection	Passed	Model	SP12-7.5	
Load voltage visual Inspection	Passed	Visual Inspection	Failed (Manual)	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Load voltage functional Inspection	Passed	Functional Inspection	Failed	
Discharge test visual Inspection	Passed	Amp Hours	7.5	
Discharge test functional Inspection	Passed	Battery Location	Inside RMB	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed	Type	SLA	
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS 1 Batteries	1st Emergency Electrical Room 129A	Manual	1/4/2023 4:11:34 PM
Battery condition visual Inspection	Passed	Manufacturer	SigmatTek	
Battery condition functional Inspection	Passed	Model	SP12-7.5	
Load voltage visual Inspection	Passed	Visual Inspection	Failed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Failed	
Discharge test visual Inspection	Passed	Amp Hours	7.5	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed	Type	SLA	
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS 2 Batteries	1st Emergency Electrical Room 129A	Manual	1/4/2023 4:12:14 PM
Battery condition visual Inspection	Passed	Manufacturer	SigmatTek	
Battery condition functional Inspection	Passed	Model	SP12-7.5	
Load voltage visual Inspection	Passed	Visual Inspection	Failed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Failed	
Discharge test visual Inspection	Passed	Amp Hours	7.5	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed	Type	SLA	
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FACU Batteries	1st Emergency Electrical Room 129A	Manual	1/4/2023 4:16:51 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-12400 NB	
Load voltage visual Inspection	Passed	Visual Inspection	Failed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Failed	
Discharge test visual Inspection	Passed	Amp Hours	40	
Discharge test functional Inspection	Passed	Battery Location	Inside Battery Cabinet	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed	Type	SLA	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FACU Batteries	1st Emergency Electrical Room 129A	Manual	1/4/2023 4:16:51 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-12400 NB	
Load voltage visual Inspection	Passed	Visual Inspection	Failed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Failed	
Discharge test visual Inspection	Passed	Amp Hours	40	
Discharge test functional Inspection	Passed	Battery Location	Inside Battery Cabinet	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed	Type	SLA	
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	Voice Evac Batteries	1st Emergency Electrical Room 129A	Manual	1/4/2023 4:26:04 PM
	Comment:	Four (4) Total!		
Battery condition visual Inspection	Passed	Manufacturer	SigmatTek	
Battery condition functional Inspection	Passed	Model	SP12-35	
Load voltage visual Inspection	Passed	Visual Inspection	Failed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Failed	
Discharge test visual Inspection	Passed	Amp Hours	35	
Discharge test functional Inspection	Passed	Battery Location	Inside Battery Cabinet	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed	Type	SLA	
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	Voice Evac Batteries	1st Emergency Electrical Room 129A	Manual	1/4/2023 4:26:04 PM
	Comment:	Four (4) Total!		
Battery condition visual Inspection	Passed	Manufacturer	SigmatTek	
Battery condition functional Inspection	Passed	Model	SP12-35	
Load voltage visual Inspection	Passed	Visual Inspection	Failed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Failed	
Discharge test visual Inspection	Passed	Amp Hours	35	
Discharge test functional Inspection	Passed	Battery Location	Inside Battery Cabinet	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed	Type	SLA	
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			

Public Emergency Alarm Reporting

Passed

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Master Box	RMB 1129	1st Emergency Electrical Room 129A	Manual	1/4/2023 4:03:49 PM
		Manufacturer	AES	
		Model	7788F	
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

Device/Equipment Details

Alarm Notification Appliance

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
Speaker/Strobe					
-	O/S COMPUTER LAB 431 4TH FLOOR				11/07/2022
-	COMPUTER LAB 432 & 431 4TH FLOOR				11/07/2022
-	CLASS ROOM 433 & 434 4TH FLOOR				11/07/2022
-	SCIENCE LAB 428 4TH FLOOR				11/07/2022
-	CLASS ROOM 429 & 427 4TH FLOOR				11/07/2022
-	PREP ROOM 428A 4TH FLOOR				11/07/2022
-	CLASS ROOM 425 & 423 4TH FLOOR				11/07/2022
-	O/S CLASS ROOM 422 4TH FLOOR				11/07/2022
-	CLASS ROOM 420 & 421 4TH FLOOR				11/07/2022
-	O/S CLASS ROOM 421 4TH FLOOR				11/07/2022
-	419B BOYS 4TH FLOOR				11/07/2022
-	419A GIRLS 4TH FLOOR				11/07/2022
-	ADMIN SUITE 418 4TH FLOOR				11/07/2022
-	CONFERENCE ROOM 418A 4TH FLOOR				11/07/2022
-	O/S OFFICE 418B 4TH FLOOR				11/07/2022
-	OFFICE 418B, 418D & 418C 4TH FLOOR				11/07/2022
-	TEACHER WORK ROOM 414 4TH FLOOR				11/07/2022
-	O/S TEACHER WORK ROOM 414 4TH FLOOR				11/07/2022
-	CLASS ROOM 417, 415, 413, 412, 411 & 409 4TH FLOOR				11/07/2022
-	SCIENCE LAB 410 4TH FLOOR				11/07/2022
-	PREP ROOM 404A 4TH FLOOR				11/07/2022
-	SCIENCE LAB 404 4TH FLOOR				11/07/2022
-	O/S ELEV ROOM 406 4TH FLOOR				11/07/2022
-	SCIENCE LAB 404 4TH FLOOR				11/07/2022
-	CLASS ROOM 402C 4TH FLOOR				11/07/2022
-	CLASS ROOM 407 4TH FLOOR				11/07/2022
-	COMPUTER LAB 405 4TH FLOOR				11/07/2022
-	O/S COMPUTER LAB 403 4TH FLOOR				11/07/2022
-	COMPUTER LAB 403 4TH FLOOR				11/07/2022
-	CLASS ROOM 401 4TH FLOOR				11/08/2022
-	CLASS ROOM 402B 4TH FLOOR				11/08/2022
-	CLASS ROOM 402A 4TH FLOOR				11/08/2022
-	O/S CLASS ROOM 303 3RD FLOOR				11/08/2022
-	WPC OFFICE 301 3RD FLOOR				11/08/2022
-	HEALTH SCIENCE LAB 302 3RD FLOOR				11/08/2022
-	HEALTH SCIENCE LAB 302 3RD FLOOR				11/08/2022
-	HEALTH SCIENCE LAB 302 3RD FLOOR				11/08/2022
-	CLASS ROOM 305 & 307 3RD FLOOR				11/08/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
-	SCIENCE LAB 304 3RD FLOOR				11/08/2022
-	PREP ROOM 304A 3RD FLOOR				11/08/2022
-	TOILET 308 3RD FLOOR				11/08/2022
-	O/S ELEC ROOM 306 3RD FLOOR				11/08/2022
-	CLASS ROOM 309, 311, 313, 315, 312 & 317 3RD FLOOR				11/08/2022
-	SCIENCE LAB 310 3RD FLOOR				11/08/2022
-	TEACHER WORK ROOM 314 3RD FLOOR				11/08/2022
-	OFFICE 318C, 318D & 318B 3RD FLOOR				11/08/2022
-	OFFICE 318D 3RD FLOOR				11/08/2022
-	CONFERENCE ROOM 318A 3RD FLOOR				11/08/2022
-	ADMIN SUITE 318 3RD FLOOR				11/08/2022
-	319A GIRLS ROOM & 319B BOYS ROOM 3RD FLOOR				11/08/2022
-	O/S CLASS ROOM 321 3RD FLOOR				11/08/2022
-	SCIENCE LAB 320 3RD FLOOR				11/08/2022
-	CLASS ROOM 321 3RD FLOOR				11/08/2022
-	SCIENCE PREP ROOM 328A 3RD FLOOR				11/08/2022
-	O/S CLASS ROOM 323 3RD FLOOR				11/08/2022
-	CLASS ROOM 323 & 325 3RD FLOOR				11/08/2022
-	SCIENCE LAB 328 3RD FLOOR				11/08/2022
-	CLASS ROOM 327 & 329 3RD FLOOR				11/08/2022
-	O/S CLASS ROOM 333 3RD FLOOR				11/08/2022
-	CLASS ROOM 333, 334 & 332 3RD FLOOR				11/08/2022
-	COMPUTER ROOM 331 3RD FLOOR				11/08/2022
-	O/S CLASS ROOM 234 2ND FLOOR				11/08/2022
-	CLASS ROOM 234 & 233 2ND FLOOR				11/08/2022
-	COMPUTER LAB 232 & 231 2ND FLOOR				11/08/2022
-	SCIENCE LAB 228 2ND FLOOR				11/08/2022
-	CLASS ROOM 229 & 227 2ND FLOOR				11/08/2022
-	O/S CLASS ROOM 223 2ND FLOOR				11/08/2022
-	COMPUTER LAB 222 2ND FLOOR				11/08/2022
-	BAY STATE JOBS 221 2ND FLOOR				11/08/2022
-	O/S BAY STATE JOBS 221 2ND FLOOR				11/08/2022
-	LIBRARY 2ND FLOOR				11/08/2022
-	LIBRARY 2ND FLOOR				11/08/2022
-	LIBRARY 2ND FLOOR				11/08/2022
-	BOYS 219B & GIRLS 219A 2ND FLOOR				11/08/2022
-	LIBRARY WORK ROOM 220 2ND FLOOR				11/08/2022
-	O/S CLASS ROOM 217 2ND FLOOR				11/08/2022
-	TEACHER WORK ROOM 218 2ND FLOOR				11/08/2022
-	CLASS ROOM 217 2ND FLOOR				11/08/2022
-	ADMIN SUITE 214 2ND FLOOR				11/08/2022
-	OFFICE 214B & 214D 2ND FLOOR				11/08/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
-	CLASS ROOM 212 2ND FLOOR				11/08/2022
-	CLASS ROOM 213, 215, 211 & 209 2ND FLOOR				11/08/2022
-	SCIENCE LAB 210 2ND FLOOR				11/08/2022
-	O/S CLASS ROOM 209 2ND FLOOR				11/08/2022
-	SCIENCE LAB 210 2ND FLOOR				11/08/2022
-	PREP ROOM 204A 2ND FLOOR				11/08/2022
-	CLASS ROOM 207 & 205 2ND FLOOR				11/08/2022
-	SCIENCE LAB 204 2ND FLOOR				11/08/2022
-	CLASS ROOM 202, 201 & 203 2ND FLOOR				11/08/2022
-	O/S CLASS ROOM 202 2ND FLOOR				11/08/2022
-	O/S MUSIC ROOM 106 1ST FLOOR				11/08/2022
-	MUSIC ROOM 106 1ST FLOOR				11/08/2022
-	ART ROOM 107 1ST FLOOR				11/08/2022
-	O/S ELEC ROOM 108 1ST FLOOR				11/08/2022
-	MUSIC/DRAMA 109 1ST FLOOR				11/08/2022
-	MAIN ENTRANCE 1ST FLOOR				11/08/2022
-	SCHOOL STORE 104 1ST FLOOR				11/08/2022
-	O/S BOX OFFICE 1ST FLOOR				11/08/2022
-	O/S AUDITORIUM 1ST FLOOR				11/08/2022
-	O/S TICKET OFFICE 103B 1ST FLOOR				11/08/2022
-	AUDITORIUM 1ST FLOOR				11/08/2022
-	AUDITORIUM 1ST FLOOR				11/08/2022
-	AUDITORIUM 1ST FLOOR				11/08/2022
-	O/S STAGE LIGHTING 103K 1ST FLOOR				11/08/2022
-	O/S WOMENS ROOM 105A 1ST FLOOR				11/08/2022
-	O/S GREEN ROOM 103D 1ST FLOOR				11/08/2022
-	GREEN ROOM 103D 1ST FLOOR				11/08/2022
-	STAGE 1ST FLOOR				11/08/2022
-	STAGE 1ST FLOOR				11/08/2022
-	MAIN OFFICE 102 1ST FLOOR				11/08/2022
-	CONFERENCE ROOM 102B 1ST FLOOR				11/08/2022
-	O/S CONFERENCE ROOM 102C 1ST FLOOR				11/08/2022
-	CONFERENCE ROOM 102C 1ST FLOOR				11/08/2022
-	OFFICE 102D 1ST FLOOR				11/08/2022
-	O/S OFFICE 102F 1ST FLOOR				11/08/2022
-	O/S RECORDS VAULT 102L 1ST FLOOR				11/08/2022
-	MAIL BOX AREA 1ST FLOOR				11/08/2022
-	O/S 102P MENS ROOM 1ST FLOOR				11/08/2022
-	NJROTC 111 1ST FLOOR				11/08/2022
-	O/S NJROTC 111 1ST FLOOR				11/08/2022
-	O/S MAIN OFFICE 102 1ST FLOOR				11/08/2022
-	NJROTC 113 1ST FLOOR				11/08/2022
-	O/S WAITING ROOM 112 1ST FLOOR				11/08/2022
-	CLASS ROOM 115 1ST FLOOR				11/08/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
-	ROOM 112 WAITING AREA 1ST FLOOR				11/08/2022
-	O/S OFFICE 112G 1ST FLOOR				11/08/2022
-	O/S MEDICAL RECORDS 112C 1ST FLOOR				11/08/2022
-	O/S EXAM 112J 1ST FLOOR				11/08/2022
-	PREP ROOM 112M 1ST FLOOR				11/08/2022
-	HEALTH CARE RECEPTION 112A 1ST FLOOR				11/08/2022
-	O/S BOYS ROOM 115B 1ST FLOOR				11/08/2022
-	CAFETERIA 1ST FLOOR				11/08/2022
-	CAFETERIA 1ST FLOOR				11/08/2022
-	CAFETERIA 1ST FLOOR				11/08/2022
-	CAFETERIA 1ST FLOOR				11/08/2022
-	CAFETERIA 1ST FLOOR				11/08/2022
-	FACULTY DINING ROOM 121 1ST FLOOR				11/08/2022
-	CORRIDOR 123 1ST FLOOR				11/08/2022
-	CORRIDOR 123 1ST FLOOR				11/08/2022
-	CORRIDOR 123 1ST FLOOR				11/08/2022
-	TECHNOLOGY ROBO LAB ROOM 125 1ST FLOOR				11/08/2022
-	TECHNOLOGY SERVICE ROOM 127 1ST FLOOR				11/08/2022
-	ELEC SCIENCE ROOM 129 1ST FLOOR				11/08/2022
-	ELEC SCIENCE ROOM 129 1ST FLOOR				11/08/2022
-	CUSTODIAL ROOM 128 1ST FLOOR				11/08/2022
-	BOILER ROOM 131 1ST FLOOR				11/08/2022
-	HALL BY MAIN STORAGE 1ST FLOOR				11/08/2022
-	KITCHEN 1ST FLOOR				11/08/2022
-	KITCHEN 1ST FLOOR				11/08/2022
-	KITCHEN 1ST FLOOR				11/08/2022
-	KITCHEN 1ST FLOOR				11/08/2022
-	HALL BY STAIR 1 BASEMENT				11/08/2022
-	HALL BY STAIR 2 BASEMENT				11/08/2022
-	GYM BASEMENT				11/08/2022
-	GYM BASEMENT				11/08/2022
-	GYM BASEMENT				11/08/2022
-	GYM BASEMENT				11/08/2022
-	GYM BASEMENT				11/08/2022
-	GYM BASEMENT				11/08/2022
-	O/S GIRLS LOCKER ROOM BASEMENT				11/08/2022
-	GIRLS LOCKER ROOM BASEMENT				11/08/2022
-	WEIGHT ROOM 015 BASEMENT				11/08/2022
-	WEIGHT ROOM 015 BASEMENT				11/08/2022
-	ROOM 14 BASEMENT				11/08/2022
-	ROOM 16 BASEMENT				11/08/2022
-	HALL O/S ROOM 16 BASEMENT				11/08/2022
-	UNIFORM STORAGE ROOM 17 BASEMENT				11/08/2022
-	CLASS ROOM 22 BASEMENT				11/08/2022
-	O/S GYM BASEMENT				11/08/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
-	SPORTS EQUIPMENT 022A BASEMENT				11/08/2022
-	ELEC ROOM 4 BASEMENT				11/08/2022
-	STORAGE ROOM 07 BASEMENT				11/08/2022
-	IDF ROOM 09 BASEMENT				11/08/2022
-	EMERGENCY ELECTRIC ROOM 011 BASEMENT				11/08/2022
-	SPRINKLER ROOM 013 BASEMENT				11/08/2022
-	SPRINKLER ROOM 013 BASEMENT				11/08/2022
-	CLASS ROOM 8 BASEMENT				11/08/2022
-	STORAGE ROOM 05B BASEMENT				11/08/2022
-	GYM REAR EXIT BASEMENT				11/08/2022
-	GYM REAR EXIT BASEMENT				11/08/2022
Strobe					
-	424 TOILET 4TH FLOOR				11/07/2022
-	MENS ROOM 414B & WOMENS ROOM 414A 4TH FLOOR				11/07/2022
-	TOILET ROOM 408 4TH FLOOR				11/07/2022
-	MENS ROOM 314B & WOMENS ROOM 314A 3RD FLOOR				11/08/2022
-	TOILET 324 3RD FLOOR				11/08/2022
P1C8D53	TOILET ROOM 224 2ND FLOOR				11/08/2022
-	O/S MENS 218B & WOMENS 218A 2ND FLOOR				11/08/2022
-	CONFERENCE ROOM 214A 2ND FLOOR				11/08/2022
-	GIRLS 212A & BOYS 212B 2ND FLOOR				11/08/2022
-	TOILET 208 2ND FLOOR				11/08/2022
-	WOMENS ROOM 105A 1ST FLOOR				11/08/2022
-	MENS ROOM 105B 1ST FLOOR				11/08/2022
-	GIRLS ROOM 103G & BOYS ROOM 103L 1ST FLOOR				11/08/2022
-	102P MENS ROOM 1ST FLOOR				11/08/2022
-	102A WOMENS ROOM 1ST FLOOR				11/08/2022
-	BOYS ROOM 115B & GIRLS ROOM 115A 1ST FLOOR				11/08/2022
-	TOILET 112Q 1ST FLOOR				11/08/2022
-	TOILET 112R 1ST FLOOR				11/08/2022
-	BOYS ROOM 119B & GIRLS ROOM 119A 1ST FLOOR				11/08/2022
-	WOMENS ROOM 124A 1ST FLOOR				11/08/2022
-	MENS LOCKER ROOM 122 1ST FLOOR				11/08/2022
-	WOMENS ROOM 19A BASEMENT				11/08/2022
-	STAFF BATHROOM 020 BASEMENT				11/08/2022
Visible					
-	EXTERIOR BEACON 1ST FLOOR				11/08/2022
Emergency Control Equipment					
ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
Door Holder Release					
-	STAIR 5 4TH FLOOR				11/07/2022
-	STAIR 5 4TH FLOOR				11/07/2022
-	STAIR 4 4TH FLOOR				11/07/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
-	STAIR 4 4TH FLOOR				11/07/2022
-	STAIR 3 4TH FLOOR				11/07/2022
-	STAIR 3 4TH FLOOR				11/07/2022
-	STAIR 2 4TH FLOOR				11/07/2022
-	STAIR 2 4TH FLOOR				11/07/2022
-	STAIR 5 3RD FLOOR				11/07/2022
-	STAIR 5 3RD FLOOR				11/07/2022
-	STAIR 4 3RD FLOOR				11/07/2022
-	STAIR 4 3RD FLOOR				11/07/2022
-	STAIR 3 3RD FLOOR				11/07/2022
-	STAIR 3 3RD FLOOR				11/07/2022
-	STAIR 2 3RD FLOOR				11/07/2022
-	STAIR 2 3RD FLOOR				11/07/2022
-	STAIR 5 2ND FLOOR				11/07/2022
-	STAIR 5 2ND FLOOR				11/07/2022
-	STAIR 4 2ND FLOOR				11/07/2022
-	STAIR 4 2ND FLOOR				11/07/2022
-	STAIR 3 2ND FLOOR				11/07/2022
-	STAIR 3 2ND FLOOR				11/07/2022
-	STAIR 2 2ND FLOOR				11/07/2022
-	STAIR 2 2ND FLOOR				11/07/2022
-	STAIR 3 1ST FLOOR				11/07/2022
-	STAIR 3 1ST FLOOR				11/07/2022
-	STAIR 2 1ST FLOOR				11/07/2022
-	STAIR 2 1ST FLOOR				11/07/2022
-	CORRIDOR 101A 1ST FLOOR				11/07/2022
-	CORRIDOR 101A 1ST FLOOR				11/07/2022
-	TO CAFETERIA NEAR 115 1ST FLOOR				11/07/2022
-	TO CAFETERIA NEAR 115 1ST FLOOR				11/07/2022
-	HALL BY STORAGE RM 10 BASEMENT				11/07/2022
-	HALL BY STORAGE RM 10 BASEMENT				11/07/2022
-	O/S WOMENS BATHROOM BASEMENT				11/07/2022
-	O/S WOMENS BATHROOM BASEMENT				11/07/2022
-	ENTRANCE TO GYM BASEMENT				11/07/2022
-	ENTRANCE TO GYM BASEMENT				11/07/2022
-	ENTRANCE TO GYM BASEMENT				11/07/2022
-	ENTRANCE TO GYM BASEMENT				11/07/2022

Fire Control Panel

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
Fire Alarm Control Panel					
FACU	1st Emergency Electrical Room 129A	EDWARDS	EST3		11/07/2010
Annunciator/Sequential display					
-	PRINCIPALS OFFICE				11/07/2022
-	MAIN ENTRY				11/07/2022

Initiating Device

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
Smoke Detector - General					

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
P1C7D1	WEST STAIR 5 1ST FLOOR				11/08/2022
P1C7D2	MAIN CORR BY RM 131 1ST FLOOR				11/08/2022
P1C7D3	CORRIDOR 130 1ST FLOOR				11/08/2022
P1C7D4	STORAGE RM 132 S.W. 1ST FLOOR				11/08/2022
P1C7D5	STORAGE RM 132 N.W. 1ST FLOOR				11/08/2022
P1C7D6	STORAGE RM 132 S.E. 1ST FLOOR				11/08/2022
P1C7D7	STORAGE RM 132 N.E. 1ST FLOOR				11/08/2022
P1C7D8	WOMENS LOCKER RM 124 1ST FLOOR				11/08/2022
P1C7D9	MENS LOCKER RM 122 1ST FLOOR				11/08/2022
P1C7D10	DRY STORAGE KITCHEN RM 116B 1ST FLOOR				11/08/2022
P1C7D11	CORRIDOR 123 BY RM 129 1ST FLOOR				11/08/2022
P1C7D13	ELEC RM 129 1ST FLOOR	Edwards	SIGA-PS		11/08/2022
P1C7D15	EMERGENCY ELEC RM 129A 1ST FLOOR				11/08/2022
P1C7D16	MAIN CORR BY MDF RM 127A 1ST FLOOR				11/08/2022
P1C7D17	MDF RM 127A 1ST FLOOR				11/08/2022
P1C7D18	MAIN CORR BY TEC/ROBOTICS LAB 1ST FLOOR				11/08/2022
P1C7D19	MAIN CORRIDOR BY CAFETERIA 1ST FLOOR				11/08/2022
P1C7D20	CAFETERIA BY STAIR 4 1ST FLOOR				11/08/2022
-	CAFETERIA BY ELEVATOR 1 1ST FLOOR				11/08/2022
P1C7D22	CAFETERIA HALL TO STAIR 4 1ST FLOOR				11/08/2022
P1C7D23	STAIR 4 1ST FLOOR				11/08/2022
P1C7D24	BOYS RM 119B 1ST FLOOR				11/08/2022
P1C7D25	GIRLS ROOM 119A 1ST FLOOR				11/08/2022
P1C7D26	CAFETERIA BY B BLDG ENTRANCE 1ST FLOOR				11/08/2022
-	ELEV 1 MACH RM 117 1ST FLOOR				11/08/2022
P1C7D28	CUSTODIAN RM 128 1ST FLOOR				11/08/2022
P1C7D254	MAIN CORRIDOR BY RM 115 1ST FLOOR				11/08/2022
P1C7D255	LIFE SKILLS RM 115 1ST FLOOR				11/08/2022
P1C7D256	LIFE SKILLS GIRLS RM 115A 1ST FLOOR				11/08/2022
P1C7D257	LIFE SKILLS BOYS RM 115B 1ST FLOOR				11/08/2022
P1C7D258	UNIFORM STORAGE 113A 1ST FLOOR				11/08/2022
P1C7D259	MAIN CORR BY RM 102R 1ST FLOOR				11/08/2022
P1C7D260	HEALTH HALL BY RM 112D 1ST FLOOR				11/08/2022
P1C7D261	MEDICAL RECORDS 112C 1ST FLOOR				11/08/2022
P1C7D262	ENTRANCE TO REST AREA RM 112F 1ST FLOOR				11/08/2022
P1C7D263	CORR 112B BY TOILET 112Q 1ST FLOOR				11/08/2022
P1C7D264	CORR 100B BY ROTC RM 111 1ST FLOOR				11/08/2022
P1C7D265	CORRIDOR 100B BY STAIR 3 1ST FLOOR				11/08/2022
P1C7D266	STAIR 3 1ST FLOOR				11/08/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
P1C7D267	CORRIDOR 100B BY IDF ROOM 110 1ST FLOOR				11/08/2022
P1C7D268	CORRIDOR 100B BY ELECTRIC RM 108 1ST FLOOR				11/08/2022
P1C7D269	CORRIDOR 100B BY MUSIC RM 106 1ST FLOOR				11/08/2022
P1C7D270	STAIR 2 1ST FLOOR				11/08/2022
P1C7D271	IDF RM 110 1ST FLOOR				11/08/2022
P1C7D272	ELECTRIC RM 108 1ST FLOOR				11/08/2022
P1C7D273	MAIN OFFICE HALL BY RM 102R 1ST FLOOR				11/08/2022
P1C7D274	MAIN OFFICE HALL BY RM 102L 1ST FLOOR				11/08/2022
-	RECORDS VAULT RM 102L 1ST FLOOR				11/08/2022
P1C7D276	CORRIDOR 102K BY RM 102E 1ST FLOOR				11/08/2022
P1C7D277	CORRIDOR 102K BY RM 102G 1ST FLOOR				11/08/2022
P1C7D280	MAIL RM 102S 1ST FLOOR				11/08/2022
P1C7D281	MAIN OFFICE LEFT SIDE HIGH 1ST FLOOR				11/08/2022
P1C7D282	MAIN LOBBY BY CORRIDOR 100B 1ST FLOOR				11/08/2022
P1C7D284	MAIN LOBBY BY VESTIBULE 1ST FLOOR				11/08/2022
P1C7D285	ART STORAGE RM 107A 1ST FLOOR				11/08/2022
P1C7D283	MAIN LOBBY BY VESTIBULE 1ST FLOOR				11/08/2022
P1C7D287	MAIN LOBBY BY CORRIDOR 101A 1ST FLOOR				11/08/2022
P1C7D288	CORRIDOR 101A BY WOMENS RM 105A 1ST FLOOR				11/08/2022
P1C7D289	WOMENS RM 105A 1ST FLOOR				11/08/2022
P1C7D290	MENS RM 105B 1ST FLOOR				11/08/2022
P1C7D291	CORRIDOR 101A BY MENS RM 105B 1ST FLOOR				11/08/2022
P1C7D292	CORRIDOR 101A STAIRS TO AUDITORIUM 1ST FLOOR				11/08/2022
P1C7D294	BOYS RM 103H 1ST FLOOR				11/08/2022
P1C7D295	GIRLS RM 103G 1ST FLOOR				11/08/2022
P1C7D296	STORAGE RM 103J ON STAGE 1ST FLOOR				11/09/2022
P1C7D297	AUDITORIUM VESTIBULE BY RM 103K 1ST FLOOR				11/09/2022
P1C7D298	AUDITORIUM VESTIBULE 103L 1ST FLOOR				11/09/2022
P1C7D299	STAGE LIGHTING RM 103K 1ST FLOOR				11/09/2022
P1C7D302	STORAGE RM 103N 1ST FLOOR				11/09/2022
P1C7D301	STORAGE RM 103N 1ST FLOOR				11/09/2022
P1C7D300	STORAGE RM 103M 1ST FLOOR				11/09/2022
P1C7D305	AUDITORIUM VESTIBULE 1ST FLOOR				11/09/2022
P1C7D306	AUDITORIUM BEHIND TICKET OFFICE 1ST FLOOR				11/09/2022
-	LOBBY BY 101 ELEVATOR 2 1ST FLOOR				11/09/2022
P1C7D310	LOBBY 101 BY STAIR 1 HIGH 1ST FLOOR				11/09/2022
P1C7D311	STAIR 1 1ST FLOOR				11/09/2022
P1C7D312	STORAGE RM 103N TO AUD VESTIBULE 1ST FLOOR				11/09/2022
P1C7D316	STAIR 1 BASEMENT				11/09/2022
-	CORRIDOR 000CW BY ELEVATOR 2 BASEMENT				11/09/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
P1C7D319	STORE RM 0032 BASEMENT				11/09/2022
P1C7D320	IDF ROOM 0001 BASEMENT				11/09/2022
P1C7D321	EMERGENCY ELEC RM 00E2 BASEMENT				11/09/2022
P1C7D322	CORRIDOR 000CC BASEMENT				11/09/2022
P1C7D323	STORAGE RM 000C6 BASEMENT				11/09/2022
P1C7D324	CORRIDOR 000CC BY COACHES RM 002B BASEMENT				11/09/2022
P1C7D325	UNIFORM STORAGE RM 000C6 BASEMENT				11/09/2022
P1C7D326	CORRIDOR 000CC BY CORRIDOR 000CE BASEMENT				11/09/2022
P1C7D329	WOMENS ROOM 000W BASEMENT				11/09/2022
P1C7D330	MENS RM 000M BASEMENT				11/09/2022
P1C7D331	CORRIDOR 000CE BY EXIT DOOR BASEMENT				11/09/2022
P1C7D333 PA RM 000PA BASEMENT	Basement P.A Room 000PA				11/09/2022
-	ELEVATOR 2 MACH RM 014 BASEMENT				11/09/2022
P1C7D335	ELECTRIC RM 000E1 BASEMENT				11/09/2022
P1C7D336	CORRIDOR 000CE BY 000T BASEMENT				11/09/2022
P1C7D338	GYM LOBBY BASEMENT				11/09/2022
P1C7D339	GYM LOBBY BASEMENT				11/09/2022
P1C7D337	GYM LOBBY BASEMENT				11/09/2022
-	MAIN CORR BY ELEVATOR 1 4TH FLOOR				11/09/2022
P1C8D3	IDF RM 417A 4TH FLOOR				11/09/2022
P1C8D4	STAIR 4 4TH FLOOR				11/09/2022
P1C8D5	MAIN CORR BY STAIR 4 4TH FLOOR				11/09/2022
P1C8D1	MAIN CORR BY RM 417 4TH FLOOR				11/09/2022
P1C8D7	ADMIN SUITE RM 418 4TH FLOOR				11/09/2022
P1C8D8	ADMIN HALL RM 418 4TH FLOOR				11/09/2022
P1C8D9	MAIN CORR BY RM 421 4TH FLOOR				11/09/2022
P1C8D10	MAIN CORR BY RM 425 4TH FLOOR				11/09/2022
P1C8D11	TOILET RM 424 4TH FLOOR				11/09/2022
P1C8D12	ELEC RM 426 4TH FLOOR				11/09/2022
P1C8D13	PREP RM 428A 4TH FLOOR				11/09/2022
P1C8D14	MAIN CORR BY RM 427 4TH FLOOR				11/09/2022
P1C8D15	MAIN CORR BY RM 430 4TH FLOOR				11/09/2022
P1C8D16	BOOK STORAGE RM 430 4TH FLOOR				11/09/2022
P1C8D17	MAIN CORR BY RM 433 4TH FLOOR				11/09/2022
P1C8D19	PENTHOUSE STAIR 5 ROOF ACCESS 5TH FLOOR				11/09/2022
P1C8D20	BOYS RM 419B 4TH FLOOR				11/09/2022
P1C8D21	GIRLS RM 419A 4TH FLOOR				11/09/2022
P1C8D22	WOMENS RM 414A 4TH FLOOR				11/09/2022
P1C8D23	MENS RM 414B 4TH FLOOR				11/09/2022
P1C8D24	MAIN CORR BY RM 317 3RD FLOOR				11/09/2022
P1C8D25	WOMENS RM 314A 3RD FLOOR				11/09/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
P1C8D26	MENS RM 314B 3RD FLOOR				11/09/2022
P1C8D27	ADMIN HALL RM 318B 3RD FLOOR				11/09/2022
-	MAIN CORR BY ELEVATOR 1 3RD FLOOR				11/09/2022
P1C8D29	GIRLS RM 319A 3RD FLOOR				11/09/2022
P1C8D30	BOYS RM 319B 3RD FLOOR				11/09/2022
P1C8D31	MAIN CORR BY STAIR 4 3RD FLOOR				11/09/2022
P1C8D32	STAIR 4 3RD FLOOR				11/09/2022
P1C8D33	MAIN CORR BY RM 318 3RD FLOOR				11/09/2022
P1C8D34	MAIN CORR BY RM 321 3RD FLOOR				11/09/2022
P1C8D35	MAIN CORR BY RM 325 3RD FLOOR				11/09/2022
P1C8D36	TOILET RM 324 3RD FLOOR				11/09/2022
P1C8D37	PREP RM 328A 3RD FLOOR				11/09/2022
P1C8D38	MAIN CORR BY RM 327 3RD FLOOR				11/09/2022
P1C8D39	MAIN CORR BY RM 330 3RD FLOOR				11/09/2022
P1C8D40	MAIN CORR BY STAIR 5 3RD FLOOR				11/09/2022
P1C8D41	STAIR 5 3RD FLOOR				11/09/2022
P1C8D42	ELEC RM 326 3RD FLOOR				11/09/2022
P1C8D43	IDF RM 317A 3RD FLOOR				11/09/2022
P1C8D44	MAIN CORR BY RM 218 2ND FLOOR				11/09/2022
P1C8D45	IDF RM 217A 2ND FLOOR				11/09/2022
-	MAIN CORR BY ELEVATOR 1 2ND FLOOR				11/09/2022
P1C8D47	GIRLS RM 219A 2ND FLOOR				11/09/2022
P1C8D48	MAIN CORR BY STAIR 4 2ND FLOOR				11/09/2022
P1C8D49	STAIR 4 2ND FLOOR				11/09/2022
P1C8D51	MAIN CORR BY RM 220 2ND FLOOR				11/09/2022
P1C8D52	MAIN CORR BY RM 223 2ND FLOOR				11/09/2022
P1C8D54	ELEC RM 226 2ND FLOOR				11/09/2022
P1C8D55	MAIN CORR BY RM 227 2ND FLOOR				11/09/2022
P1C8D56	MAIN CORR BY RM 229 2ND FLOOR				11/09/2022
P1C8D57	STAIR 5 2ND FLOOR				11/09/2022
P1C8D58	BOOK STORAGE RM 230 2ND FLOOR				11/09/2022
P1C8D59	MAIN CORR BY RM 233 2ND FLOOR				11/09/2022
P1C8D60	BOYS RM 219B 2ND FLOOR				11/09/2022
P1C8D61	PREP RM 228A 2ND FLOOR				11/09/2022
P1C8D77	BOOK STORAGE RM 330 3RD FLOOR				11/09/2022
P1C8D251	MAIN CORR BY RM 402B 4TH FLOOR				11/09/2022
P1C8D252	STAIR 2 4TH FLOOR				11/09/2022
P1C8D253	MAIN CORR BY RM 405 4TH FLOOR				11/09/2022
P1C8D254	MAIN CORR BY RM 407 4TH FLOOR				11/09/2022
P1C8D255	MAIN CORR BY STAIR 3 4TH FLOOR				11/09/2022
P1C8D256	STAIR 3 4TH FLOOR	Edwards	SIGA-278		11/09/2022
P1C8D257	MAIN CORR BY RM 409 4TH FLOOR				11/09/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
P1C8D258	MAIN CORR BY RM 411 4TH FLOOR				11/09/2022
P1C8D259	MAIN CORR BY RM 413 4TH FLOOR				11/09/2022
P1C8D260	ELEC RM 415A 4TH FLOOR				11/09/2022
P1C8D261	PREP RM 404A 4TH FLOOR				11/09/2022
P1C8D262	ELEC RM 406 4TH FLOOR				11/09/2022
P1C8D263	TOILET RM 408 4TH FLOOR				11/09/2022
P1C8D264	PENTHOUSE STAIR 2 ROOF ACCESS 5TH FLOOR				11/09/2022
P1C8D265	MAIN CORR BY RM 303 3RD FLOOR				11/09/2022
P1C8D266	STAIR 2 3RD FLOOR				11/09/2022
P1C8D267	MAIN CORR BY RM 305 3RD FLOOR				11/09/2022
P1C8D268	MAIN CORR BY RM 307 3RD FLOOR				11/09/2022
P1C8D259	MAIN CORR BY STAIR 3 3RD FLOOR				11/09/2022
P1C8D271	MAIN CORR BY RM 309 3RD FLOOR				11/09/2022
P1C8D272	MAIN CORR BY RM 311 3RD FLOOR				11/09/2022
P1C8D273	MAIN CORR BY RM 313 3RD FLOOR				11/09/2022
P1C8D274	ELEC RM 306 3RD FLOOR				11/09/2022
P1C8D275	PREP RM 304A 3RD FLOOR				11/09/2022
P1C8D276	BATHROOM 308 3RD FLOOR				11/09/2022
P1C8D277	SCIENCE STORAGE RM 315A 3RD FLOOR				11/09/2022
P1C8D278	STAIR 2 2ND FLOOR				11/09/2022
P1C8D279	MAIN CORR BY RM 203 2ND FLOOR				11/09/2022
P1C8D280	MAIN CORR BY RM 205 2ND FLOOR				11/09/2022
P1C8D281	PREP RM 204A 2ND FLOOR				11/09/2022
P1C8D282	ELEC RM 206 2ND FLOOR				11/09/2022
P1C8D283	TOILET RM 208 2ND FLOOR				11/09/2022
P1C8D284	MAIN CORR BY RM 207 2ND FLOOR				11/09/2022
P1C8D285	MAIN CORR BY STAIR 3 2ND FLOOR				11/09/2022
P1C8D286	STAIR 3 2ND FLOOR				11/09/2022
P1C8D287	MAIN CORR BY RM 209 2ND FLOOR				11/09/2022
P1C8D288	MAIN CORR BY RM 211 2ND FLOOR				11/09/2022
P1C8D289	MAIN CORR BY RM 215 2ND FLOOR				11/09/2022
P1C8D290	ADMIN SUITE 214 2ND FLOOR				11/09/2022
P1C8D291	ADMIN SUITE 214 BY RM 214B 2ND FLOOR				11/09/2022
P1C8D292	ADMIN HALL RM 214 2ND FLOOR				11/09/2022
P1C8D293	GIRLS RM 212A 2ND FLOOR				11/09/2022
P1C8D294	BOYS RM 212B 2ND FLOOR				11/09/2022
P1C8D270	STAIR 3 3RD FLOOR				11/08/2022
P1C7D278	Main Office Waiting RM 102A 1ST FLOOR				11/08/2022
P1C7D279	Main Office Waiting RM 102A 1ST FLOOR				11/08/2022
P1C7D286	MAIN LOBBY 1ST FLOOR				11/08/2022
P1C7D309	LOBBY 101 BY MAIN LOBBY 100 1ST FLOOR				11/09/2022
P1C7D307	LOBBY 101 BY STAIR 1 1ST FLOOR				11/09/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
P1C7D303	LOBBY 101 BY VESTIBULE 103L				11/09/2022
P1C7D327	STORAGE RM 000S1 Basement				11/08/2022
P1C7D328	CORRIDOR 000CE BY Corridor 00CC BASEMENT				11/09/2022
P1C7D278	Main Office Waiting RM 102A 1ST FLOOR				11/08/2022
P1C7D279	Main Office Waiting RM 102A 1ST FLOOR				11/08/2022
P1C7D286	MAIN LOBBY 1ST FLOOR				11/08/2022
P1C7D309	LOBBY 101 BY MAIN LOBBY 100 1ST FLOOR				11/09/2022
P1C7D307	LOBBY 101 BY STAIR 1 1ST FLOOR				11/09/2022
P1C7D303	LOBBY 101 BY VESTIBULE 103L				11/09/2022
P1C7D327	STORAGE RM 000S1 Basement				11/08/2022
P1C7D328	CORRIDOR 000CE BY Corridor 00CC BASEMENT				11/09/2022
P1C7D278	Main Office Waiting RM 102A 1ST FLOOR				11/08/2022
P1C7D279	Main Office Waiting RM 102A 1ST FLOOR				11/08/2022
P1C7D286	MAIN LOBBY 1ST FLOOR				11/08/2022
P1C7D309	LOBBY 101 BY MAIN LOBBY 100 1ST FLOOR				11/09/2022
P1C7D307	LOBBY 101 BY STAIR 1 1ST FLOOR				11/09/2022
P1C7D303	LOBBY 101 BY VESTIBULE 103L				11/09/2022
P1C7D327	STORAGE RM 000S1 Basement				11/08/2022
P1C7D328	CORRIDOR 000CE BY Corridor 00CC BASEMENT				11/09/2022
P1C7D278	Main Office Waiting RM 102A 1ST FLOOR				11/08/2022
P1C7D279	Main Office Waiting RM 102A 1ST FLOOR				11/08/2022
P1C7D286	MAIN LOBBY 1ST FLOOR				11/08/2022
P1C7D309	LOBBY 101 BY MAIN LOBBY 100 1ST FLOOR				11/09/2022
P1C7D307	LOBBY 101 BY STAIR 1 1ST FLOOR				11/09/2022
P1C7D303	LOBBY 101 BY VESTIBULE 103L				11/09/2022
P1C7D327	STORAGE RM 000S1 Basement				11/08/2022
P1C7D328	CORRIDOR 000CE BY Corridor 00CC BASEMENT				11/09/2022
Manual Pull Station					
P1C7D127	MAIN CORRIDOR BY STAIR 100W 1ST FLOOR				11/08/2022
P1C7D129	CORRIDOR 130 BY BY EQUIP STOR RM 126 1ST FLOOR				11/08/2022
P1C7D130	RECEIVING/RECYCLE RM 118 1ST FLOOR				11/08/2022
P1C7D133	TECHNICAL SERVICES RM 127B 1ST FLOOR				11/08/2022
P1C7D134	CAFETERIA BY STAIR 4 1ST FLOOR				11/08/2022
P1C7D135	CAFETERIA EXIT DOOR 1ST FLOOR				11/08/2022
P1C7D136	TECH/ROBOTICS RM 125 1ST FLOOR				11/08/2022
P1C7D137	FACULTY DINING RM 121 1ST FLOOR				11/08/2022
P1C7D386	GYM SW CORNER BASEMENT				11/09/2022
P1C7D396	CORR 100B BY MUSIC RM 106 1ST FLOOR				11/09/2022
P1C7D394	CORR 100B BY STAIR 100SE 1ST FLOOR				11/09/2022
P1C7D395	LIFE SKILLS RM 115 1ST FLOOR				11/09/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
P1C7D396	NROTC RM 113 1ST FLOOR				11/09/2022
P1C7D397	ART RM 107 1ST FLOOR				11/09/2022
P1C7D398	MUSIC RM 106 1ST FLOOR				11/09/2022
P1C7D299	CORR 101A EXIT DOOR 1ST FLOOR				11/09/2022
P1C7D400	STAGE BY RM 103D 1ST FLOOR				11/09/2022
P1C7D401	STAGE BY RM 103 1ST FLOOR				11/09/2022
P1C7D402	LOBBY 101 BY STAIR 1 1ST FLOOR				11/09/2022
P1C7D403	MAIN LOBBY 100 1ST FLOOR				11/09/2022
P1C7D405	CORR 000CC BY RM 0003 BASEMENT				11/09/2022
P1C7D406	CORR 000CE BY RM 0006 BASEMENT				11/09/2022
P1C7D407	GYM LOBBY BASEMENT				11/09/2022
P1C7D441	GYM LOBBY BASEMENT				11/09/2022
P1C8D129	STAIR 4 4TH FLOOR				11/09/2022
P1C8D129	STAIR 5 4TH FLOOR				11/09/2022
P1C8D133	STAIR 4 3RD FLOOR				11/09/2022
P1C8D134	STAIR 5 3RD FLOOR				11/09/2022
P1C8D386	STAIR 2 2ND FLOOR				11/09/2022
P1C8D142	STAIR 4 2ND FLOOR				11/09/2022
P1C8D376	STAIR 2 4TH FLOOR				11/09/2022
P1C8D377	STAIR 3 4TH FLOOR				11/09/2022
P1C8D381	STAIR 2 3RD FLOOR				11/09/2022
P1C8D382	STAIR 3 3RD FLOOR				11/09/2022
P1C8D385	STAIR 3 2ND FLOOR				11/09/2022
P1C8D148	STAIR 5 2ND FLOOR				11/09/2022
P1C7D128	CHILLER RM 131A 1ST FLOOR				11/08/2022
P1C7D128	CHILLER RM 131A 1ST FLOOR				11/08/2022
P1C7D128	CHILLER RM 131A 1ST FLOOR				11/08/2022
P1C7D128	CHILLER RM 131A 1ST FLOOR				11/08/2022
Heat Detector					
-	EQUIP STORAGE RM 126 1ST FLOOR				11/08/2022
-	EQUIP STORAGE RM 126 1ST FLOOR				11/08/2022
-	EQUIP STORAGE RM 126 1ST FLOOR				11/08/2022
-	EQUIP STORAGE RM 126 1ST FLOOR				11/08/2022
-	EQUIP STORAGE RM 126 1ST FLOOR				11/08/2022
Smoke Detector - Duct					
P1C7D251	GYM EAST SIDE HV-1 RETURN				11/08/2022
P1C7D252	GYM WEST SIDE HV-1 RETURN				11/08/2022
P1C7D253	GYM HV-1 SUPPLY				11/08/2022
P1C7D344	RTU-A SUPPLY RM 108 1ST FLOOR				11/09/2022
P1C7D345	RTU-A RETURN RM 108 1ST FLOOR				11/09/2022
P1C8D62	ERU-4 EXHAUST Room 426 4TH FLOOR				11/09/2022
P1C8D63	MAU-1 Room 426 4TH FLOOR				11/09/2022
P1C8D64	RTU-C RETURN Room 426 4TH FLOOR				11/09/2022
P1C8D65	RTU-C SUPPLY Room 426 4TH FLOOR				11/09/2022
P1C8D66	ERU-1 EXHAUST Room 426 4TH FLOOR				11/09/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
P1C8D67	ERU-1 EXHAUST Room 426 4TH FLOOR				11/09/2022
P1C8D68	ERU-1 SUPPLY Room 426 4TH FLOOR				11/09/2022
P1C8D300	ERU-2 Exhaust Room 406 4TH FLOOR				11/09/2022
P1C8D71	RTU-L RETURN Room 426 4TH FLOOR				11/09/2022
P1C8D73	ERU-4 IN RM 326 3RD FLOOR				11/09/2022
P1C8D295	ERU-3 EXHAUST Room 406 4TH FLOOR				11/09/2022
P1C8D296	RTU-H EXHAUST Room 406 4TH FLOOR				11/09/2022
P1C8D297	RTU-H SUPPLY Room 406 4TH FLOOR				11/09/2022
P1C8D299	ERU-2 SUPPLY Room 406 4TH FLOOR				11/09/2022
P1C8D298	ERU-2 SUPPLY Room 406 4TH FLOOR				11/09/2022
P1C8D69	ERU-4 Supply Room 426 4TH FLOOR				11/09/2022
P1C8D274	ERU-2 EXHAUST RM 306 3RD FLOOR				11/09/2022
P1C8D274	ERU-2 EXHAUST RM 306 3RD FLOOR				11/09/2022
P1C8D303	ERU-2 EXHAUST RM 206 2ND FLOOR				11/09/2022
P1C8D304	ERU-2 EXHAUST RM 206 2ND FLOOR				11/09/2022
P1C8D305	ERU-2 SUPPLY Room 406 4TH FLOOR				11/09/2022
P1C8D306	ERU-2 RETURN Room 406 4TH FLOOR				11/09/2022
P1C8D72	ERU-L RETURN Room 426 4TH FLOOR				11/09/2022
P1C7D350	ERU-2 DRAMA RM 109 (RM 108) 1ST FLOOR				11/09/2022
P1C7D350	ERU-2 DRAMA RM 109 (RM 108) 1ST FLOOR				11/09/2022
P1C7D350	ERU-2 DRAMA RM 109 (RM 108) 1ST FLOOR				11/09/2022
P1C7D350	ERU-2 DRAMA RM 109 (RM 108) 1ST FLOOR				11/09/2022
Pull Station					
P1C7D404	CORRIDOR 000CW BY STAIR 1 BASEMENT				11/09/2022
Power Supplies					
ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
FCPS					
FCPS 1 (P1C7D179)	1st Emergency Electrical Room 129A	EDWARDS	BPS6A		11/07/2010
FCPS 2 (P1C7D179)	1st Emergency Electrical Room 129A	EDWARDS	BPS6A		11/07/2010
FCPS (P1C8D390)	3rd Electrical Room 306	EDWARDS	BPS6A		11/07/2010
FCPS (P1C8D146)	3rd Electrical Room 326	EDWARDS	BPS6A		11/07/2010
FCPS (P1C8D145)	4th Electrical Room 426	EDWARDS	BPS6A		11/07/2010
FCPS (P1C8D391)	4th Electrical Room 406	EDWARDS	BPS6A		11/07/2010
FCPS (P1C8D147)	2nd Electrical Room 226	EDWARDS	BPS6A		11/07/2010
FCPS (P1C8D389)	2nd Electrical Room 206	EDWARDS	BPS6A		11/07/2010
FCPS (P1C7D424)	Basement Emergency Electrical Room 011	EDWARDS	BPS6A		11/07/2010
FCPS (P1C7D424)	Basement Emergency Electrical Room 011	EDWARDS	BPS6A		11/07/2010
FCPS (P1C7D424)	Basement Emergency Electrical Room 011	EDWARDS	BPS6A		11/07/2010
FCPS (P1C7D424)	Basement Emergency Electrical Room 011	EDWARDS	BPS6A		11/07/2010
FCPS (P1C7D424)	Basement Emergency Electrical Room 011	EDWARDS	BPS6A		11/07/2010

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
FCPS (P1C7D424)	Basement Emergency Electrical Room 011	EDWARDS	BPS6A		11/07/2010
FCPS (P1C7D424)	Basement Emergency Electrical Room 011	EDWARDS	BPS6A		11/07/2010
FCPS (P1C7D424)	Basement Emergency Electrical Room 011	EDWARDS	BPS6A		11/07/2010
FCPS (P1C7D424)	Basement Emergency Electrical Room 011	EDWARDS	BPS6A		11/07/2010
FCPS (P1C7D424)	Basement Emergency Electrical Room 011	EDWARDS	BPS6A		11/07/2010
FCPS (P1C7D424)	Basement Emergency Electrical Room 011	EDWARDS	BPS6A		11/07/2010
FCPS (P1C7D424)	Basement Emergency Electrical Room 011	EDWARDS	BPS6A		11/07/2010
Battery - Sealed Lead-acid					
RMB Battery	1st Emergency Electrical Room 129A	SigmasTek	SP12-7.5		05/07/2017
FCPS 1 Batteries	1st Emergency Electrical Room 129A	SigmasTek	SP12-7.5		10/07/2016
FCPS 2 Batteries	1st Emergency Electrical Room 129A	SigmasTek	SP12-7.5		10/07/2016
FACU Batteries	1st Emergency Electrical Room 129A	Power-Sonic	PS-12400 NB		10/07/2016
Voice Evac Batteries	1st Emergency Electrical Room 129A	SigmasTek	SP12-35		10/07/2016
FACU Batteries	1st Emergency Electrical Room 129A	Power-Sonic	PS-12400 NB		10/07/2016
Voice Evac Batteries	1st Emergency Electrical Room 129A	SigmasTek	SP12-35		10/07/2016
FCPS Batteries	3rd Electrical Room 306	SigmasTek	SP12-7.5		05/07/2020
FCPS Batteries	3rd Electrical Room 326	SigmasTek	SP12-7.5		05/07/2020
FCPS Batteries	4th Electrical Room 426	SigmasTek	SP12-7.5		07/31/2019
FCPS Batteries	4th Electrical Room 406	SigmasTek	SP12-7.5		05/07/2020
FCPS Batteries	2nd Electrical Room 226	SigmasTek	SP12-7.5		12/31/2020
FCPS Batteries	2nd Electrical Room 206	SigmasTek	SP12-7.5		12/31/2020
FCPS Batteries	Basement Emergency Electrical Room 011	SigmasTek	SP12-7.5		05/31/2021
FCPS Batteries	Basement Emergency Electrical Room 011	SigmasTek	SP12-7.5		05/31/2021
FCPS Batteries	Basement Emergency Electrical Room 011	SigmasTek	SP12-7.5		05/31/2021
FCPS Batteries	Basement Emergency Electrical Room 011	SigmasTek	SP12-7.5		05/31/2021
FCPS Batteries	Basement Emergency Electrical Room 011	SigmasTek	SP12-7.5		05/31/2021
FCPS Batteries	Basement Emergency Electrical Room 011	SigmasTek	SP12-7.5		05/31/2021
FCPS Batteries	Basement Emergency Electrical Room 011	SigmasTek	SP12-7.5		05/31/2021
FCPS Batteries	Basement Emergency Electrical Room 011	SigmasTek	SP12-7.5		05/31/2021
FCPS Batteries	Basement Emergency Electrical Room 011	SigmasTek	SP12-7.5		05/31/2021
FCPS Batteries	Basement Emergency Electrical Room 011	SigmasTek	SP12-7.5		05/31/2021
FCPS Batteries	Basement Emergency Electrical Room 011	SigmasTek	SP12-7.5		05/31/2021
FCPS Batteries	Basement Emergency Electrical Room 011	SigmasTek	SP12-7.5		05/31/2021
Public Emergency Alarm Reporting					
ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
Master Box					
RMB 1129	1st Emergency Electrical Room 129A	AES	7788F		11/07/2010