

Inspection and Testing Certificate

Presented To

The City of Worcester/ WPS

For

South High School

170 Apricot St
Worcester, Massachusetts 01608
United States

This site has been inspected and tested in compliance with applicable standards.

Completed
Tuesday, January 17, 2023

Test Session :12 Jan 2023 15:24

ACCEPTED BY

The City of Worcester/ WPS
455 Main Street
Room 201
Worcester, Massachusetts 01608
United States

TESTED BY

Nick Akoumianakis
Northeast Integrated Systems
17 Lincoln Street
Malden MA 02148
United States

INSPECTION STATUS

Acceptable

Everything Looks Okay



Inspection Summary

Building Information

PROPERTY	South High School	CONTACT
ADDRESS	170 Apricot St	PHONE
CITY/STATE/ZIP	Worcester, Massachusetts 01608	MOBILE
COUNTRY	United States	EMAIL

Inspector Information

COMPANY	Northeast Integrated Systems	CONTACT	Nick Akoumianakis
ADDRESS	17 Lincoln Street Malden MA 02148	LICENSE NUMBER	
		PHONE	+1 781-780-1930
COUNTRY	United States	EMAIL	nick.akoumianakis@nefs.us

Testing Summary

EQUIPMENT TYPE	TOTAL	TESTED	PASSED	FAILED
Alarm Notification Appliance	5	5(100%)	5(100%)	0(0%)
Emergency Control Equipment	152	8(5%)	8(5%)	0(0%)
Fire Control Panel	6	1(17%)	1(17%)	0(0%)
Initiating Device	642	401(62%)	401(62%)	0(0%)
Power Supplies	30	30(100%)	30(100%)	0(0%)
Public Emergency Alarm Reporting	2	2(100%)	2(100%)	0(0%)

Certification

The equipment specified herein was inspected and tested according to the NFPA 72 standard for fire alarm and signaling systems, with the inspection completed on Tuesday, January 17, 2023



ACCEPTED BY01/17/2023

Building Representative



TESTED BY01/17/2023

Nick Akoumianakis
Technician

System Details

Control Units

MANUFACTURER		DESCRIPTION	PANEL
MODEL		S/W VERSION	
SERIAL NUMBER		LAST UPDATE	
INSTALL DATE	10/28/2022	S/W LOCATION	
MANUFACTURER		DESCRIPTION	PANEL
MODEL		S/W VERSION	
SERIAL NUMBER		LAST UPDATE	
INSTALL DATE	10/28/2022	S/W LOCATION	
MANUFACTURER	Notifier	DESCRIPTION	1st Emergency Electrical Rm B112.1
MODEL		S/W VERSION	
SERIAL NUMBER		LAST UPDATE	
INSTALL DATE	07/27/2021	S/W LOCATION	
MANUFACTURER		DESCRIPTION	PANEL
MODEL		S/W VERSION	
SERIAL NUMBER		LAST UPDATE	
INSTALL DATE	10/28/2022	S/W LOCATION	
MANUFACTURER		DESCRIPTION	PANEL
MODEL		S/W VERSION	
SERIAL NUMBER		LAST UPDATE	
INSTALL DATE	10/28/2022	S/W LOCATION	
MANUFACTURER		DESCRIPTION	PANEL
MODEL		S/W VERSION	
SERIAL NUMBER		LAST UPDATE	
INSTALL DATE	10/28/2022	S/W LOCATION	

Secondary Power

TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Emergency Electrical Rm A113.1
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Emergency Electrical Rm A113.1
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			

TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Emergency Electrical Rm A113.1
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Emergency Electrical Rm B112.1
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Emergency Electrical Rm B112.1
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Emergency Electrical Rm B112.1
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Emergency Electrical Rm B112.1
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Emergency Electrical Rm B112.1
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Emergency Electrical Rm B112.1
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Emergency Electrical Rm B112.1
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Emergency Electrical Rm B112.1
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Emergency Electrical Rm B112.1
NOMINAL VOLTAGE	12	LOAD VOLTAGE	

AMP HOURS	7	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Janitors Rm A164
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	2nd Custodians Rm A164
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	2nd Custodians Rm A164
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	2nd Emergency Electrical Rm A216
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	2nd Emergency Electrical Rm A216
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	2nd Emergency Electrical Rm A216
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	2nd Emergency Electrical Rm A216
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	3rd Emergency Electrical Rm A316
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS

CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	3rd Emergency Electrical Rm A316
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	EM ELEC B178.4
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	EM ELEC B178.4
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	Ground EMERG ELEC RM B007
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	7	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Emergency Electrical Rm A113.1
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	75	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Janitors Rm A164
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	75	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	EM ELEC B178.4
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	75	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside FCPS
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Emergency Electrical Rm B112.1
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	75	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside Battery Cabinet
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Emergency Electrical Rm B112.1

NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	75	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside Battery Cabinet
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Emergency Electrical Rm B112.1
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	8	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside RMB
CHARGER VOLTAGE			
TYPE	Battery - Sealed Lead-acid	DESCRIPTION	1st Emergency Electrical Rm B112.1
NOMINAL VOLTAGE	12	LOAD VOLTAGE	
AMP HOURS	8	STANDBY HOURS	
ALARM MINUTES		BATTERY LOCATION	Inside RMB
CHARGER VOLTAGE			

Testing Details

Alarm Notification Appliance

Passed				
EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Speaker/Strobe	Speaker/Strobes	2nd Floor	Manual	1/17/2023 7:32:47 PM
		Manufacturer	System Sensor	
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	Speaker/Strobes	1st Floor	Manual	1/17/2023 7:32:58 PM
		Manufacturer	System Sensor	
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	Speaker/Strobes	3rd Floor	Manual	1/17/2023 7:33:20 PM
		Manufacturer	System Sensor	
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Speaker/Strobe	Speaker/Strobes	Basement Floor	Manual	1/17/2023 7:33:40 PM
		Manufacturer	System Sensor	
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Strobe	Outside Beacon	1st Near Main Entrance	Manual	1/17/2023 7:35:29 PM
		Manufacturer	MicroStrobe	
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

Emergency Control Equipment

Passed				
EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
[Other]	N001 L01M029	DOOR HOLDER	Manual	1/17/2023 7:35:49 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
[Other]	N001 L01M042	DOOR HOLDER	Manual	1/17/2023 7:35:51 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
[Other]	N001 L02M035	DOOR HOLDER	Manual	1/17/2023 7:36:00 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
[Other]	N001 L02M078	DOOR HOLDER	Manual	1/17/2023 7:36:02 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
[Other]	N003 L01M028	DOOR HOLDER	Manual	1/17/2023 7:36:03 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
[Other]	N004 L01M015	DOOR HOLDER STAIR A2	Manual	1/17/2023 7:36:05 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
[Other]	N004 L01M028	DOOR HOLDER STAIR A	Manual	1/17/2023 7:36:06 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
[Other]	N001 L01M034	BEACON	Manual	1/17/2023 8:20:01 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

Fire Control Panel

Passed				
EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Fire Alarm Control Panel	N001 N001 1st Emergency Electrical Rm B112.1	1st Emergency Electrical Rm B112.1	Manual	1/12/2023 3:35:39 PM
Control unit visual Inspection	Passed	Manufacturer	Notifier	
Control unit functional Inspection	Passed	Visual Inspection	Passed (Manual)	
Lamps/LEDs/LCDs visual Inspection	Passed	Functional Inspection	Passed	
Lamps/LEDs/LCDs functional Inspection	Passed			
Fuses visual Inspection	Passed			
Fuses functional Inspection	Passed			
Trouble Signals visual Inspection	Passed			
Trouble Signals functional Inspection	Passed			
Disconnect Switches visual Inspection	Passed			
Disconnect Switches functional Inspection	Passed			
Ground-fault monitoring visual Inspection	Passed			
Ground-fault monitoring functional Inspection	Passed			
Supervision visual Inspection	Passed			
Supervision functional Inspection	Passed			
Local annunciator visual Inspection	Passed			
Local annunciator functional Inspection	Passed			
Remote annunciators visual Inspection	Passed			
Remote annunciators functional Inspection	Passed			
Remote power panels visual Inspection	Passed			
Remote power panels functional Inspection	Passed			

Initiating Device

Passed				
EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	N001 L02D004	EMERG ELEC B112.1	Manual	1/12/2023 3:44:36 PM
		Manufacturer	Notifier	
		Model	FSP-951	
		Visual Inspection	Passed (Manual)	
Smoke Detector - General	N004 L02D056	MECH. A353 RAI	Manual	1/12/2023 3:49:49 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L02D047	COMMON A345	Manual	1/12/2023 3:50:40 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L02D048	CORRIDOR A350	Manual	1/12/2023 3:51:39 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L02D049	CORRIDOR A350	Manual	1/12/2023 3:52:02 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L02D050	CORRIDOR A350	Manual	1/12/2023 3:52:58 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L02D057	CORRIDOR A350	Manual	1/12/2023 3:53:32 PM

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	N004 L02D060	Visual Inspection	Passed (Manual)	1/12/2023 3:54:10 PM
		Functional Inspection	Passed	
Smoke Detector - General	N004 L02D059	STAIR #A3	Manual	1/12/2023 3:55:23 PM
		Visual Inspection	Passed (Manual)	
Smoke Detector - Duct	N004 L02D062	Functional Inspection	Passed	1/12/2023 3:57:30 PM
		FLOOR STAIR A3	Manual	
Smoke Detector - General	N004 L02D058	Visual Inspection	Passed (Manual)	1/12/2023 4:01:22 PM
		Functional Inspection	Passed	
Manual Fire Box	N004 L02M059	CORRIDOR A360	Manual	1/12/2023 4:02:22 PM
		CORR A360 STAIR #A3	Manual	
Smoke Detector - General	N004 L02D041	Visual Inspection	Passed (Manual)	1/12/2023 4:03:34 PM
		Functional Inspection	Passed	
Smoke Detector - General	N004 L02D042	CORRIDOR A360	Manual	1/12/2023 4:04:10 PM
		STOREROOM A355 RAI	Manual	
Smoke Detector - General	N004 L02D061	Visual Inspection	Passed (Manual)	1/12/2023 4:04:49 PM
		Functional Inspection	Passed	
Smoke Detector - Duct	N004 L02D006	JAN. A364	Manual	1/12/2023 4:07:07 PM
		FSD JAN. A364 EF-4	Manual	
Smoke Detector - General	N004 L02D040	Visual Inspection	Passed (Manual)	1/12/2023 4:08:35 PM
		Functional Inspection	Passed	
Smoke Detector - General	N004 L02D043	CORRIDOR A360	Manual	1/12/2023 4:09:11 PM
		CORRIDOR A340	Manual	
Smoke Detector - General	N004 L02D044	Visual Inspection	Passed (Manual)	1/12/2023 4:12:32 PM
		Functional Inspection	Passed	
Smoke Detector - Duct	N004 L02D053	ELEC A354 RAI	Manual	1/12/2023 4:13:28 PM
		RTU-1 SUPPLY	Manual	
Smoke Detector - Duct	N004 L02D051	Visual Inspection	Passed (Manual)	1/12/2023 4:14:27 PM
		Functional Inspection	Passed	
Smoke Detector - General	N004 L02D045	RTU-1- RETURN	Manual	1/12/2023 4:15:35 PM
		CORRIDOR A340	Manual	
Smoke Detector - General	N004 L02D046	Visual Inspection	Passed (Manual)	1/12/2023 4:16:08 PM
		Functional Inspection	Passed	
Smoke Detector - General	N004 L02D039	CORRIDOR A340	Manual	1/12/2023 4:17:14 PM
		CORRIDOR A360	Manual	
Smoke Detector - General	N004 L02D038	Visual Inspection	Passed (Manual)	1/12/2023 4:18:12 PM
		Functional Inspection	Passed	
		CORRIDOR A360	Manual	
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	N004 L02D037	CORRIDOR A360	Manual	1/12/2023 4:18:47 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L02D015	CORRIDOR A360	Manual	1/12/2023 4:19:36 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L02D008	STAIR #A2	Manual	1/12/2023 4:20:03 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - Duct	N004 L02D010	FSD STAIR A2	Manual	1/12/2023 4:21:54 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Fire Box	N004 L02M018	CORR A360 STAIR #A2	Manual	1/12/2023 4:22:23 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L02D036	CORRIDOR A330	Manual	1/12/2023 4:24:53 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L02D027	CORRIDOR A330	Manual	1/12/2023 4:26:03 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - Duct	N004 L02D028	FSD RTU-2 RETURN	Manual	1/12/2023 4:27:40 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L02D026	CORRIDOR A330	Manual	1/12/2023 4:28:19 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L02D025	CORRIDOR A330	Manual	1/12/2023 4:29:02 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L02D024	COMMON A325	Manual	1/12/2023 4:29:25 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L02D023	CORRIDOR A320	Manual	1/12/2023 4:30:45 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L02D022	CORRIDOR A320	Manual	1/12/2023 4:31:43 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L02D021	CORRIDOR A320	Manual	1/12/2023 4:32:07 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - Duct	N004 L02D030	FSD FSD RTU-2 SUPPLU	Manual	1/12/2023 4:33:26 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L02D018	CORRIDOR A320	Manual	1/12/2023 4:33:58 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L02D014	CORRIDOR A360	Manual	1/12/2023 4:35:03 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L02D020	CHEMICAL STORAGE A33	Manual	1/12/2023 4:39:02 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L02D019	STORAGE A321.3	Manual	1/12/2023 4:40:33 PM

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	N004 L02D009	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L02D009	STAIR #A2	Manual	1/12/2023 4:45:46 PM
Smoke Detector - General	N004 L02D013	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L02D013	CORRIDOR A360	Manual	1/12/2023 4:48:42 PM
Smoke Detector - General	N004 L02D012	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L02D012	CORRIDOR A360	Manual	1/12/2023 4:49:08 PM
Smoke Detector - General	N003 L02D035	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N003 L02D035	CORRIDOR AT ELEV. 1	Manual	1/12/2023 4:50:45 PM
Smoke Detector - General	N003 L02D034	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N003 L02D034	CORRIDOR A360	Manual	1/12/2023 4:51:08 PM
Smoke Detector - Duct	N003 L02D015	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	N003 L02D015	FSD RTU-4 RETURN	Manual	1/12/2023 4:52:12 PM
Smoke Detector - General	N003 L02D017	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N003 L02D017	CORRIDOR A310	Manual	1/12/2023 4:53:05 PM
Smoke Detector - General	N003 L02D018	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N003 L02D018	CORRIDOR A310	Manual	1/12/2023 4:53:34 PM
Smoke Detector - General	N003 L02D013	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N003 L02D013	EM ELEC A316	Manual	1/12/2023 4:54:07 PM
Smoke Detector - Duct	N003 L02D011	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	N003 L02D011	RTU-3 FSD RETURN	Manual	1/12/2023 4:58:35 PM
Smoke Detector - General	N003 L02D019	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N003 L02D019	CORRIDOR A310	Manual	1/12/2023 4:59:28 PM
Smoke Detector - General	N003 L02D020	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N003 L02D020	CORRIDOR A310	Manual	1/12/2023 5:01:00 PM
Smoke Detector - General	N003 L02D022	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N003 L02D022	CORRIDOR A300	Manual	1/12/2023 5:02:49 PM
Smoke Detector - General	N003 L02D023	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N003 L02D023	CORRIDOR A300	Manual	1/12/2023 5:03:48 PM
Smoke Detector - General	N003 L02D024	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N003 L02D024	CORRIDOR A300	Manual	1/12/2023 5:04:24 PM
Smoke Detector - Duct	N003 L02D010	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	N003 L02D010	RTU-3 SUPPLY	Manual	1/12/2023 5:05:21 PM
Smoke Detector - General	N003 L02D026	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N003 L02D026	CORRIDOR A300	Manual	1/12/2023 5:06:29 PM
Smoke Detector - General	N003 L02D025	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N003 L02D025	STAIR #A1	Manual	1/12/2023 5:07:25 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Manual Fire Box	N003 L02M039	CORRIDOR A300 STAIR	Manual	1/12/2023 5:07:53 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L02D027	CORRIDOR A360	Manual	1/12/2023 5:08:35 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L02D028	CORRIDOR A360	Manual	1/12/2023 5:09:11 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L02D031	ELEC. A384	Manual	1/12/2023 5:11:37 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Fire Box	N003 L02M040	CORRIDOR A360 STAIR	Manual	1/12/2023 5:12:28 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L02D029	CORRIDOR A360	Manual	1/12/2023 5:13:31 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L02D030	STAIR #B1	Manual	1/12/2023 5:13:52 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D085	2ND STAIR B1	Manual	1/12/2023 5:18:58 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D084	2ND CORR A270	Manual	1/12/2023 5:19:08 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Fire Box	N003 L01M084	CORR A270 STAIR B1	Manual	1/12/2023 5:20:05 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D083	2ND CORR A270	Manual	1/12/2023 5:20:23 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D081	2ND CORR A200	Manual	1/12/2023 5:21:14 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D082	2ND STAIR A1	Manual	1/12/2023 5:22:07 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Fire Box	N003 L01M082	CORR A200 STAIR 1	Manual	1/12/2023 5:22:26 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D079	2ND CORR A200	Manual	1/12/2023 5:23:53 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D078	2ND CORR A200	Manual	1/12/2023 5:24:22 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D077	2ND CORR A200	Manual	1/12/2023 5:24:45 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D076	2ND COMMON A205	Manual	1/12/2023 5:25:16 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D075	2ND CORR A210	Manual	1/12/2023 5:26:12 PM

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	N003 L01D074	Visual Inspection	Passed (Manual)	1/12/2023 5:26:41 PM
		Functional Inspection	Passed	
Smoke Detector - General	N003 L01D073	2ND CORR A210	Manual	1/12/2023 5:27:40 PM
		Visual Inspection	Passed (Manual)	
Smoke Detector - General	N003 L01D109	2ND CORR A210	Manual	1/12/2023 5:28:48 PM
		Functional Inspection	Passed	
Smoke Detector - General	N003 L01D105	2ND JAN. A288	Manual	1/12/2023 5:29:59 PM
		Visual Inspection	Passed (Manual)	
Smoke Detector - General	N003 L01D104	2ND PSYCH. B295-1	Manual	1/12/2023 5:31:04 PM
		Functional Inspection	Passed	
Smoke Detector - General	N003 L01D103	2ND RECORDS A284	Manual	1/12/2023 5:31:40 PM
		Visual Inspection	Passed (Manual)	
Smoke Detector - General	N003 L01D102	2ND CORR A280	Manual	1/12/2023 5:32:23 PM
		Functional Inspection	Passed	
Smoke Detector - General	N003 L01D101	2ND CORR A280	Manual	1/12/2023 5:32:51 PM
		Visual Inspection	Passed (Manual)	
Smoke Detector - General	N003 L01D099	2ND CORR A280	Manual	1/12/2023 5:33:29 PM
		Functional Inspection	Passed	
Smoke Detector - General	N003 L01D098	2ND CORR A280	Manual	1/12/2023 5:34:15 PM
		Visual Inspection	Passed (Manual)	
Smoke Detector - General	N003 L01D108	2ND CORR A270	Manual	1/12/2023 5:35:53 PM
		Functional Inspection	Passed	
Smoke Detector - General	N003 L01D071	2ND EM. ELEC. RM A2	Manual	1/12/2023 6:01:40 PM
		Visual Inspection	Passed (Manual)	
Smoke Detector - General	N003 L01D068	2ND SERVER ROOM	Manual	1/12/2023 6:07:31 PM
		Functional Inspection	Passed	
Smoke Detector - General	N003 L01D067	2ND ELEC. RM A214	Manual	1/12/2023 6:09:06 PM
		Visual Inspection	Passed (Manual)	
Smoke Detector - General	N004 L01D054	CORRIDOR A260	Manual	1/12/2023 6:13:07 PM
		Functional Inspection	Passed	
Smoke Detector - General	N004 L01D055	CORRIDOR A260	Manual	1/12/2023 6:13:41 PM
		Visual Inspection	Passed (Manual)	
Smoke Detector - General	N004 L01D056	CORRIDOR A260	Manual	1/12/2023 6:14:48 PM
		Functional Inspection	Passed	
Manual Fire Box	N004 L01M052	CORR A260 STAIR #A2	Manual	1/12/2023 6:15:02 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	N004 L01D052	STAIR #A2	Manual	1/12/2023 6:17:08 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D057	CORRIDOR A220	Manual	1/12/2023 6:17:43 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D058	DATA A234	Manual	1/12/2023 6:18:26 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D060	CORRIDOR A220	Manual	1/12/2023 6:19:11 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D061	CORRIDOR A220	Manual	1/12/2023 6:20:06 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D062	CORRIDOR A220	Manual	1/12/2023 6:20:57 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D063	COMMON A225	Manual	1/12/2023 6:21:32 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D064	CORRIDOR A230	Manual	1/12/2023 6:22:47 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D065	CORRIDOR A230	Manual	1/12/2023 6:23:13 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D100	CORRIDOR A230	Manual	1/12/2023 6:23:44 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D067	EM ELEC A236	Manual	1/12/2023 6:24:56 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D068	ELEC A233	Manual	1/12/2023 6:25:38 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D069	CORRIDOR 230	Manual	1/12/2023 6:26:15 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D070	CORRIDOR A260	Manual	1/12/2023 6:27:47 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Supervisory	N004 L01M047	SCI. A270 CO	Manual	1/12/2023 6:29:44 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D071	CORRIDOR A260	Manual	1/12/2023 6:30:46 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D072	CORRIDOR A260	Manual	1/12/2023 6:31:38 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Supervisory	N004 L01M040	SCI. A266 CO	Manual	1/12/2023 6:32:28 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D073	CORRIDOR A260	Manual	1/12/2023 6:33:56 PM

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	N004 L01D074	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L01D074	CORRIDOR A260	Manual	1/12/2023 6:34:25 PM
Smoke Detector - General	N004 L01D094	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L01D094	JAN A264	Manual	1/12/2023 6:35:12 PM
Smoke Detector - General	N004 L01D075	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L01D075	CORRIDOR A260	Manual	1/12/2023 6:36:26 PM
Smoke Detector - General	N004 L01D093	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L01D093	DATA A262.1	Manual	1/12/2023 6:37:17 PM
Smoke Detector - General	N004 L01D092	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L01D092	ELEC A262	Manual	1/12/2023 6:38:52 PM
Smoke Detector - Duct	N004 L01D050	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	N004 L01D050	FSD EF-4 JAN A264	Manual	1/12/2023 6:42:45 PM
Smoke Detector - General	N004 L01D080	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L01D080	CORRIDOR A240	Manual	1/12/2023 6:45:52 PM
Smoke Detector - Duct	N003 L01D072	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	N003 L01D072	2ND FSD RTU-3 RETURN	Manual	1/12/2023 6:46:43 PM
Smoke Detector - Duct	N003 L01D069	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	N003 L01D069	2ND FSD RTU-4 RETURN	Manual	1/12/2023 6:47:47 PM
Smoke Detector - Duct	N004 L01D059	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	N004 L01D059	FSD RTU-2 SUPPLY	Manual	1/12/2023 6:50:02 PM
Smoke Detector - Duct	N004 L01D066	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	N004 L01D066	FSD RTU-2 RETURN	Manual	1/12/2023 6:50:37 PM
Smoke Detector - Duct	N004 L01D077	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	N004 L01D077	FSD RTU-1 SUPPLY	Manual	1/12/2023 6:53:04 PM
Smoke Detector - Duct	N004 L01D085	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	N004 L01D085	FSD RTU-RETURN	Manual	1/12/2023 6:54:11 PM
Smoke Detector - General	N004 L01D076	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L01D076	CORRIDOR A240	Manual	1/12/2023 7:02:35 PM
Smoke Detector - General	N004 L01D078	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L01D078	CORRIDOR A240	Manual	1/12/2023 7:03:11 PM
Smoke Detector - General	N004 L01D079	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L01D079	CORRIDOR A240	Manual	1/12/2023 7:03:57 PM
Smoke Detector - General	N004 L01D081	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L01D081	COMMON A245	Manual	1/12/2023 7:05:34 PM
Smoke Detector - General	N004 L01D082	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L01D082	CORRIDOR A250	Manual	1/12/2023 7:06:03 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	N004 L01D083	CORRIDOR A250	Manual	1/12/2023 7:06:55 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D084	CORRIDOR A250	Manual	1/12/2023 7:07:35 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D087	ELEC A253	Manual	1/12/2023 7:08:15 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D088	CORRIDOR A250	Manual	1/12/2023 7:08:52 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D089	CORRIDOR A260	Manual	1/12/2023 7:09:35 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D090	CORRIDOR A260	Manual	1/12/2023 7:10:07 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D091	STAIR #A3	Manual	1/12/2023 7:10:43 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Fire Box	N004 L01M073	CORR A260 STAIR #A3	Manual	1/12/2023 7:10:52 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D025	1ST CORR A160	Manual	1/12/2023 7:28:54 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D021	1ST ACID NEUT. A114	Manual	1/12/2023 7:40:11 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D019	1ST STAIR A1	Manual	1/12/2023 7:40:53 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Fire Box	N003 L01M019	STAIR A1	Manual	1/12/2023 7:41:05 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Fire Box	N003 L01M020	CORR A110	Manual	1/12/2023 7:41:44 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D020	1ST CORR A100	Manual	1/12/2023 7:42:14 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D017	1ST CORR A100	Manual	1/12/2023 7:42:43 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D016	1ST CORR A100	Manual	1/12/2023 7:43:08 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D015	1ST CORR A100	Manual	1/12/2023 7:43:44 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D014	1ST COMMON A105	Manual	1/12/2023 7:44:19 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D013	1ST CORR A110	Manual	1/12/2023 7:44:42 PM

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	N003 L01D012	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N003 L01D012	1ST CORR A110	Manual	1/12/2023 7:46:09 PM
Smoke Detector - General	N003 L01D009	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N003 L01D009	1ST ELEC. A113	Manual	1/12/2023 7:46:38 PM
Smoke Detector - General	N003 L01D006	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N003 L01D006	1ST ELEC. A113.1	Manual	1/12/2023 7:47:06 PM
Smoke Detector - General	N003 L01D060	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N003 L01D060	1ST CORR A160 ELEV.1	Manual	1/12/2023 7:53:32 PM
Smoke Detector - General	N003 L01D059	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N003 L01D059	1ST CORR A160	Manual	1/12/2023 7:54:35 PM
Smoke Detector - General	N004 L01D048	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L01D048	CORRIDOR A160	Manual	1/12/2023 7:55:55 PM
Smoke Detector - General	N004 L01D017	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L01D017	CORRIDOR A160	Manual	1/12/2023 7:56:23 PM
Smoke Detector - General	N004 L01D016	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L01D016	CORRIDOR A160	Manual	1/12/2023 7:57:12 PM
Smoke Detector - General	N004 L01D014	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L01D014	STAIR #A2	Manual	1/12/2023 7:57:48 PM
Manual Fire Box	N004 L01M010	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Fire Box	N004 L01M010	STAIR A2	Manual	1/12/2023 7:57:59 PM
Manual Fire Box	N004 L01M016	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Fire Box	N004 L01M016	CORR A160 STAIR #A2	Manual	1/12/2023 7:58:41 PM
Smoke Detector - General	N004 L01D015	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L01D015	CORRIDOR A160	Manual	1/12/2023 7:59:52 PM
Smoke Detector - General	N004 L01D020	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L01D020	CORRIDOR A120	Manual	1/12/2023 8:01:41 PM
Smoke Detector - General	N004 L01D021	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L01D021	STOR. A134	Manual	1/12/2023 8:02:08 PM
Smoke Detector - General	N004 L01D023	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L01D023	CORRIDOR A120	Manual	1/12/2023 8:02:40 PM
Smoke Detector - General	N004 L01D024	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L01D024	CORRIDOR A120	Manual	1/12/2023 8:03:26 PM
Smoke Detector - General	N004 L01D025	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L01D025	CORRIDOR A120	Manual	1/12/2023 8:04:13 PM
Smoke Detector - General	N004 L01D026	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N004 L01D026	COMMON A125	Manual	1/12/2023 8:04:45 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	N004 L01D027	CORRIDOR A130	Manual	1/12/2023 8:05:20 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D028	CORRIDOR A130	Manual	1/12/2023 8:05:50 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D004	ELEC. A133	Manual	1/12/2023 8:07:51 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D031	CORRIDOR A130	Manual	1/12/2023 8:08:46 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D013	CORRIDOR A160	Manual	1/12/2023 8:10:28 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D012	CORRIDOR A160	Manual	1/12/2023 8:11:06 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D010	STORAGE A167	Manual	1/12/2023 8:11:37 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - Duct	N003 L01D018	1ST FSD RTU-3 SUPPLY	Manual	1/12/2023 8:14:15 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - Duct	N003 L01D010	1ST FSD RTU-3 RETURN	Manual	1/12/2023 8:14:53 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - Duct	N003 L01D007	1ST FSD RTU-4 SUPPLY	Manual	1/12/2023 8:15:37 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - Duct	N003 L01D008	1ST FSD RTU-4 RETURN	Manual	1/12/2023 8:15:57 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D030	1ST @Garden Entry	Manual	1/12/2023 8:18:24 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - Duct	N004 L01D007	FSD EF-4	Manual	1/12/2023 8:20:30 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - Duct	N004 L01D034	FSD RTU-1 SUPPLY	Manual	1/12/2023 8:21:15 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - Duct	N004 L01D042	FSD RTU-1 RETURN	Manual	1/12/2023 8:21:43 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D005	CORRIDOR A160	Manual	1/12/2023 8:31:51 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D032	CORRIDOR A140	Manual	1/12/2023 8:32:17 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D033	ELEC. A154	Manual	1/12/2023 8:32:54 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D035	CORRIDOR A140	Manual	1/12/2023 8:34:23 PM

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	N004 L01D036	Visual Inspection	Passed (Manual)	1/12/2023 8:34:28 PM
		Functional Inspection	Passed	
Smoke Detector - General	N004 L01D037	CORRIDOR A140	Manual	1/12/2023 8:35:30 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D038	COMMON A145	Manual	1/12/2023 8:36:37 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D039	CORRIDOR A150	Manual	1/12/2023 8:37:09 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D041	CORRIDOR A150	Manual	1/12/2023 8:44:50 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D043	STOR.A153	Manual	1/12/2023 8:45:51 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D044	CORRIDOR A150	Manual	1/12/2023 8:47:10 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D045	CORRIDOR A160	Manual	1/12/2023 8:47:44 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D046	CORRIDOR A160	Manual	1/12/2023 8:48:17 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N004 L01D047	STAIR #A3	Manual	1/12/2023 8:48:47 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Fire Box	N004 L01M014		Manual	1/12/2023 8:49:11 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Fire Box	N004 L01M027	CORR A160 STAIR #A3	Manual	1/12/2023 8:49:56 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D022	1ST STORE ROOM A115	Manual	1/12/2023 9:31:41 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N001 L02D096	KILN B203	Manual	1/17/2023 3:22:53 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N001 L02D093	ART STORE B206B	Manual	1/17/2023 3:23:44 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N001 L02D050	STAIR B3	Manual	1/17/2023 3:26:30 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Fire Box	N001 L02M095	CORRIDOR B210	Manual	1/17/2023 3:26:44 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N001 L02D090	CORRIDOR B210	Manual	1/17/2023 3:27:35 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	N001 L02D091	CORRIDOR B210	Manual	1/17/2023 3:27:54 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N001 L02D094	CORRIDOR B210	Manual	1/17/2023 3:28:20 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N001 L02D095	CORRIDOR B210	Manual	1/17/2023 3:29:35 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N001 L02D100	CORRIDOR B210	Manual	1/17/2023 3:31:07 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N001 L02D101	CORRIDOR B210	Manual	1/17/2023 3:31:54 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N001 L02D113	LOBBY B200	Manual	1/17/2023 3:32:43 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N001 L02D110	LOBBY B200	Manual	1/17/2023 3:33:07 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - Duct	N001 L02D114	FSD RTU-11 SUPPLY	Manual	1/17/2023 3:34:10 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N001 L02D014	Corr.@270.1 Bathroom	Manual	1/17/2023 3:35:22 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N002 L02D013	CORRIDOR B270	Manual	1/17/2023 3:37:50 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N002 L02D012	CORRIDOR B270	Manual	1/17/2023 3:37:54 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N002 L02D011	CORRIDOR B270	Manual	1/17/2023 3:38:47 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N002 L02D010	CORRIDOR B270	Manual	1/17/2023 3:39:29 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D088	2ND CORR A270	Manual	1/17/2023 3:40:39 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D096	2ND WORK/STORAGE B28	Manual	1/17/2023 3:42:56 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D090	2ND CORR A270	Manual	1/17/2023 3:44:29 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D028	1ST Garden Entry	Manual	1/17/2023 3:48:12 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N002 L01D041	TELCOM B177	Manual	1/17/2023 3:49:32 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N002 L01D042	CORR. B175.4	Manual	1/17/2023 3:50:25 PM

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Fire Box	N2.L1.M40	1st Auditor @ W.ENT B175	Manual	1/17/2023 3:52:42 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Heat Detector - Restorable Spot	N002 L01D040	MECH B178.1	Manual	1/17/2023 3:54:23 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N002 L01D039	EM ELEC B178.4	Manual	1/17/2023 3:55:48 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Fire Box	N2.L1.M40	1st Auditor @ ENT B160	Manual	1/17/2023 4:02:52 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Fire Box	N2.L1.M21	1st Auditor @ ENT B160.1	Manual	1/17/2023 4:03:25 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Fire Box	N2.L1.M49	1st Auditor @ ENT B175.1	Manual	1/17/2023 4:05:12 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Fire Box	N2.L1.M32	1st Auditor @ Exit Door B160	Manual	1/17/2023 4:10:33 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector	N2.L1.D37	1st Auditor @ Entry B160	Manual	1/17/2023 4:12:29 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector	N2.L1.D36	1st Corridor B160 @ Stage	Manual	1/17/2023 4:13:10 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector	N2.L1.D34	1st Corridor B160 @ Stage	Manual	1/17/2023 4:14:38 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector	N2.L1.D33	1st Corridor B158 @ Ensemble	Manual	1/17/2023 4:15:32 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector	N2.L1.D31	1st Corridor B155 @ Band Storage	Manual	1/17/2023 4:16:11 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector	N2.L1.D26	1st Corridor B164 @ Practice	Manual	1/17/2023 4:17:42 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector	N2.L1.D24	1st Corridor B153 @ Chorus	Manual	1/17/2023 4:19:42 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector	N2.L1.D22	1st Corridor B153 @ Chorus	Manual	1/17/2023 4:20:33 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N001 L02D041	CORRIDOR @ B148	Manual	1/17/2023 4:22:37 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N001 L02D046	CORRIDOR B147 Boys Team	Manual	1/17/2023 4:23:04 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N1.L2.D46	CORRIDOR B146 Boys Team	Manual	1/17/2023 4:24:38 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
		Functional Inspection	Passed	
Smoke Detector - General	N001 L02D051	CORRIDOR B144.1	Manual	1/17/2023 4:25:54 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N001 L02D053	CORRIDOR B142	Manual	1/17/2023 4:26:52 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N001 L02D060	CORRIDOR B141	Manual	1/17/2023 4:27:35 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N001 L02D052	JAN B144.1	Manual	1/17/2023 4:28:59 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Fire Box	N001 L02M049	CORRIDOR B140	Manual	1/17/2023 4:29:39 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N001 L02D065	STAIR B4	Manual	1/17/2023 4:32:33 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N001 L02D063	CORRIDOR B137	Manual	1/17/2023 4:33:25 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N001 L02D066	CORRIDOR B135	Manual	1/17/2023 4:34:29 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N001 L02D069	CORRIDOR B130	Manual	1/17/2023 4:35:22 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N001 L02D076	CORRIDOR B131	Manual	1/17/2023 4:36:37 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Fire Box	N001 L02M076	CORRIDOR B130	Manual	1/17/2023 4:37:05 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Fire Box	N001 L02M079	STAIR B3	Manual	1/17/2023 4:37:44 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N001 L02D055	STAIR B3	Manual	1/17/2023 4:38:37 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Fire Box	N001 L02M024	CORRIDOR B110	Manual	1/17/2023 4:39:09 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N001 L02D010	CORRIDOR B127	Manual	1/17/2023 4:39:57 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N001 L02D009	CORRIDOR B128	Manual	1/17/2023 4:40:30 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N001 L02D007	CORRIDOR B115	Manual	1/17/2023 4:41:07 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N001 L02D008	CORRIDOR B112.1	Manual	1/17/2023 4:42:21 PM
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	N001 L02D027	ELECTRIC B112	Manual	1/17/2023 4:45:17 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N001 L02D005	CORRIDOR B112	Manual	1/17/2023 4:46:00 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Fire Box	N001 L02M034	LOBBY B100	Manual	1/17/2023 4:46:42 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Fire Box	N001 L02M031	LOBBY B100	Manual	1/17/2023 4:59:04 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Fire Box	N001 L02M032	VEST B100.1	Manual	1/17/2023 4:59:10 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Fire Box	N001 L02M030	VEST B100.1	Manual	1/17/2023 4:59:16 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N002 L01D047	CORR. B172	Manual	1/17/2023 5:01:08 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N002 L01D046	CORR.@Cafe	Manual	1/17/2023 5:01:54 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N002 L01D045	CORR. @ Cafe	Manual	1/17/2023 5:02:42 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N002 L01D044	CORR. @ Cafe	Manual	1/17/2023 5:03:16 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N002 L01D043	CORR. B172	Manual	1/17/2023 5:04:19 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N002 L01D031	CORRIDOR @ Cafe	Manual	1/17/2023 5:04:53 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D029	1ST Garden Entry	Manual	1/17/2023 5:06:17 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Fire Box	N003 L01M027	CORR A160	Manual	1/17/2023 5:06:36 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D027	1ST STAIR B1	Manual	1/17/2023 5:08:16 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N001 L02D078	BY STORAGE B131	Manual	1/17/2023 5:17:15 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N001 L02D073	STOR. B134	Manual	1/17/2023 5:20:04 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N001 L02D071	TELECOM B133	Manual	1/17/2023 5:22:09 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N001 L02D061	STORAGE B138.1	Manual	1/17/2023 5:23:38 PM

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - Duct	N001 L02D106	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	N001 L02D106	FSD RTU-11 SUPPLY	Manual	1/17/2023 5:30:07 PM
Smoke Detector - Duct	N001 L02D107	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	N001 L02D107	FSD RTU-11 SUPPLY	Manual	1/17/2023 5:30:31 PM
Smoke Detector - Duct	N001 L02D115	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	N001 L02D115	FSD RTU-11 RETURN	Manual	1/17/2023 5:31:16 PM
Smoke Detector - Duct	N001 L02D112	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	N001 L02D112	RTU-11 RETURN	Manual	1/17/2023 5:31:35 PM
Smoke Detector - Duct	N002 L02D019	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	N002 L02D019	RTU-9 SUP	Manual	1/17/2023 5:32:49 PM
Smoke Detector - Duct	N002 L02D020	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	N002 L02D020	RTU-9 RET FSD	Manual	1/17/2023 5:33:28 PM
Smoke Detector - Duct	N002 L02D016	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	N002 L02D016	RTU-8 SUP	Manual	1/17/2023 5:34:18 PM
Smoke Detector - Duct	N002 L02D017	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	N002 L02D017	RTU-8 SUP FSD	Manual	1/17/2023 5:35:08 PM
Smoke Detector - Duct	N003 L01D093	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	N003 L01D093	2ND RTU-6	Manual	1/17/2023 5:37:31 PM
Smoke Detector - Duct	N003 L01D095	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	N003 L01D095	2ND RTU-6	Manual	1/17/2023 5:38:02 PM
Smoke Detector - Duct	N003 L01D051	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	N003 L01D051	1ST MAU-1	Manual	1/17/2023 5:39:47 PM
Smoke Detector - Duct	N003 L01D092	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	N003 L01D092	2ND RTU-7	Manual	1/17/2023 5:42:04 PM
Smoke Detector - General	N001 L02D103	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	N001 L02D103	ART STOR B202B	Manual	1/17/2023 5:49:26 PM
Smoke Detector - Duct	N001 L02D097	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	N001 L02D097	RTU-14 SUPPLY	Manual	1/17/2023 5:50:55 PM
Smoke Detector - General	N001 L02D099	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N001 L02D099	ART STOR B204B	Manual	1/17/2023 5:53:23 PM
Smoke Detector - Duct	N002 L01D027	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	N002 L01D027	RTU-13 SUPPLY	Manual	1/17/2023 5:59:12 PM
Smoke Detector - Duct	N002 L01D032	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - Duct	N002 L01D032	RTU-12 SUPPLY	Manual	1/17/2023 6:00:41 PM
Manual Fire Box	N001 L01M033	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Fire Box	N001 L01M033	VEST B001	Manual	1/17/2023 6:07:14 PM

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Manual Fire Box	N001 L01M032	VEST B001	Manual	1/17/2023 6:07:40 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N001 L01D030	VEST B001	Manual	1/17/2023 6:09:06 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Fire Box	N001 L01M030	LOWER LOBBY B000	Manual	1/17/2023 6:09:29 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Fire Box	N001 L01M031	LOWER LOBBY B000	Manual	1/17/2023 6:10:37 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N001 L01D029	Corr@B000.2	Manual	1/17/2023 6:12:07 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N001 L01D007	CORRIDOR@B006	Manual	1/17/2023 6:13:42 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N002 L01D010	CORRIDOR B064	Manual	1/17/2023 6:14:53 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N002 L01D007	CORRIDOR B051	Manual	1/17/2023 6:15:27 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N002 L01D008	CORRIDOR B053	Manual	1/17/2023 6:15:53 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N002 L01D009	STRG B051.1	Manual	1/17/2023 6:16:54 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N002 L01D013	STRG B055.1	Manual	1/17/2023 6:17:37 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N002 L01D012	CORRIDOR B057	Manual	1/17/2023 6:18:36 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N002 L01D011	CORRIDOR B059	Manual	1/17/2023 6:19:38 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N002 L01D005	VESTIBULE B050	Manual	1/17/2023 6:20:30 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Fire Box	N002 L01M008	VESTIBULE B050	Manual	1/17/2023 6:20:45 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Fire Box	N002 L01M009	CORRIDOR B050	Manual	1/17/2023 6:21:17 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector - Restorable Spot	N002 L01D014	VOC/LEARNING B059	Manual	1/17/2023 6:25:21 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N002 L01D019	Corr.@B071	Manual	1/17/2023 6:30:08 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N001 L01D027	Corr. @B076	Manual	1/17/2023 6:31:28 PM

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	N001 L01D028	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N001 L01D031	CORRIDOR B048	Manual	1/17/2023 6:32:35 PM
Smoke Detector - General	N001 L01D032	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N001 L01D033	CORRIDOR B046	Manual	1/17/2023 6:34:11 PM
Smoke Detector - General	N001 L01D034	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N001 L01D041	CORRIDOR B040	Manual	1/17/2023 6:35:15 PM
Smoke Detector - General	N001 L01D036	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N001 L01D035	THER. PLAN B047.2	Manual	1/17/2023 6:36:26 PM
Manual Fire Box	N001 L01M035	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Fire Box	N001 L01M038	PRE-K B047	Manual	1/17/2023 6:39:53 PM
Manual Fire Box	N001 L01M038	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Supervisory	N001 L01M039	PRE-K B045 CO	Manual	1/17/2023 6:41:02 PM
Supervisory	N001 L01M037	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Supervisory	N001 L01M036	PRE-K B044 CO	Manual	1/17/2023 6:41:41 PM
Supervisory	N001 L01M036	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N001 L01D038	PRE-K B045 CO	Manual	1/17/2023 6:42:16 PM
Smoke Detector - General	N001 L01D038	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N001 L01D042	CORRIDOR B040.2	Manual	1/17/2023 6:42:45 PM
Manual Fire Box	N001 L01M041	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Manual Fire Box	N001 L01M047	CORRIDOR B040	Manual	1/17/2023 6:44:01 PM
Manual Fire Box	N001 L01M047	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N001 L01D044	STAIR #B4	Manual	1/17/2023 6:45:12 PM
Smoke Detector - General	N001 L01D042	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N001 L01D055	STAIR #B4	Manual	1/17/2023 6:45:38 PM
Smoke Detector - General	N001 L01D055	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Smoke Detector - General	N001 L01D041	CORRIDOR B041	Manual	1/17/2023 6:47:54 PM
Smoke Detector - General	N001 L01D041	Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	N001 L01D026	@Shop Corr Entry	Manual	1/17/2023 6:51:53 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N001 L01D020	Corr@B070	Manual	1/17/2023 6:52:35 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N001 L01D017	Corr@Shop Ramp	Manual	1/17/2023 6:54:03 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N001 L01D013	CORRIDOR B004.1	Manual	1/17/2023 6:54:57 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N001 L01D053	CORRIDOR @B008	Manual	1/17/2023 6:56:22 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Heat Detector - Restorable Spot	N001 L01D050	KITCHEN B011.1	Manual	1/17/2023 6:58:30 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Fire Box	N001 L01M057	DIST B012	Manual	1/17/2023 6:59:02 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N001 L01D052	CORRIDOR B009	Manual	1/17/2023 7:01:24 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N001 L01D051	CORRIDOR B010	Manual	1/17/2023 7:01:51 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N001 L01D048	CORRIDOR B011	Manual	1/17/2023 7:02:23 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Fire Box	N001 L01M063	Stair B3	Manual	1/17/2023 7:02:47 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Manual Fire Box	N3.L1.M37	1st Cafe Exterior Exit	Manual	1/17/2023 7:51:53 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D032	1ST TABLE STORAGE B1	Manual	1/17/2023 7:53:07 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D034	1ST TABLE STORAGE B1	Manual	1/17/2023 7:53:50 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - Duct	N003 L01D033	RTU-7 RETURN	Manual	1/17/2023 7:54:59 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - Duct	N003 L01D035	RTU-7 SUPPLY	Manual	1/17/2023 7:55:35 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - Duct	N003 L01D089	2ND RTU-10	Manual	1/17/2023 7:56:34 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D036	1ST CORR A180	Manual	1/17/2023 7:58:19 PM
		Visual Inspection Functional Inspection	Passed (Manual) Passed	
Smoke Detector - General	N003 L01D037	1ST CORR A180	Manual	1/17/2023 7:58:36 PM

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	N003 L01D039	Visual Inspection	Passed (Manual)	1/17/2023 7:59:41 PM
		Functional Inspection	Passed	
Smoke Detector - General	N003 L01D041	1ST CORR A180	Manual	1/17/2023 8:00:13 PM
		Visual Inspection	Passed (Manual)	
Smoke Detector - General	N003 L01D040	1ST LAUNDRY A190	Manual	1/17/2023 8:00:50 PM
		Functional Inspection	Passed	
Smoke Detector - General	N003 L01D091	1ST JANITOR B180.3	Manual	1/17/2023 8:01:26 PM
		Visual Inspection	Passed (Manual)	
Heat Detector - Restorable Spot	N003 L01D042	KITCHEN B184	Manual	1/17/2023 8:02:15 PM
		Functional Inspection	Passed	
Smoke Detector - General	N003 L01D043	1ST STORAGE B186	Manual	1/17/2023 8:03:27 PM
		Visual Inspection	Passed (Manual)	
Heat Detector - Restorable Spot	N003 L01D043	1ST KITCHEN B184	Manual	1/17/2023 8:04:18 PM
		Functional Inspection	Passed	
Supervisory	N003 L01M039	KITCHEN B184 CO	Manual	1/17/2023 8:06:33 PM
		Visual Inspection	Passed (Manual)	
Smoke Detector - General	N003 L01D054	1ST CORR A187	Manual	1/17/2023 8:07:40 PM
		Functional Inspection	Passed	
Smoke Detector - General	N003 L01D052	1ST CAFE B192	Manual	1/17/2023 8:08:02 PM
		Visual Inspection	Passed (Manual)	
Manual Fire Box	N003 L01M042	STAFF DINNING B193	Manual	1/17/2023 8:10:28 PM
		Functional Inspection	Passed	
Smoke Detector - General	N003 L01D048	1ST STORE B197	Manual	1/17/2023 8:10:51 PM
		Visual Inspection	Passed (Manual)	
Heat Detector - Restorable Spot	N003 L01D047	1ST KITCHEN B194	Manual	1/17/2023 8:11:35 PM
		Functional Inspection	Passed	
Smoke Detector - General	N003 L01D045	1ST JANITOR B198	Manual	1/17/2023 8:12:02 PM
		Visual Inspection	Passed (Manual)	
Manual Fire Box	N003 L01M043	CULINARY KITCHEN B194	Manual	1/17/2023 8:12:39 PM
		Functional Inspection	Passed	
Heat Detector - Restorable Spot	N003 L01D046	1ST KITCHEN B194	Manual	1/17/2023 8:13:00 PM
		Visual Inspection	Passed (Manual)	
Heat Detector - Restorable Spot	N003 L01D049	1ST KITCHEN B194	Manual	1/17/2023 8:13:59 PM
		Functional Inspection	Passed	
Smoke Detector - General	N003 L01D050	1ST DRY B196	Manual	1/17/2023 8:14:50 PM
		Visual Inspection	Passed (Manual)	
Smoke Detector - General	N003 L01D053	1ST CORR A187	Manual	
		Functional Inspection	Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	N003 L01D055	Visual Inspection	Passed (Manual)	1/17/2023 8:15:52 PM
		Functional Inspection	Passed	
Smoke Detector - General	N003 L01D056	RECYCLING/TRASH A186	Manual	1/17/2023 8:16:29 PM
		Visual Inspection	Passed (Manual)	
Smoke Detector - General	N003 L01D056	Functional Inspection	Passed	1/17/2023 8:16:29 PM
		1ST RECEIVING B180.1	Manual	
Manual Fire Box	N003 L01M051	Visual Inspection	Passed (Manual)	1/17/2023 8:17:05 PM
		Functional Inspection	Passed	
Smoke Detector - General	N001 L01D014	RECEIVING B180.1	Manual	1/17/2023 8:21:38 PM
		Visual Inspection	Passed (Manual)	
Smoke Detector - General	N001 L01D015	Functional Inspection	Passed	1/17/2023 8:22:44 PM
		JAN STORAGE B002	Manual	
Heat Detector - Restorable Spot	N001 L01D011	Visual Inspection	Passed (Manual)	1/17/2023 8:24:27 PM
		Functional Inspection	Passed	
Heat Detector - Restorable Spot	N001 L01D010	MECH B004	Manual	1/17/2023 8:26:32 PM
		Visual Inspection	Passed (Manual)	
Heat Detector - Restorable Spot	N001 L01D009	Functional Inspection	Passed	1/17/2023 8:28:02 PM
		MECH B004	Manual	
Heat Detector - Restorable Spot	N001 L01D008	Visual Inspection	Passed (Manual)	1/17/2023 8:29:21 PM
		Functional Inspection	Passed	
Manual Fire Box	N001 L01M009	MECH B004	Manual	1/17/2023 8:29:34 PM
		Visual Inspection	Passed (Manual)	
Smoke Detector - General	N001 L01D006	Functional Inspection	Passed	1/17/2023 8:30:48 PM
		ELECTRIC B007	Manual	
Smoke Detector - General	N001 L01D005	Visual Inspection	Passed (Manual)	1/17/2023 8:32:03 PM
		Functional Inspection	Passed	
Smoke Detector - General	N002 L01D018	EMERG ELEC RM B007	Manual	1/17/2023 8:36:27 PM
		Visual Inspection	Passed (Manual)	
Smoke Detector - General	N002 L01D017	Functional Inspection	Passed	1/17/2023 8:36:53 PM
		DISTRICT STRG B070	Manual	
Smoke Detector - General	N002 L01D016	Visual Inspection	Passed (Manual)	1/17/2023 8:38:05 PM
		Functional Inspection	Passed	
Smoke Detector - General	N002 L01D015	DISTRICT STRG B070	Manual	1/17/2023 8:41:50 PM
		Visual Inspection	Passed (Manual)	
Smoke Detector - General	N001 L01D054	Functional Inspection	Passed	1/17/2023 8:45:00 PM
		RIFLE STRG B065	Manual	
Smoke Detector - General	N001 L01D039	Visual Inspection	Passed (Manual)	1/17/2023 8:46:09 PM
		Functional Inspection	Passed	
Smoke Detector - General	N001 L01D039	MECH ROOM B040	Manual	1/17/2023 8:46:09 PM
		Visual Inspection	Passed (Manual)	
Smoke Detector - General	N001 L01D039	Functional Inspection	Passed	1/17/2023 8:46:09 PM
		TELECOM B040.2	Manual	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Smoke Detector - General	N001 L01D040	Visual Inspection	Passed (Manual)	1/17/2023 8:47:49 PM
		Functional Inspection	Passed	
Smoke Detector - General	N001 L01D023	TELECOM B040.3	Manual	1/17/2023 8:51:27 PM
		Visual Inspection	Passed (Manual)	
Smoke Detector - General	N001 L01D024	STORAGE B037.3	Manual	1/17/2023 8:52:23 PM
		Functional Inspection	Passed	
Smoke Detector - General	N001 L01D025	STORAGE B037.2	Manual	1/17/2023 8:53:15 PM
		Functional Inspection	Passed	
Smoke Detector - General	N001 L01D021	STORAGE B037.1	Manual	1/17/2023 8:54:59 PM
		Functional Inspection	Passed	
Manual Fire Box	N001 L01M050	STAIR #B5 SB5.0	Manual	1/17/2023 8:58:06 PM
		Visual Inspection	Passed (Manual)	
Manual Fire Box	N001 L01M020	OUTDOOR STORAGE	Manual	1/17/2023 9:00:06 PM
		Functional Inspection	Passed	
		AUTO/DIESEL B023	Manual	
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

Power Supplies

Passed

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Battery - Sealed Lead-acid	FACU Batteries	1st Emergency Electrical Rm B112.1	Manual	1/12/2023 3:38:46 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-12750U	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	75	
Discharge test functional Inspection	Passed	Battery Location	Inside Battery Cabinet	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FACU Batteries	1st Emergency Electrical Rm B112.1	Manual	1/12/2023 3:38:46 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-12750U	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	75	
Discharge test functional Inspection	Passed	Battery Location	Inside Battery Cabinet	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries (M22)	1st Emergency Electrical Rm B112.1	Manual	1/12/2023 3:39:56 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-1270F1	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries (M22)	1st Emergency Electrical Rm B112.1	Manual	1/12/2023 3:39:56 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-1270F1	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries (M69)	1st Emergency Electrical Rm B112.1	Manual	1/12/2023 3:40:39 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-1270F1	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries (M69)	1st Emergency Electrical Rm B112.1	Manual	1/12/2023 3:40:39 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-1270F1	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries (M70)	1st Emergency Electrical Rm B112.1	Manual	1/12/2023 3:40:53 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-1270F1	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries (M70)	1st Emergency Electrical Rm B112.1	Manual	1/12/2023 3:40:53 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-1270F1	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries (M23)	1st Emergency Electrical Rm B112.1	Manual	1/12/2023 3:41:14 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-1270F1	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries (M23)	1st Emergency Electrical Rm B112.1	Manual	1/12/2023 3:41:14 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-1270F1	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	RMB Battery	1st Emergency Electrical Rm B112.1	Manual	1/12/2023 3:42:33 PM
Battery condition visual Inspection	Passed	Manufacturer	Interstate	
Battery condition functional Inspection	Passed	Model	SLA1075	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	8	
Discharge test functional Inspection	Passed	Battery Location	Inside RMB	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	RMB Battery	1st Emergency Electrical Rm B112.1	Manual	1/12/2023 3:42:33 PM
Battery condition visual Inspection	Passed	Manufacturer	Interstate	
Battery condition functional Inspection	Passed	Model	SLA1075	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	8	
Discharge test functional Inspection	Passed	Battery Location	Inside RMB	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries (M30)	3rd Emergency Electrical Rm A316	Manual	1/12/2023 4:57:03 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Battery condition functional Inspection	Passed	Model	PS-1270F1	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries (M30)	3rd Emergency Electrical Rm A316	Manual	1/12/2023 4:57:03 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-1270F1	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries (M35)	2nd Custodians Rm A164	Manual	1/12/2023 5:40:19 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-1270F1	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries (M35)	2nd Custodians Rm A164	Manual	1/12/2023 5:40:19 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-1270F1	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries (M37)	2nd Emergency Electrical Rm A216	Manual	1/12/2023 6:03:46 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-1270F1	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries (M37)	2nd Emergency Electrical Rm A216	Manual	1/12/2023 6:03:46 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-1270F1	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries (24v)	2nd Emergency Electrical Rm A216	Manual	1/12/2023 6:04:14 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-1270F1	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries (24v)	2nd Emergency Electrical Rm A216	Manual	1/12/2023 6:04:14 PM

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-1270F1	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries (M6)	1st Emergency Electrical Rm A113.1	Manual	1/12/2023 7:50:25 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-1270F1	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries (M6)	1st Emergency Electrical Rm A113.1	Manual	1/12/2023 7:50:25 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-1270F1	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries	1st Emergency Electrical Rm A113.1	Manual	1/12/2023 7:52:58 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-1270	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries	1st Emergency Electrical Rm A113.1	Manual	1/12/2023 7:52:58 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-12750U	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	75	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries	1st Janitors Rm A164	Manual	1/12/2023 8:30:01 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-12750U	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	75	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries (M106)	1st Janitors Rm A164	Manual	1/12/2023 8:31:38 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-1270	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Battery - Sealed Lead-acid	FCPS Batteries	EM ELEC B178.4	Manual	1/17/2023 3:57:30 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-12750U	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	75	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries	EM ELEC B178.4	Manual	1/17/2023 3:57:55 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-1270	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries	EM ELEC B178.4	Manual	1/17/2023 3:58:09 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-1270	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	
Discharge test visual Inspection	Passed	Amp Hours	7	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			
Battery - Sealed Lead-acid	FCPS Batteries	Ground EMERG ELEC RM B007	Manual	1/17/2023 8:33:25 PM
Battery condition visual Inspection	Passed	Manufacturer	Power-Sonic	
Battery condition functional Inspection	Passed	Model	PS-1270	
Load voltage visual Inspection	Passed	Visual Inspection	Passed (Manual)	
Load voltage functional Inspection	Passed	Functional Inspection	Passed	

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Discharge test visual Inspection	Passed	Amp Hours	7	
Discharge test functional Inspection	Passed	Battery Location	Inside FCPS	
Charger test visual Inspection	Passed	Nominal Voltage	12	
Charger test functional Inspection	Passed			
Remote panel batteries visual Inspection	Passed			
Remote panel batteries functional Inspection	Passed			

Public Emergency Alarm Reporting

Passed

EQUIPMENT TYPE	ADDRESS	DESCRIPTION	METHOD	DATE/TIME
Master Box	RMB #1412	1st Emergency Electrical Rm B112.1	Manual	1/12/2023 3:43:42 PM
		Manufacturer	AES	
		Model	7788F	
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	
Master Box	RMB #1412	1st Emergency Electrical Rm B112.1	Manual	1/12/2023 3:43:42 PM
		Manufacturer	AES	
		Model	7788F	
		Visual Inspection	Passed (Manual)	
		Functional Inspection	Passed	

Device/Equipment Details

Alarm Notification Appliance

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
Speaker/Strobe					
Speaker/Strobes	1st Floor	System Sensor			01/16/2020
Speaker/Strobes	2nd Floor	System Sensor			01/16/2020
Speaker/Strobes	3rd Floor	System Sensor			01/16/2020
Speaker/Strobes	Basement Floor	System Sensor			01/16/2020
Strobe					
Outside Beacon	1st Near Main Entrance	MicroStrobe			01/16/2020

Emergency Control Equipment

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
[Other]					
N001 L01M013	ELEV 2 PRI.				10/28/2022
N001 L01M014	ELEV 2 SEC.				10/28/2022
N001 L01M015	ELEV 2 HAT				10/28/2022
N001 L01M016	ELEV 2 DAMPER				10/28/2022
N001 L01M026	LOWER LOBBY WTR BELL				10/28/2022
N001 L01M029	DOOR HOLDER				10/28/2022
N001 L01M034	BEACON				10/28/2022
N001 L01M042	DOOR HOLDER				10/28/2022
N001 L01M007	NAC EM ELEC RM B007				10/28/2022
N001 L02M107	RTU-11 SUPP FSD				10/28/2022
N001 L02M115	RTU-14 SHUTDOWN				10/28/2022
N001 L02M116	RTU-15 SHUTDOWN				10/28/2022
N001 L02M141	ALARM				10/28/2022
N001 L02M142	WATERFLOW				10/28/2022
N001 L02M143	TAMPER				10/28/2022
N001 L02M144	C.O.				10/28/2022
N001 L02M145	BDA				10/28/2022
N001 L02M146	RADIO BOX DISABLED				10/28/2022
N001 L02M147	SUPERVISORY				10/28/2022
N001 L02M148	TROUBLE				10/28/2022
N001 L02M149	SPARE				10/28/2022
N001 L02M150	SPARE				10/28/2022
N001 L02M151	SPARE				10/28/2022
N001 L02M152	SPARE				10/28/2022
N001 L02M022	NAC EM ELEC RM B1112				10/28/2022
N001 L02M023	NAC EM ELEC RM B1112				10/28/2022
N001 L02M027	WATER BELL				10/28/2022
N001 L02M029	BEACON				10/28/2022
N001 L02M035	DOOR HOLDER				10/28/2022
N001 L02M045	FSD RTU22 RETURN				10/28/2022
N001 L02M053	RTU-16 DAMPER				10/28/2022
N001 L02M055	RTU-19 SHUTDOWN				10/28/2022
N001 L02M056	RTU-20 SHUTDOWN				10/28/2022
N001 L02M057	RTU-21 SHUTDOWN				10/28/2022
N001 L02M058	RTU-22 SHUTDOWN				10/28/2022
N001 L02M059	RTU-23 SHUTDOWN				10/28/2022
N001 L02M064	RTU11 FSD LOBBY				10/28/2022
N001 L02M075	AV GYM				10/28/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
N001 L02M078	DOOR HOLDER				10/28/2022
N001 L02M084	RTU-16 SHUTDOWN				10/28/2022
N001 L02M085	RTU-17 SHUTDOWN				10/28/2022
N001 L02M086	RTU-18 SHUTDOWN				10/28/2022
N001 L02M096	LOBBY B200 WON DOOR				10/28/2022
N001 L02M097	RTU-11 RET FSD				10/28/2022
N001 L02M098	RTU-11 SHUTDOWN				10/28/2022
N002 L01M105	NAC PNL JANITOR B073				10/28/2022
N002 L01M023	CHORUS AV RACK				10/28/2022
N002 L01M028	RTU-13 SHUTDOWN				10/28/2022
N002 L01M029	BAND AV RACK				10/28/2022
N002 L01M031	RTU-12 SHUTDOWN				10/28/2022
N002 L01M038	NAC PNL EM ELEC B178				10/28/2022
N002 L01M039	NAC PNL EM ELEC B178				10/28/2022
N002 L01M050	RTU-11 SUP FSD				10/28/2022
N002 L01M006	NAC PNL JANITOR B073				10/28/2022
N002 L02M010	RTU-8 SUPPLY FSD				10/28/2022
N002 L02M011	RTU-8 SHUTDOWN				10/28/2022
N002 L02M012	RTU-9 SHUTDOWN				10/28/2022
N003 L01M100	RTU-6 SHUTDOWN				10/28/2022
N003 L01M101	RTU-7 SHUTDOWN				10/28/2022
N003 L01M102	RTU-10 SHUTDOWN				10/28/2022
N003 L01M103	RTU-24 SHUTDOWN				10/28/2022
N003 L01M107	FSD EF-7 L3-D107				10/28/2022
N003 L01M011	FSD RTU-3 RET L3-D10				10/28/2022
N003 L01M016	SCIENCE LAB A107 GAS				10/28/2022
N003 L01M017	FSD RTU-3 SUP L3-D18				10/28/2022
N003 L01M018	KITC B184 HOOD CONTR				10/28/2022
N003 L01M022	ELEV 1 PRI.				10/28/2022
N003 L01M023	ELEV 1 SEC.				10/28/2022
N003 L01M024	ELEV 1 HAT				10/28/2022
N003 L01M025	ELEV 1 DAMPER				10/28/2022
N003 L01M028	DOOR HOLDER				10/28/2022
N003 L01M032	WON ACCORDION DOOR				10/28/2022
N003 L01M033	A/V OVERRIDE				10/28/2022
N003 L01M034	KITC B184 GAS DETEC				10/28/2022
N003 L01M035	RTU-7 DAMPER				10/28/2022
N003 L01M048	KITC B194 HOOD CONTR				10/28/2022
N003 L01M049	KITC B194 GAS DETEC				10/28/2022
N003 L01M052	FSD EF-7 L3-D58				10/28/2022
N003 L01M053	MAU1 SHUTDWN RM B286				10/28/2022
N003 L01M006	NAC PNL EM ELEC A113				10/28/2022
N003 L01M066	B286 LrgGrp AV SHTDN				10/28/2022
N003 L01M067	INTRUS SERV RM A213				10/28/2022
N003 L01M068	SURVEIL SERVER RM A2				10/28/2022
N003 L01M069	PA SERVER RM A213				10/28/2022
N003 L01M007	FSD RTU-4 SUP L3-D07				10/28/2022
N003 L01M070	FSD RTU-4 RET L3-D69				10/28/2022
N003 L01M071	FLOOR FSD EF-3 L3-D7				10/28/2022
N003 L01M072	FSD RTU-4 SUP L3-D70				10/28/2022
N003 L01M074	NAC PNL EM ELEC A216				10/28/2022
N003 L01M075	FSD RTU-3 RET L3-D72				10/28/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
N003 L01M080	SCIENCE LAB A207 GAS				10/28/2022
N003 L01M081	FSD RTU-3 SUP L3-D80				10/28/2022
N003 L01M009	FSD RTU-4 RET L3-D08				10/28/2022
N003 L02M010	FSD EF-11 L4-D08				10/28/2022
N003 L02M012	RTU-3 SUP FSD L4-D10				10/28/2022
N003 L02M014	FSD RTU-4 SUP FSD L4				10/28/2022
N003 L02M015	RTU-3 SHUT DOWN				10/28/2022
N003 L02M016	RTU-3 FSD RET L4-D11				10/28/2022
N003 L02M030	NAC EM ELEC RM A316				10/28/2022
N003 L02M034	RTU-4 SHUTDOWN				10/28/2022
N003 L02M038	SCIENCE LAB A107 GAS				10/28/2022
N003 L02M004	RTU3 SUP/RET FSD				10/28/2022
N003 L02M045	FSD RTU-3 SUP STR B1				10/28/2022
N003 L02M047	FSD EF-7 L4- D33				10/28/2022
N003 L02M006	FSD EF-3 L4-D13 + L4				10/28/2022
N003 L02M008	FSD TRU-4 RET L4-D07				10/28/2022
N004 L01M015	DOOR HOLDER STAIR A2				10/28/2022
N004 L01M017	FSD EF-6 L1-D18				10/28/2022
N004 L01M019	FSD RTU-2 SUP DAMPER				10/28/2022
N004 L01M021	FSD RTU-2 RET DAMPER				10/28/2022
N004 L01M023	FSD RTU-1 SUP L1-D34				10/28/2022
N004 L01M025	FSD RTU-1 RET L1-D42				10/28/2022
N004 L01M028	DOOR HOLDER STAIR A				10/28/2022
N004 L01M035	NAC PANEL JAN. A264				10/28/2022
N004 L01M036	FSD EF-4 L1-D50				10/28/2022
N004 L01M041	SCI. A266 GAS DET				10/28/2022
N004 L01M042	FSD EF-5 L1-D51				10/28/2022
N004 L01M044	SCI. A270 GAS DET EP				10/28/2022
N004 L01M056	SCI. A271 GAS DET				10/28/2022
N004 L01M057	FSD EF-6 L1-D53				10/28/2022
N004 L01M059	SCI. A275 GAS DET VA				10/28/2022
N004 L01M006	NAC PANEL JAN. A164				10/28/2022
N004 L01M063	FSD RTU-2 SUP L1-D59				10/28/2022
N004 L01M065	FSD RTU-2 RET L1-D66				10/28/2022
N004 L01M067	FSD EF-2 L1-D67				10/28/2022
N004 L01M069	FSD RTU-1 RET L1-D85				10/28/2022
N004 L01M007	FSD EF-4 L1-D07				10/28/2022
N004 L01M070	FSD RTU-1 SUP L1-D77				10/28/2022
N004 L01M071	FSD EMERG. A253 L1-D				10/28/2022
N004 L01M075	LIGHTING OVERRIDE				10/28/2022
N004 L01M009	FSD EF-5 L1-D11				10/28/2022
N004 L02M011	SCI. LAB A366 GAS DE				10/28/2022
N004 L02M012	FSD RM A367 DAMP				10/28/2022
N004 L02M014	SCI. LAB A370 GAS DE				10/28/2022
N004 L02M023	FSD STAIR A2				10/28/2022
N004 L02M029	A371 GAS PNL SELNOID				10/28/2022
N004 L02M030	FSD EF-6 RM A373				10/28/2022
N004 L02M031	SCI. LAB A375 GAS DE				10/28/2022
N004 L02M036	RTU-5 SHUTDOWN				10/28/2022
N004 L02M037	FSD RTU-2 RETURN				10/28/2022
N004 L02M039	RTU-2 SUP/RET DAMPER				10/28/2022
N004 L02M041	FSD RTU-2 SUPPLY				10/28/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
N004 L02M042	FSD RTU-2 SHUTDOWN				10/28/2022
N004 L02M043	FSD EX. CHEM. STRG				10/28/2022
N004 L02M048	FSD RTU-1				10/28/2022
N004 L02M049	RTU-1 SHUTDOWN				10/28/2022
N004 L02M005	NAC PANEL JAN. A364				10/28/2022
N004 L02M052	FSD RTU-1 SUPPLY				10/28/2022
N004 L02M054	RTU-1 SUP/RET DAMPER				10/28/2022
N004 L02M057	FSD EXHAUST RM 353				10/28/2022
N004 L02M006	FSD JAN A364 EF-4				10/28/2022
N004 L02M063	STAIR 3 DAMP				10/28/2022

Fire Control Panel

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
Fire Alarm Panel					
N051 N051	PANEL				10/28/2022
N101 N101	PANEL				10/28/2022
N002 N002	PANEL				10/28/2022
N003 N003	PANEL				10/28/2022
N004 N004	PANEL				10/28/2022

Fire Alarm Control Panel

N001 N001 1st Emergency Electrical Rm B112.1	1st Emergency Electrical Rm B112.1	Notifier			07/28/2021
--	---------------------------------------	----------	--	--	------------

Initiating Device

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
Heat Detector - Restorable Spot					
N001 L01D010	MECH B004				10/28/2022
N001 L01D011	MECH B004				10/28/2022
N001 L01D037	PRE-K KITCHEN B047.1				10/28/2022
N001 L01D043	DAYCARE KITCH B042.2				10/28/2022
N001 L01D045	OUTDOOR STORAGE				10/28/2022
N001 L01D050	KITCHEN B011.1				10/28/2022
N001 L01D008	MECH B004				10/28/2022
N001 L01D009	MECH B004				10/28/2022
N002 L01D014	VOC/LEARNING B059				10/28/2022
N002 L01D040	MECH B178.1				10/28/2022
N003 L01D043	1ST KITCHEN B184				10/28/2022
N003 L01D044	1ST KITCHEN B184				10/28/2022
N003 L01D046	1ST KITCHEN B194				10/28/2022
N003 L01D047	1ST KITCHEN B194				10/28/2022
N003 L01D049	1ST KITCHEN B194				10/28/2022
N003 L01D091	KITCHEN B184				10/28/2022

Smoke Detector - General

N001 L01D012	MECH B004B ELEV.2				10/28/2022
N001 L01D013	CORRIDOR B004.1				10/28/2022
N001 L01D014	TELECOM B003				10/28/2022
N001 L01D015	JAN STORAGE B002				10/28/2022
N001 L01D016	ELEV 2 LOBBY				10/28/2022
N001 L01D017	Corr@Shop Ramp				10/28/2022
N001 L01D020	Corr@B070				10/28/2022
N001 L01D021	STAIR #B5 SB5.0				10/28/2022
N001 L01D022	STAIR #B5 SB5.0				10/28/2022
N001 L01D023	STORAGE B037.3				10/28/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
N001 L01D024	STORAGE B037.2				10/28/2022
N001 L01D025	STORAGE B037.1				10/28/2022
N001 L01D026	@Shop Corr Entry				10/28/2022
N001 L01D027	Corr. @B076				10/28/2022
N001 L01D028	Corr @B073				10/28/2022
N001 L01D029	Corr@B000.2				10/28/2022
N001 L01D030	VEST B001				10/28/2022
N001 L01D031	CORRIDOR B048				10/28/2022
N001 L01D032	CORRIDOR B047				10/28/2022
N001 L01D033	CORRIDOR B046				10/28/2022
N001 L01D034	CORRIDOR B045				10/28/2022
N001 L01D035	CLOSET B045.2				10/28/2022
N001 L01D036	THER. PLAN B047.2				10/28/2022
N001 L01D038	CORRIDOR B040.2				10/28/2022
N001 L01D039	TELECOM B040.2				10/28/2022
N001 L01D040	TELECOM B040.3				10/28/2022
N001 L01D041	CORRIDOR B040				10/28/2022
N001 L01D042	STAIR #B4				10/28/2022
N001 L01D044	STAIR #B4				10/28/2022
N001 L01D046	FIRE PROTEC. B024.1				10/28/2022
N001 L01D047	STAIR #B3				10/28/2022
N001 L01D048	CORRIDOR B011				10/28/2022
N001 L01D049	ELEC B010A				10/28/2022
N001 L01D005	EMERG ELEC RM B007				10/28/2022
N001 L01D051	CORRIDOR B010				10/28/2022
N001 L01D052	CORRIDOR B009				10/28/2022
N001 L01D053	CORRIDOR @B008				10/28/2022
N001 L01D054	MECH ROOM B040				10/28/2022
N001 L01D055	CORRIDOR B041				10/28/2022
N001 L01D056	STAIR B3				10/28/2022
N001 L01D006	ELECTRIC B007				10/28/2022
N001 L01D007	CORRIDOR@B006				10/28/2022
N001 L02D010	CORRIDOR B127				10/28/2022
N001 L02D100	CORRIDOR B210				10/28/2022
N001 L02D101	CORRIDOR B210				10/28/2022
N001 L02D102	LOBBY B200 ELEV.B2				10/28/2022
N001 L02D103	ART STOR B202B				10/28/2022
N001 L02D104	LOBBY B200				10/28/2022
N001 L02D105	LOBBY B200				10/28/2022
N001 L02D011	WAIT B126				10/28/2022
N001 L02D110	LOBBY B200				10/28/2022
N001 L02D113	LOBBY B200				10/28/2022
N001 L02D116	LOBBY B200				10/28/2022
N001 L02D117	LOBBY B200				10/28/2022
N001 L02D118	LOBBY B200				10/28/2022
N001 L02D119	LOBBY B200				10/28/2022
N001 L02D013	STORAGE B125				10/28/2022
N001 L02D014	Corr.@270.1 Bathroom				10/28/2022
N001 L02D015	CORRIDOR B120				10/28/2022
N001 L02D016	CLEAN SUPPLY B120.4				10/28/2022
N001 L02D017	STORAGE CLST B120.2				10/28/2022
N001 L02D018	CORRIDOR B120				10/28/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
N001 L02D019	CORRIDOR B120				10/28/2022
N001 L02D020	CORRIDOR B120				10/28/2022
N001 L02D021	STORAGE CLST B115.3				10/28/2022
N001 L02D022	CORRIDOR B120				10/28/2022
N001 L02D023	WAIT B115				10/28/2022
N001 L02D024	VAULT B108				10/28/2022
N001 L02D025	CORRIDOR B113				10/28/2022
N001 L02D026	CORRIDOR B113				10/28/2022
N001 L02D027	ELECTRIC B112				10/28/2022
N001 L02D028	GEN OFFICE B101				10/28/2022
N001 L02D029	GEN OFFICE B101				10/28/2022
N001 L02D030	VEST B100.1				10/28/2022
N001 L02D031	LOBBY B100				10/28/2022
N001 L02D032	LOBBY B100 ELEV..2				10/28/2022
N001 L02D033	LOBBY B100				10/28/2022
N001 L02D034	LOBBY B100				10/28/2022
N001 L02D035	LOBBY B100				10/28/2022
N001 L02D036	LOBBY B100				10/28/2022
N001 L02D037	LOBBY B100				10/28/2022
N001 L02D038	LOBBY B100				10/28/2022
N001 L02D039	LOBBY B100				10/28/2022
N001 L02D004	EMERG ELEC B112.1	Notifier	FSP-951		10/28/2022
N001 L02D040	LOBBY B100				10/28/2022
N001 L02D041	CORRIDOR @ B148				10/28/2022
N001 L02D042	CLOSET B148.2				10/28/2022
N001 L02D043	JAN. B147.2				10/28/2022
N001 L02D045	ATHLETIC STRG B147.1				10/28/2022
N001 L02D046	CORRIDOR B147 Boys Team				10/28/2022
N001 L02D047	CORRIDOR B140				10/28/2022
N001 L02D005	CORRIDOR B112				10/28/2022
N001 L02D050	STAIR B3				10/28/2022
N001 L02D051	CORRIDOR B144.1				10/28/2022
N001 L02D052	JAN B144.1				10/28/2022
N001 L02D053	CORRIDOR B142				10/28/2022
N001 L02D055	STAIR B3				10/28/2022
N001 L02D058	ATHLETIC STRG B141.1				10/28/2022
N001 L02D006	CORRIDOR B110				10/28/2022
N001 L02D060	CORRIDOR B141				10/28/2022
N001 L02D061	STORAGE B138.1				10/28/2022
N001 L02D062	JAN B138				10/28/2022
N001 L02D063	CORRIDOR B137				10/28/2022
N001 L02D065	STAIR B4				10/28/2022
N001 L02D066	CORRIDOR B135				10/28/2022
N001 L02D069	CORRIDOR B130				10/28/2022
N001 L02D007	CORRIDOR B115				10/28/2022
N001 L02D070	STOR. B134				10/28/2022
N001 L02D071	TELECOM B133				10/28/2022
N001 L02D073	STOR. B134				10/28/2022
N001 L02D076	CORRIDOR B131				10/28/2022
N001 L02D077	VEST B131				10/28/2022
N001 L02D078	BY STORAGE B131				10/28/2022
N001 L02D008	CORRIDOR B112.1				10/28/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
N001 L02D009	CORRIDOR B128				10/28/2022
N001 L02D090	CORRIDOR B210				10/28/2022
N001 L02D091	CORRIDOR B210				10/28/2022
N001 L02D093	ART STORE B206B				10/28/2022
N001 L02D094	CORRIDOR B210				10/28/2022
N001 L02D095	CORRIDOR B210				10/28/2022
N001 L02D096	KILN B203				10/28/2022
N001 L02D099	ART STOR B204B				10/28/2022
N002 L01D010	CORRIDOR B064				10/28/2022
N002 L01D011	CORRIDOR B059				10/28/2022
N002 L01D012	CORRIDOR B057				10/28/2022
N002 L01D013	STRG B055.1				10/28/2022
N002 L01D015	RIFLE STRG B065				10/28/2022
N002 L01D016	DISTRICT STRG B070				10/28/2022
N002 L01D017	DISTRICT STRG B070				10/28/2022
N002 L01D018	DISTRICT STRG B070				10/28/2022
N002 L01D019	Corr.@B071				10/28/2022
N002 L01D022	CORRIDOR B150				10/28/2022
N002 L01D023	CHORUS STOR. B152				10/28/2022
N002 L01D024	CORRIDOR B150				10/28/2022
N002 L01D025	JAN. B166				10/28/2022
N002 L01D026	CORRIDOR B150				10/28/2022
N002 L01D029	BAND STOR. B155				10/28/2022
N002 L01D030	BAND STOR. B155				10/28/2022
N002 L01D031	CORRIDOR @ Cafe				10/28/2022
N002 L01D033	CORRIDOR B150				10/28/2022
N002 L01D034	CORRIDOR B160				10/28/2022
N002 L01D035	SET STRG B169.1				10/28/2022
N002 L01D036	CORRIDOR B160				10/28/2022
N002 L01D037	CORRIDOR B160				10/28/2022
N002 L01D038	AUDITOR. STRG B178.2				10/28/2022
N002 L01D039	EM ELEC B178.4				10/28/2022
N002 L01D041	TELCOM B177				10/28/2022
N002 L01D042	CORR. B175.4				10/28/2022
N002 L01D043	CORR. B172				10/28/2022
N002 L01D044	CORR. @ Cafe				10/28/2022
N002 L01D045	CORR. @ Cafe				10/28/2022
N002 L01D046	CORR.@Cafe				10/28/2022
N002 L01D047	CORR. B172				10/28/2022
N002 L01D048	CORR. B175.1				10/28/2022
N002 L01D005	VESTIBULE B050				10/28/2022
N002 L01D006	JANITOR B073				10/28/2022
N002 L01D007	CORRIDOR B051				10/28/2022
N002 L01D008	CORRIDOR B053				10/28/2022
N002 L01D009	STRG B051.1				10/28/2022
N002 L02D010	CORRIDOR B270				10/28/2022
N002 L02D011	CORRIDOR B270				10/28/2022
N002 L02D012	CORRIDOR B270				10/28/2022
N002 L02D013	CORRIDOR B270				10/28/2022
N002 L02D014	CORRIDOR B270				10/28/2022
N003 L01D100	2ND GUIDANCE STORAGE				10/28/2022
N003 L01D101	2ND CORR A280				10/28/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
N003 L01D102	2ND CORR A280				10/28/2022
N003 L01D103	2ND RECORDS A284				10/28/2022
N003 L01D104	2ND PSYCH. B295-1				10/28/2022
N003 L01D105	2ND JAN. A288				10/28/2022
N003 L01D106	2ND CORR A270 ELEV 1				10/28/2022
N003 L01D108	2ND CORR A270				10/28/2022
N003 L01D109	2ND CORR A210				10/28/2022
N003 L01D011	1ST CORR A110				10/28/2022
N003 L01D012	1ST CORR A110				10/28/2022
N003 L01D013	1ST CORR A110				10/28/2022
N003 L01D014	1ST COMMON A105				10/28/2022
N003 L01D015	1ST CORR A100				10/28/2022
N003 L01D016	1ST CORR A100				10/28/2022
N003 L01D017	1ST CORR A100				10/28/2022
N003 L01D019	1ST STAIR A1				10/28/2022
N003 L01D020	1ST CORR A100				10/28/2022
N003 L01D021	1ST ACID NEUT. A114				10/28/2022
N003 L01D022	1ST STORE ROOM A115				10/28/2022
N003 L01D023	1ST MACH A183				10/28/2022
N003 L01D024	1ST CORR A160				10/28/2022
N003 L01D025	1ST CORR A160				10/28/2022
N003 L01D027	1ST STAIR B1				10/28/2022
N003 L01D028	1ST Garden Entry				10/28/2022
N003 L01D029	1ST Garden Entry				10/28/2022
N003 L01D030	1ST @Garden Entry				10/28/2022
N003 L01D031	1ST CORR A170				10/28/2022
N003 L01D032	1ST TABLE STORAGE B1				10/28/2022
N003 L01D034	1ST TABLE STORAGE B1				10/28/2022
N003 L01D036	1ST CORR A180				10/28/2022
N003 L01D037	1ST CORR A180				10/28/2022
N003 L01D039	1ST CORR A180				10/28/2022
N003 L01D040	1ST JANITOR B180.3				10/28/2022
N003 L01D041	1ST LAUNDRY A190				10/28/2022
N003 L01D042	1ST STORAGE B186				10/28/2022
N003 L01D045	1ST JANITOR B198				10/28/2022
N003 L01D048	1ST STORE B197				10/28/2022
N003 L01D050	1ST DRY B196				10/28/2022
N003 L01D052	1ST CAFE B192				10/28/2022
N003 L01D053	1ST CORR A187				10/28/2022
N003 L01D054	1ST CORR A187				10/28/2022
N003 L01D055	RECYCLING/TRASH A186				10/28/2022
N003 L01D056	1ST RECEIVING B180.1				10/28/2022
N003 L01D057	ROOM A184 AT ELEVATR				10/28/2022
N003 L01D059	1ST CORR A160				10/28/2022
N003 L01D006	1ST ELEC. A113.1				10/28/2022
N003 L01D060	1ST CORR A160 ELEV.1				10/28/2022
N003 L01D061	1ST CORR A110				10/28/2022
N003 L01D067	2ND ELEC. RM A214				10/28/2022
N003 L01D068	2ND SERVER ROOM				10/28/2022
N003 L01D071	2ND EM. ELEC. RM A2				10/28/2022
N003 L01D073	2ND CORR A210				10/28/2022
N003 L01D074	2ND CORR A210				10/28/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
N003 L01D075	2ND CORR A210				10/28/2022
N003 L01D076	2ND COMMON A205				10/28/2022
N003 L01D077	2ND CORR A200				10/28/2022
N003 L01D078	2ND CORR A200				10/28/2022
N003 L01D079	2ND CORR A200				10/28/2022
N003 L01D081	2ND CORR A200				10/28/2022
N003 L01D082	2ND STAIR A1				10/28/2022
N003 L01D083	2ND CORR A270				10/28/2022
N003 L01D084	2ND CORR A270				10/28/2022
N003 L01D085	2ND STAIR B1				10/28/2022
N003 L01D086	2ND CORR A270				10/28/2022
N003 L01D087	2ND CORR A270				10/28/2022
N003 L01D088	2ND CORR A270				10/28/2022
N003 L01D009	1ST ELEC. A113				10/28/2022
N003 L01D090	2ND CORR A270				10/28/2022
N003 L01D096	2ND WORK/STORAGE B28				10/28/2022
N003 L01D098	2ND CORR A280				10/28/2022
N003 L01D099	2ND CORR A280				10/28/2022
N003 L02D013	EM ELEC A316				10/28/2022
N003 L02D017	CORRIDOR A310				10/28/2022
N003 L02D018	CORRIDOR A310				10/28/2022
N003 L02D019	CORRIDOR A310				10/28/2022
N003 L02D020	CORRIDOR A310				10/28/2022
N003 L02D021	COMMON A305				10/28/2022
N003 L02D022	CORRIDOR A300				10/28/2022
N003 L02D023	CORRIDOR A300				10/28/2022
N003 L02D024	CORRIDOR A300				10/28/2022
N003 L02D025	STAIR #A1				10/28/2022
N003 L02D026	CORRIDOR A300				10/28/2022
N003 L02D027	CORRIDOR A360				10/28/2022
N003 L02D028	CORRIDOR A360				10/28/2022
N003 L02D029	CORRIDOR A360				10/28/2022
N003 L02D030	STAIR #B1				10/28/2022
N003 L02D031	ELEC. A384				10/28/2022
N003 L02D034	CORRIDOR A360				10/28/2022
N003 L02D035	CORRIDOR AT ELEV. 1				10/28/2022
N004 L01D010	STORAGE A167				10/28/2022
N004 L01D100	CORRIDOR A230				10/28/2022
N004 L01D012	CORRIDOR A160				10/28/2022
N004 L01D013	CORRIDOR A160				10/28/2022
N004 L01D014	STAIR #A2				10/28/2022
N004 L01D015	CORRIDOR A160				10/28/2022
N004 L01D016	CORRIDOR A160				10/28/2022
N004 L01D017	CORRIDOR A160				10/28/2022
N004 L01D020	CORRIDOR A120				10/28/2022
N004 L01D021	STOR. A134				10/28/2022
N004 L01D023	CORRIDOR A120				10/28/2022
N004 L01D024	CORRIDOR A120				10/28/2022
N004 L01D025	CORRIDOR A120				10/28/2022
N004 L01D026	COMMON A125				10/28/2022
N004 L01D027	CORRIDOR A130				10/28/2022
N004 L01D028	CORRIDOR A130				10/28/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
N004 L01D029	CORRIDOR A130				10/28/2022
N004 L01D031	CORRIDOR A130				10/28/2022
N004 L01D032	CORRIDOR A140				10/28/2022
N004 L01D033	ELEC. A154				10/28/2022
N004 L01D035	CORRIDOR A140				10/28/2022
N004 L01D036	CORRIDOR A140				10/28/2022
N004 L01D037	CORRIDOR A140				10/28/2022
N004 L01D038	COMMON A145				10/28/2022
N004 L01D039	CORRIDOR A150				10/28/2022
N004 L01D004	ELEC. A133				10/28/2022
N004 L01D040	CORRIDOR A150				10/28/2022
N004 L01D041	CORRIDOR A150				10/28/2022
N004 L01D043	STOR.A153				10/28/2022
N004 L01D044	CORRIDOR A150				10/28/2022
N004 L01D045	CORRIDOR A160				10/28/2022
N004 L01D046	CORRIDOR A160				10/28/2022
N004 L01D047	STAIR #A3				10/28/2022
N004 L01D048	CORRIDOR A160				10/28/2022
N004 L01D005	CORRIDOR A160				10/28/2022
N004 L01D052	STAIR #A2				10/28/2022
N004 L01D054	CORRIDOR A260				10/28/2022
N004 L01D055	CORRIDOR A260				10/28/2022
N004 L01D056	CORRIDOR A260				10/28/2022
N004 L01D057	CORRIDOR A220				10/28/2022
N004 L01D058	DATA A234				10/28/2022
N004 L01D006	JAN. A164				10/28/2022
N004 L01D060	CORRIDOR A220				10/28/2022
N004 L01D061	CORRIDOR A220				10/28/2022
N004 L01D062	CORRIDOR A220				10/28/2022
N004 L01D063	COMMON A225				10/28/2022
N004 L01D064	CORRIDOR A230				10/28/2022
N004 L01D065	CORRIDOR A230				10/28/2022
N004 L01D067	EM ELEC A236				10/28/2022
N004 L01D068	ELEC A233				10/28/2022
N004 L01D069	CORRIDOR 230				10/28/2022
N004 L01D070	CORRIDOR A260				10/28/2022
N004 L01D071	CORRIDOR A260				10/28/2022
N004 L01D072	CORRIDOR A260				10/28/2022
N004 L01D073	CORRIDOR A260				10/28/2022
N004 L01D074	CORRIDOR A260				10/28/2022
N004 L01D075	CORRIDOR A260				10/28/2022
N004 L01D076	CORRIDOR A240				10/28/2022
N004 L01D078	CORRIDOR A240				10/28/2022
N004 L01D079	CORRIDOR A240				10/28/2022
N004 L01D008	CORRIDOR A160				10/28/2022
N004 L01D080	CORRIDOR A240				10/28/2022
N004 L01D081	COMMON A245				10/28/2022
N004 L01D082	CORRIDOR A250				10/28/2022
N004 L01D083	CORRIDOR A250				10/28/2022
N004 L01D084	CORRIDOR A250				10/28/2022
N004 L01D087	ELEC A253				10/28/2022
N004 L01D088	CORRIDOR A250				10/28/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
N004 L01D089	CORRIDOR A260				10/28/2022
N004 L01D009	CORRIDOR A160				10/28/2022
N004 L01D090	CORRIDOR A260				10/28/2022
N004 L01D091	STAIR #A3				10/28/2022
N004 L01D092	ELEC A262				10/28/2022
N004 L01D093	DATA A262.1				10/28/2022
N004 L01D094	JAN A264				10/28/2022
N004 L02D012	CORRIDOR A360				10/28/2022
N004 L02D013	CORRIDOR A360				10/28/2022
N004 L02D014	CORRIDOR A360				10/28/2022
N004 L02D015	CORRIDOR A360				10/28/2022
N004 L02D018	CORRIDOR A320				10/28/2022
N004 L02D019	STORAGE A321.3				10/28/2022
N004 L02D020	CHEMICAL STORAGE A33				10/28/2022
N004 L02D021	CORRIDOR A320				10/28/2022
N004 L02D022	CORRIDOR A320				10/28/2022
N004 L02D023	CORRIDOR A320				10/28/2022
N004 L02D024	COMMON A325				10/28/2022
N004 L02D025	CORRIDOR A330				10/28/2022
N004 L02D026	CORRIDOR A330				10/28/2022
N004 L02D027	CORRIDOR A330				10/28/2022
N004 L02D034	CHEM STOR. A334 Exh.				10/28/2022
N004 L02D035	ELEC. A333				10/28/2022
N004 L02D036	CORRIDOR A330				10/28/2022
N004 L02D037	CORRIDOR A360				10/28/2022
N004 L02D038	CORRIDOR A360				10/28/2022
N004 L02D039	CORRIDOR A360				10/28/2022
N004 L02D040	CORRIDOR A360				10/28/2022
N004 L02D041	CORRIDOR A360				10/28/2022
N004 L02D042	STOREROOM A355 RAI				10/28/2022
N004 L02D043	CORRIDOR A340				10/28/2022
N004 L02D044	ELEC A354 RAI				10/28/2022
N004 L02D045	CORRIDOR A340				10/28/2022
N004 L02D046	CORRIDOR A340				10/28/2022
N004 L02D047	COMMON A345				10/28/2022
N004 L02D048	CORRIDOR A350				10/28/2022
N004 L02D049	CORRIDOR A350				10/28/2022
N004 L02D050	CORRIDOR A350				10/28/2022
N004 L02D052	CORRIDOR A340				10/28/2022
N004 L02D056	MECH. A353 RAI				10/28/2022
N004 L02D057	CORRIDOR A350				10/28/2022
N004 L02D058	CORRIDOR A360				10/28/2022
N004 L02D059	CORRIDOR A360				10/28/2022
N004 L02D060	STAIR #A3				10/28/2022
N004 L02D061	JAN. A364				10/28/2022
N004 L02D008	STAIR #A2				10/28/2022
N004 L02D009	STAIR #A2				10/28/2022
N1.L2.D46	CORRIDOR B146 Boys Team				10/28/2022
Supervisory					
N001 L01M010	MECH B004 CO				10/28/2022
N001 L01M011	MECH B004 CO				10/28/2022
N001 L01M023	LOWER LOBBY TAMPER				10/28/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
N001 L01M036	PRE-K B047 CO				10/28/2022
N001 L01M037	PRE-K B045 CO				10/28/2022
N001 L01M039	PRE-K B044 CO				10/28/2022
N001 L01M043	DAYCARE TODD. B043 C				10/28/2022
N001 L01M045	DAYCARE INF. B042 CO				10/28/2022
N001 L01M052	CITY SIDE MAIN TAMPR				10/28/2022
N001 L01M053	BLDG SIDE MAIN TAMPR				10/28/2022
N001 L01M059	STNDPIPE STR B3 TAMP				10/28/2022
N001 L01M060	STAIR B3 TAMPER				10/28/2022
N001 L02M011	UPPER LOBBY TAMPER				10/28/2022
N001 L02M012	CORR B210 TAMPER				10/28/2022
N001 L02M038	TAMPER				10/28/2022
N001 L02M044	RTU-19 SUPPLY C.O.				10/28/2022
N001 L02M047	ROOF PIV STAIR B4				10/28/2022
N001 L02M048	STAIR B4 TAMPER				10/28/2022
N001 L02M054	RTU-16 SUPPLY C.O.				10/28/2022
N001 L02M060	RTU-17 SUPPLY C.O.				10/28/2022
N001 L02M062	RTU-15 SUPPLY C.O.				10/28/2022
N001 L02M068	RADIO BOX TROUBLE				10/28/2022
N001 L02M082	TAMPER STAIR B3				10/28/2022
N001 L02M091	TAMPER STAIR B3				10/28/2022
N001 L02M094	ROOF PIV STAIR B3				10/28/2022
N002 L01M054	ROOF PIV TMPR CATWLK				10/28/2022
N003 L01M013	SCIENCE LAB A107 CO				10/28/2022
N003 L01M014	SCIENCE LAB A107 NG				10/28/2022
N003 L01M015	SCIENCE LAB A107 CO				10/28/2022
N003 L01M021	STNDPIPE TAMP STR A1				10/28/2022
N003 L01M026	STNDPIPE TAMP STR B1				10/28/2022
N003 L01M030	TAMPER				10/28/2022
N003 L01M038	KITCHEN B184 NG				10/28/2022
N003 L01M039	KITCHEN B184 CO				10/28/2022
N003 L01M040	KITCHEN B184 NG				10/28/2022
N003 L01M041	KITCHEN B184 CO				10/28/2022
N003 L01M044	KITCHEN B194 NG				10/28/2022
N003 L01M045	KITCHEN B194 CO				10/28/2022
N003 L01M046	KITCHEN B194 NG				10/28/2022
N003 L01M047	KITCHEN B194 CO				10/28/2022
N003 L01M077	SCIENCE LAB A207 CO				10/28/2022
N003 L01M078	SCIENCE LAB A207 NG				10/28/2022
N003 L01M079	SCIENCE LAB A207 CO				10/28/2022
N003 L01M087	STAIR B1 TAMPER				10/28/2022
N003 L02M020	BDA FAIL ANTENNA				10/28/2022
N003 L02M021	BDA TROUBLE				10/28/2022
N003 L02M022	BDA CHARGER				10/28/2022
N003 L02M023	BDA LOSS OF AC POWER				10/28/2022
N003 L02M024	BDA LOW BATTERY				10/28/2022
N003 L02M025	BDA ANN. TROUBLE				10/28/2022
N003 L02M035	SCIENCE LAB A107 CO				10/28/2022
N003 L02M036	SCIENCE LAB A107 NG				10/28/2022
N003 L02M037	SCIENCE LAB A107 CO				10/28/2022
N003 L02M043	TAMPER STAIR B1 FL				10/28/2022
N004 L01M011	TAMPER CORR. A160				10/28/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
N004 L01M012	TAMPER STAIR A2 FLOO				10/28/2022
N004 L01M029	STNDPIPE TAMP STR A3				10/28/2022
N004 L01M038	SCI. A266 CO				10/28/2022
N004 L01M039	SCI. A266 NG				10/28/2022
N004 L01M040	SCI. A266 CO				10/28/2022
N004 L01M045	SCI. A270 CO				10/28/2022
N004 L01M046	SCI. A270 NG				10/28/2022
N004 L01M047	SCI. A270 CO				10/28/2022
N004 L01M048	TAMPER STAIR A2 FLOO				10/28/2022
N004 L01M053	SCI. A271 CO				10/28/2022
N004 L01M054	SCI. A271 NG				10/28/2022
N004 L01M055	SCI. A271 CO				10/28/2022
N004 L01M060	SCI. A275 CO				10/28/2022
N004 L01M061	SCI. A275 NG				10/28/2022
N004 L01M062	SCI. A275 CO				10/28/2022
N004 L02M015	SCI. LAB A370 CO				10/28/2022
N004 L02M016	SCI. LAB A370 NG				10/28/2022
N004 L02M017	SCI. LAB A370 CO				10/28/2022
N004 L02M020	TAMPER STAIR A2				10/28/2022
N004 L02M025	SCI. LAB A371 CO				10/28/2022
N004 L02M026	SCI. LAB A371 NG				10/28/2022
N004 L02M027	SCI. LAB A371 CO				10/28/2022
N004 L02M032	SCI. LAB A375 CO				10/28/2022
N004 L02M033	SCI. LAB A375 NG				10/28/2022
N004 L02M034	SCI. LAB A375 CO				10/28/2022
N004 L02M062	TAMPER STAIR 3 PIV				10/28/2022
N004 L02M007	SCI. LAB A366 NG				10/28/2022
N004 L02M008	SCI. LAB A366 CO				10/28/2022
N004 L02M009	SCI. LAB A366 CO				10/28/2022
Manual Fire Box					
N001 L01M020	AUTO/DIESEL B023				10/28/2022
N001 L01M030	LOWER LOBBY B000				10/28/2022
N001 L01M031	LOWER LOBBY B000				10/28/2022
N001 L01M032	VEST B001				10/28/2022
N001 L01M033	VEST B001				10/28/2022
N001 L01M035	PRE-K B047				10/28/2022
N001 L01M038	PRE-K B045 CO				10/28/2022
N001 L01M041	CORRIDOR B040				10/28/2022
N001 L01M044	DAYCARE TODD. B043				10/28/2022
N001 L01M046	DAYCARE INF. B042				10/28/2022
N001 L01M047	STAIR #B4				10/28/2022
N001 L01M048	CLIENT B027				10/28/2022
N001 L01M049	AUTO/DIESEL B023				10/28/2022
N001 L01M050	OUTDOOR STORAGE				10/28/2022
N001 L01M051	FIRE PROTEC. B024.1				10/28/2022
N001 L01M056	STAIR #B3				10/28/2022
N001 L01M057	DIST B012				10/28/2022
N001 L01M063	Stair B3				10/28/2022
N001 L01M009	MECH B004				10/28/2022
N001 L02M024	CORRIDOR B110				10/28/2022
N001 L02M025	WAIT B126				10/28/2022
N001 L02M030	VEST B100.1				10/28/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
N001 L02M031	LOBBY B100				10/28/2022
N001 L02M032	VEST B100.1				10/28/2022
N001 L02M034	LOBBY B100				10/28/2022
N001 L02M040	GYM B139.1				10/28/2022
N001 L02M041	GYM B139.1				10/28/2022
N001 L02M049	CORRIDOR B140				10/28/2022
N001 L02M052	CORRIDOR B130				10/28/2022
N001 L02M076	CORRIDOR B130				10/28/2022
N001 L02M079	STAIR B3				10/28/2022
N001 L02M080	VEST B130.1				10/28/2022
N001 L02M095	CORRIDOR B210				10/28/2022
N002 L01M007	LIFE SKILLS B058				10/28/2022
N002 L01M008	VESTIBULE B050				10/28/2022
N002 L01M009	CORRIDOR B050				10/28/2022
N003 L01M019	STAIR A1				10/28/2022
N003 L01M020	CORR A110				10/28/2022
N003 L01M027	CORR A160				10/28/2022
N003 L01M042	STAFF DINNING B193				10/28/2022
N003 L01M043	CULINARY KITCHEN B194				10/28/2022
N003 L01M051	RECEIVING B180.1				10/28/2022
N003 L01M082	CORR A200 STAIR 1				10/28/2022
N003 L01M084	CORR A270 STAIR B1				10/28/2022
N003 L02M039	CORRIDOR A300 STAIR				10/28/2022
N003 L02M040	CORRIDOR A360 STAIR				10/28/2022
N004 L01M010	STAIR A2				10/28/2022
N004 L01M014					10/28/2022
N004 L01M016	CORR A160 STAIR #A2				10/28/2022
N004 L01M027	CORR A160 STAIR #A3				10/28/2022
N004 L01M052	CORR A260 STAIR #A2				10/28/2022
N004 L01M073	CORR A260 STAIR #A3				10/28/2022
N004 L02M018	CORR A360 STAIR #A2				10/28/2022
N004 L02M059	CORR A360 STAIR #A3				10/28/2022
N2.L1.M40	1st Auditor @ W.ENT B175				10/28/2022
N2.L1.M40	1st Auditor @ ENT B160				10/28/2022
N2.L1.M21	1st Auditor @ ENT B160.1				10/28/2022
N2.L1.M49	1st Auditor @ ENT B175.1				10/28/2022
N2.L1.M32	1st Auditor @ Exit Door B160				10/28/2022
N3.L1.M37	1st Cafe Exterior Exit				10/28/2022
Mechanical, Electrosonic, or Pressure Waterflow Device					
N001 L01M024	LOWER LOBBY FLOW				10/28/2022
N001 L01M055	MAIN WATERFLOW				10/28/2022
N001 L01M061	STAIR B3				10/28/2022
N001 L02M013	CORRIDOR B210 FLOW				10/28/2022
N001 L02M039	FLOW				10/28/2022
N001 L02M083	FLOW STAIR B3				10/28/2022
N001 L02M092	FLOW STAIR B3				10/28/2022
N003 L01M031	FLOW				10/28/2022
N003 L01M088	STAIR B1 FLOW				10/28/2022
N003 L02M044	FLOW STAIR B1 FL				10/28/2022
N004 L01M013	FLOW STAIR A2 FLOOR				10/28/2022
N004 L01M049	FLOW STAIR A2 FLOOR				10/28/2022
N004 L02M021	FLOW STAIR A2 FLOOR				10/28/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
Smoke Detector - Duct					
N001 L02D106	FSD RTU-11 SUPPLY				10/28/2022
N001 L02D107	FSD RTU-11 SUPPLY				10/28/2022
N001 L02D112	RTU-11 RETURN				10/28/2022
N001 L02D114	FSD RTU-11 SUPPLY				10/28/2022
N001 L02D115	FSD RTU-11 RETURN				10/28/2022
N001 L02D048	RTU-22 SUPPLY				10/28/2022
N001 L02D049	RTU-22 RETURN				10/28/2022
N001 L02D054	RTU-21 SUPPLY				10/28/2022
N001 L02D056	RTU-19 SUPPLY				10/28/2022
N001 L02D059	RTU-20 SUPPLY				10/28/2022
N001 L02D064	RTU-18 SUPPLY				10/28/2022
N001 L02D067	RTU-17 SUPPLY				10/28/2022
N001 L02D072	RTU-16 RETURN				10/28/2022
N001 L02D074	RTU-16 SUPPLY				10/28/2022
N001 L02D080	RTU-11 SUPPLY				10/28/2022
N001 L02D081	RTU-11 RETURN				10/28/2022
N001 L02D097	RTU-14 SUPPLY				10/28/2022
N002 L01D027	RTU-13 SUPPLY				10/28/2022
N002 L01D028	RTU-13 RETURN				10/28/2022
N002 L01D032	RTU-12 SUPPLY				10/28/2022
N002 L01D051	RTU-11 SUPPLY				10/28/2022
N002 L01D052	RTU-11 RETURN				10/28/2022
N002 L02D016	RTU-8 SUP				10/28/2022
N002 L02D017	RTU-8 SUP FSD				10/28/2022
N002 L02D019	RTU-9 SUP				10/28/2022
N002 L02D020	RTU-9 RET FSD				10/28/2022
N003 L01D010	1ST FSD RTU-3 RETURN				10/28/2022
N003 L01D107	2ND FSD EF-7				10/28/2022
N003 L01D018	1ST FSD RTU-3 SUPPLY				10/28/2022
N003 L01D033	RTU-7 RETURN				10/28/2022
N003 L01D035	RTU-7 SUPPLY				10/28/2022
N003 L01D051	1ST MAU-1				10/28/2022
N003 L01D058	1ST FSD EF-7				10/28/2022
N003 L01D069	2ND FSD RTU-4 RETURN				10/28/2022
N003 L01D007	1ST FSD RTU-4 SUPPLY				10/28/2022
N003 L01D070	2ND FSD RTU-4 SUPPLY				10/28/2022
N003 L01D072	2ND FSD RTU-3 RETURN				10/28/2022
N003 L01D008	1ST FSD RTU-4 RETURN				10/28/2022
N003 L01D080	2ND FSD RTU-3 SUPPLY				10/28/2022
N003 L01D089	2ND RTU-10				10/28/2022
N003 L01D092	2ND RTU-7				10/28/2022
N003 L01D093	2ND RTU-6				10/28/2022
N003 L01D095	2ND RTU-6				10/28/2022
N003 L02D010	RTU-3 SUPPLY				10/28/2022
N003 L02D011	RTU-3 FSD RETURN				10/28/2022
N003 L02D014	FSD RTU-4 SUPPLY				10/28/2022
N003 L02D015	FSD RTU-4 RETURN				10/28/2022
N003 L02D032	FSD RTU-3 SUP STR B1				10/28/2022
N003 L02D033	FSD EF-7				10/28/2022
N003 L02D005	RTU-3 SUPPLY				10/28/2022
N003 L02D006	FSD EF-3				10/28/2022

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
N003 L02D007	FSD RTU-4 RETURN				10/28/2022
N003 L02D008	FSD EF-11				10/28/2022
N003 L02D009	RTU-4 SUPPLY				10/28/2022
N004 L01D011	FSD EF-5				10/28/2022
N004 L01D018	FSD EF-6				10/28/2022
N004 L01D022	FSD RTU-2 SUPPLY				10/28/2022
N004 L01D030	FSD RTU-2 RETURN				10/28/2022
N004 L01D034	FSD RTU-1 SUPPLY				10/28/2022
N004 L01D042	FSD RTU-1 RETURN				10/28/2022
N004 L01D050	FSD EF-4 JAN A264				10/28/2022
N004 L01D051	FSD EF-5				10/28/2022
N004 L01D053	FSD EF-6				10/28/2022
N004 L01D059	FSD RTU-2 SUPPLY				10/28/2022
N004 L01D066	FSD RTU-2 RETURN				10/28/2022
N004 L01D007	FSD EF-4				10/28/2022
N004 L01D077	FSD RTU-1 SUPPLY				10/28/2022
N004 L01D085	FSD RTU-RETURN				10/28/2022
N004 L02D010	FSD STAIR A2				10/28/2022
N004 L02D011	FSD RM A373 EF-6				10/28/2022
N004 L02D016	FSD RTU-5				10/28/2022
N004 L02D028	FSD RTU-2 RETURN				10/28/2022
N004 L02D030	FSD FSD RTU-2 SUPPLU				10/28/2022
N004 L02D033	RTU-2 SUPPLY				10/28/2022
N004 L02D051	RTU-1- RETURN				10/28/2022
N004 L02D053	RTU-1 SUPPLY				10/28/2022
N004 L02D054	RTU-1 SUPPLY				10/28/2022
N004 L02D006	FSD JAN. A364 EF-4				10/28/2022
N004 L02D062	FLOOR STAIR A3				10/28/2022
N004 L02D007	FSD A367 EF-5				10/28/2022
[Other]					
N001 L02M066	FIRSTVISION RACK				10/28/2022
N001 L02M067	FIRSTVISION PWR LOSS				10/28/2022
N001 L02M069	PWR SUP CO/BELL/BEAC				10/28/2022
N001 L02M070	PWR SUP FOR FIRSTVIS				10/28/2022
N003 L01M036	ANSUL KITCHEN B184				10/28/2022
N003 L01M050	ANSUL KITCHEN B194				10/28/2022
N003 L01M073	PS 24V ELEC RM A216				10/28/2022
N003 L02M005	RTU-3 SUP SMK BYPASS				10/28/2022
N004 L02M022	ROOF STAIR #A2 PULL				10/28/2022
N004 L02M038	RTU-2 SUPPLY BYPASS				10/28/2022
N004 L02M053	RTU-1 SUPPLY BYPASS				10/28/2022
Smoke Detector					
N2.L1.D37	1st Auditor @ Entry B160				10/28/2022
N2.L1.D36	1st Corridor B160 @ Stage				10/28/2022
N2.L1.D34	1st Corridor B160 @ Stage				10/28/2022
N2.L1.D33	1st Corridor B158 @ Ensemble				10/28/2022
N2.L1.D31	1st Corridor B155 @ Band Storage				10/28/2022
N2.L1.D26	1st Corridor B164 @ Practice				10/28/2022
N2.L1.D24	1st Corridor B153 @ Chorus				10/28/2022
N2.L1.D22	1st Corridor B153 @ Chorus				10/28/2022
Power Supplies					

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
Battery - Sealed Lead-acid					
FACU Batteries	1st Emergency Electrical Rm B112.1	Power-Sonic	PS-12750U		07/28/2021
FCPS Batteries (M22)	1st Emergency Electrical Rm B112.1	Power-Sonic	PS-1270F1		07/28/2021
FCPS Batteries (M69)	1st Emergency Electrical Rm B112.1	Power-Sonic	PS-1270F1		07/28/2021
FCPS Batteries (M70)	1st Emergency Electrical Rm B112.1	Power-Sonic	PS-1270F1		07/28/2021
FCPS Batteries (M23)	1st Emergency Electrical Rm B112.1	Power-Sonic	PS-1270F1		07/28/2021
RMB Battery	1st Emergency Electrical Rm B112.1	Interstate	SLA1075		07/28/2021
FCPS Batteries (M30)	3rd Emergency Electrical Rm A316	Power-Sonic	PS-1270F1		07/28/2021
FCPS Batteries (M35)	2nd Custodians Rm A164	Power-Sonic	PS-1270F1		07/28/2021
FCPS Batteries (M37)	2nd Emergency Electrical Rm A216	Power-Sonic	PS-1270F1		07/28/2021
FCPS Batteries (24v)	2nd Emergency Electrical Rm A216	Power-Sonic	PS-1270F1		07/28/2021
FACU Batteries	1st Emergency Electrical Rm B112.1	Power-Sonic	PS-12750U		07/28/2021
FCPS Batteries (M22)	1st Emergency Electrical Rm B112.1	Power-Sonic	PS-1270F1		07/28/2021
FCPS Batteries (M69)	1st Emergency Electrical Rm B112.1	Power-Sonic	PS-1270F1		07/28/2021
FCPS Batteries (M70)	1st Emergency Electrical Rm B112.1	Power-Sonic	PS-1270F1		07/28/2021
FCPS Batteries (M23)	1st Emergency Electrical Rm B112.1	Power-Sonic	PS-1270F1		07/28/2021
RMB Battery	1st Emergency Electrical Rm B112.1	Interstate	SLA1075		07/28/2021
FCPS Batteries (M30)	3rd Emergency Electrical Rm A316	Power-Sonic	PS-1270F1		07/28/2021
FCPS Batteries (M35)	2nd Custodians Rm A164	Power-Sonic	PS-1270F1		07/28/2021
FCPS Batteries (M37)	2nd Emergency Electrical Rm A216	Power-Sonic	PS-1270F1		07/28/2021
FCPS Batteries (24v)	2nd Emergency Electrical Rm A216	Power-Sonic	PS-1270F1		07/28/2021
FCPS Batteries (M6)	1st Emergency Electrical Rm A113.1	Power-Sonic	PS-1270F1		07/28/2021
FCPS Batteries	1st Emergency Electrical Rm A113.1	Power-Sonic	PS-1270		07/28/2021
FCPS Batteries (M6)	1st Emergency Electrical Rm A113.1	Power-Sonic	PS-1270F1		07/28/2021
FCPS Batteries	1st Emergency Electrical Rm A113.1	Power-Sonic	PS-12750U		07/28/2021
FCPS Batteries	1st Janitors Rm A164	Power-Sonic	PS-12750U		07/28/2021
FCPS Batteries (M106)	1st Janitors Rm A164	Power-Sonic	PS-1270		07/28/2021
FCPS Batteries	EM ELEC B178.4	Power-Sonic	PS-12750U		07/28/2021
FCPS Batteries	EM ELEC B178.4	Power-Sonic	PS-1270		07/28/2021
FCPS Batteries	EM ELEC B178.4	Power-Sonic	PS-1270		07/28/2021
FCPS Batteries	Ground EMERG ELEC RM B007	Power-Sonic	PS-1270		07/28/2021

Public Emergency Alarm Reporting

ADDRESS	DESCRIPTION	MANUFACTURER	MODEL	SERIAL	INSTALL DATE
Master Box					
RMB #1412	1st Emergency Electrical Rm B112.1	AES	7788F		07/28/2021
RMB #1412	1st Emergency Electrical Rm B112.1	AES	7788F		07/28/2021