HARDWARE SET: 01 - (SINGLE - NEW RIM PANIC WITH STOREROOM FUNCTION LEVER)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	FIRE EXIT HARDWARE	98-L-F-07	626	VON
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

EXIT DEVICE TO BE INSTALLED WITH NL DRIVE SCREW, ENSURING STOREROOM FUNCTION LEVER

DOOR NORMALLY CLOSED AND LOCKED. ENTRY FROM PULL-SIDE BY KEY. FREE EGRESS AT ALL TIMES.

HARDWARE SET: 02 - (SINGLE - NEW RIM PANIC DEVICE WITH DOGGING AND INDICATOR)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	CDSI-98-EO-4'	626	VON
1	EA	MORTISE CYL TURN	09-900 114 XB11-720 36-083	626	SCH
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

REINSTALL EXISTING PULL HANDLE ON NEW DEVICE.

HARDWARE SET: 03 - (SINGLE - NEW RIM PANIC DEVICE WITH INDICATOR DOGGING AND FILLER PLATES)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	CDSI-98-NL-4'	626	VON
1	EA	MORTISE CYL TURN	09-900 114 XB11-720 36-083	626	SCH
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	FILLER PLATE KIT	FPK 86	622	DON
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

HARDWARE SET: 04 - (PAIR - NEW SVR PANICS - LEVER WITH SECURITY INDICATOR FOR ACTIVE LEAF)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	FIRE EXIT HARDWARE	9827-EO-F-LBR-990-499F	626	VON
1	EA	FIRE EXIT HARDWARE	9827-L-F-2SI-LBRAFL-07-499F	626	VON
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	RIM CYL THUMBTURN, ADA	XB13-379	626	SCH
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

RHR LEAF ACTIVE WITH LEVER TRIM - LHR LEAF EXIT ONLY.
FURNISH EO DEVICE WITH 990 EO PULL-SIDE BLANK PLATE TO COVER EXISTING PREP.

OUTSIDE LEVER ON ACTIVE LEAF MAY BE LOCKED OR UNLOCKED BY KEY OUTSIDE OR THUMB-TURN INSIDE. SECURITY INDICATOR TO SHOW STATUS OF OUTSIDE LEVER. FREE EGRESS THROUGH EITHER LEAF AT ALL TIMES.

HARDWARE SET: 05 - (PAIR - NEW SVR PANICS - LEVER WITH SECURITY INDICATOR FOR ACTIVE LEAF - FILLER PLATES)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	FIRE EXIT HARDWARE	9827-EO-F-LBR-990-499F	626	VON
1	EA	FIRE EXIT HARDWARE	9827-L-F-2SI-LBRAFL-07-499F	626	VON
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	RIM CYL THUMBTURN, ADA	XB13-379	626	SCH
1	EA	FILLER PLATE KIT	FPK 86	622	DON
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

RHR LEAF ACTIVE WITH LEVER TRIM - LHR LEAF EXIT ONLY.
FURNISH EO DEVICE WITH 990 EO PULL-SIDE BLANK PLATE TO COVER EXISTING PREP.

OUTSIDE LEVER ON ACTIVE LEAF MAY BE LOCKED OR UNLOCKED BY KEY OUTSIDE OR THUMB-TURN INSIDE. SECURITY INDICATOR TO SHOW STATUS OF OUTSIDE LEVER. FREE EGRESS THROUGH EITHER LEAF AT ALL TIMES.

HARDWARE SET: 06 - (PAIR - NEW SVR PANICS - LEVER WITH SECURITY INDICATOR FOR ACTIVE LEAF - FILLER PLATES)

Q)TY	DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	FIRE EXIT HARDWARE	9827-EO-F-LBR-990-499F	626	VON
1	EA	FIRE EXIT HARDWARE	9827-L-F-2SI-LBRAFL-07-499F	626	VON
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	RIM CYL THUMBTURN, ADA	XB13-379	626	SCH
1	EA	FILLER PLATE KIT	FPK 86	622	DON
1	EA	SURFACE CLOSER	4040XP EDA	689	LCN
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

RHR LEAF ACTIVE WITH LEVER TRIM - LHR LEAF EXIT ONLY.
FURNISH EO DEVICE WITH 990 EO PULL-SIDE BLANK PLATE TO COVER EXISTING PREP.
FURNISH DOOR CLOSER FOR RH LEAF.

OUTSIDE LEVER ON ACTIVE LEAF MAY BE LOCKED OR UNLOCKED BY KEY OUTSIDE OR THUMB-TURN INSIDE. SECURITY INDICATOR TO SHOW STATUS OF OUTSIDE LEVER. FREE EGRESS THROUGH EITHER LEAF AT ALL TIMES.

HARDWARE SET: 07 - (PAIR - NEW SVR PANICS - LEVER WITH SECURITY INDICATOR FOR ACTIVE LEAF - FILLER PLATES)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	FIRE EXIT HARDWARE	9827-EO-F-LBR-990-499F	626	VON
1	EA	FIRE EXIT HARDWARE	9827-L-F-2SI-LBRAFL-07-499F	626	VON
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	RIM CYL THUMBTURN, ADA	XB13-379	626	SCH
1	EA	FILLER PLATE KIT	FPK 86	622	DON
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

LHR LEAF ACTIVE WITH LEVER TRIM - RHR LEAF EXIT ONLY.
FURNISH EO DEVICE WITH 990 EO PULL-SIDE BLANK PLATE TO COVER EXISTING PREP.

OUTSIDE LEVER ON ACTIVE LEAF MAY BE LOCKED OR UNLOCKED BY KEY OUTSIDE OR THUMB-TURN INSIDE. SECURITY INDICATOR TO SHOW STATUS OF OUTSIDE LEVER. FREE EGRESS THROUGH EITHER LEAF AT ALL TIMES.

HARDWARE SET: 08 - (SINGLE DOOR - NEW ENTRY FUNCTION LOCK WITH INSIDE INDICATOR)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	ENTRANCE LOCK W/ INSIDE INDICATOR	ND53RD ATH IS-LOC	626	SCH
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

INDICATOR ON INSIDE OF DOOR.

HARDWARE SET: 09 - (PAIR - NEW SVR PANICS - LEVER WITH SECURITY INDICATOR FOR ACTIVE LEAF)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	LD-9827-EO-LBR-990	626	VON
1	EA	PANIC HARDWARE	LD-9827-L-2SI-LBR-07	626	VON
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	RIM CYL THUMBTURN, ADA	XB13-379	626	SCH
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

RHR LEAF ACTIVE WITH LEVER TRIM - LHR LEAF EXIT ONLY.

FURNISH EO DEVICE WITH 990 EO PULL-SIDE BLANK PLATE TO COVER EXISTING PREP.

OUTSIDE LEVER ON ACTIVE LEAF MAY BE LOCKED OR UNLOCKED BY KEY OUTSIDE OR THUMB-TURN INSIDE. SECURITY INDICATOR TO SHOW STATUS OF OUTSIDE LEVER. FREE EGRESS THROUGH EITHER LEAF AT ALL TIMES.

HARDWARE SET: 10 - (PAIR - NEW SVR PANICS - LEVER WITH SECURITY INDICATOR FOR ACTIVE LEAF - DUMMY CYLINDERS)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	LD-9827-EO-LBR-990	626	VON
1	EA	PANIC HARDWARE	LD-9827-L-2SI-LBR-07	626	VON
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
2	EA	DUMMY CYLINDER	38-070 118	626	SCH
1	EA	RIM CYL THUMBTURN, ADA	XB13-379	626	SCH
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

RHR LEAF ACTIVE WITH LEVER TRIM - LHR LEAF EXIT ONLY.
FURNISH EO DEVICE WITH 990 EO PULL-SIDE BLANK PLATE TO COVER EXISTING PREP.
FURNISH DUMMY CYLINDERS TO DISABLE EXISTING MORTISE DEADBOLT.
REMOVE EXISTING SURFACE BOLT.

OUTSIDE LEVER ON ACTIVE LEAF MAY BE LOCKED OR UNLOCKED BY KEY OUTSIDE OR THUMB-TURN INSIDE. SECURITY INDICATOR TO SHOW STATUS OF OUTSIDE LEVER. FREE EGRESS THROUGH EITHER LEAF AT ALL TIMES.

HARDWARE SET: 11 - (PAIR - NEW SVR PANICS - LEVER WITH SECURITY INDICATOR FOR ACTIVE LEAF)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	LD-9827-EO-LBR-990	626	VON
1	EA	PANIC HARDWARE	LD-9827-L-2SI-LBR-07	626	VON
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	RIM CYL THUMBTURN, ADA	XB13-379	626	SCH
1	EA	Hole Filler Plate	BF 178	619	DON
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

RHR LEAF ACTIVE WITH LEVER TRIM - LHR LEAF EXIT ONLY.
FURNISH EO DEVICE WITH 990 EO PULL SIDE BLANK PLATE TO COVER EXISTING PREP.
REMOVE EXISTING RIM LATCH AND FILL HOLE WITH FILLER PLATE.
REMOVE EXISTING SURFACE BOLT.

OUTSIDE LEVER ON ACTIVE LEAF MAY BE LOCKED OR UNLOCKED BY KEY OUTSIDE OR THUMB-TURN INSIDE. SECURITY INDICATOR TO SHOW STATUS OF OUTSIDE LEVER. FREE EGRESS THROUGH EITHER LEAF AT ALL TIMES.

HARDWARE SET: 12 - (PAIR - NEW SVR PANICS - DOGGING WITH SECURITY INDICATOR FOR ACTIVE LEAF)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	CDSI-9827-NL-LBR	626	VON
1	EA	PANIC HARDWARE	LD-9827-EO-LBR-990	626	VON
1	EA	MORTISE CYL TURN	09-900 114 XB11-720 36-083	626	SCH
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

LHR LEAF ACTIVE WITH PULL TRIM - RHR LEAF EXIT ONLY. FURNISH EO DEVICE WITH 990 EO PULL-SIDE BLANK PLATE TO COVER EXISTING PREP.

ACTIVE LEAF MAY BE DOGGED BY THUMB-TURN INSIDE. SECURITY INDICATOR TO SHOW LOCKED/UNLOCKED STATUS. WHEN LOCKED, ENTRY BY KEY. FREE EGRESS THROUGH EITHER LEAF AT ALL TIMES.

HARDWARE SET: 13 - (PAIR - NEW SVR PANICS - DOGGING WITH SECURITY INDICATOR FOR ACTIVE LEAF)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	CDSI-9827-NL-LBR	626	VON
1	EA	PANIC HARDWARE	LD-9827-EO-LBR-990	626	VON
1	EA	MORTISE CYL TURN	09-900 114 XB11-720 36-083	626	SCH
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

RHR LEAF ACTIVE WITH PULL TRIM - LHR LEAF EXIT ONLY.

FURNISH EO DEVICE WITH 990 EO PULL-SIDE BLANK PLATE TO COVER EXISTING PREP.

ACTIVE LEAF MAY BE DOGGED BY THUMB-TURN INSIDE. SECURITY INDICATOR TO SHOW LOCKED/UNLOCKED STATUS. WHEN LOCKED, ENTRY BY KEY. FREE EGRESS THROUGH EITHER LEAF AT ALL TIMES.

HARDWARE SET: 14 - (PAIR - NEW SVR PANICS - DOGGING WITH SECURITY INDICATOR FOR ACTIVE LEAF - FILLER PLATES)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	CDSI-9827-NL-LBR	626	VON
1	EA	PANIC HARDWARE	LD-9827-EO-LBR-990	626	VON
1	EA	MORTISE CYL TURN	09-900 114 XB11-720 36-083	626	SCH
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	FILLER PLATE KIT	FPK 86	622	DON
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

RHR LEAF ACTIVE WITH PULL TRIM - LHR LEAF EXIT ONLY.

FURNISH EO DEVICE WITH 990 EO PULL-SIDE BLANK PLATE TO COVER EXISTING PREP.

ACTIVE LEAF MAY BE DOGGED BY THUMB-TURN INSIDE. SECURITY INDICATOR TO SHOW LOCKED/UNLOCKED STATUS. WHEN LOCKED, ENTRY BY KEY. FREE EGRESS THROUGH EITHER LEAF AT ALL TIMES.

HARDWARE SET: 15 - (PAIR - NEW SVR PANICS WITH SECURITY INDICATOR DOGGING FOR BOTH LEAVES)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
2	EA	PANIC HARDWARE	CDSI-9827-NL-LBR	626	VON
2	EA	MORTISE CYL TURN	09-900 114 XB11-720 36-083	626	SCH
2	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

BOTH LEAVES MAY BE DOGGED BY THUMB-TURN INSIDE. SECURITY INDICATOR TO SHOW LOCKED/UNLOCKED STATUS. WHEN LOCKED, ENTRY BY KEY. FREE EGRESS THROUGH EITHER LEAF AT ALL TIMES.

HARDWARE SET: 16 - (PAIR - NEW SVR PANICS WITH INDICATOR DOGGING FOR ACTIVE LEAF - FILLER PLATES - EXTENSION RODS)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	CDSI-9827-NL-LBR	626	VON
1	EA	PANIC HARDWARE	LD-9827-EO-LBR-990	626	VON
2	EA	EXTENSION ROD KIT	ER-9827-36	628	VON
1	EA	MORTISE CYL TURN	09-900 114 XB11-720 36-083	626	SCH
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	FILLER PLATE KIT	FPK 86	622	DON
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

RHR LEAF ACTIVE WITH PULL TRIM - LHR LEAF EXIT ONLY.

FURNISH EO DEVICE WITH 990 EO PULL-SIDE BLANK PLATE TO COVER EXISTING PREP. AT GYM DOORS WITH GLASS PROTECTION, MOUNT EXIT DEVICE BELOW CAGE AND FURNISH EXTENTION RODS AS SPECIFIED.

REMOVE EXISTING MORTISE LOCK AND SURFACE BOLT.

ACTIVE LEAF MAY BE DOGGED BY THUMB-TURN INSIDE. SECURITY INDICATOR TO SHOW LOCKED/UNLOCKED STATUS. WHEN LOCKED, ENTRY BY KEY. FREE EGRESS THROUGH EITHER LEAF AT ALL TIMES.

HARDWARE SET: 17 - (PAIR - NEW SVR PANICS WITH SECURITY INDICATOR DOGGING FOR ACTIVE LEAF - FILLER PLATE - DUMMY CYLINDERS)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	CDSI-9827-NL-LBR	626	VON
1	EA	PANIC HARDWARE	LD-9827-EO-LBR-990	626	VON
1	EA	MORTISE CYL TURN	09-900 114 XB11-720 36-083	626	SCH
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
2	EA	DUMMY CYLINDER	38-070 118	626	SCH
1	EA	STRIKE FILLER PLATE	EF 160	622	DON
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

RHR LEAF ACTIVE WITH PULL TRIM - LHR LEAF EXIT ONLY.

FURNISH EO DEVICE WITH 990 EO PULL-SIDE BLANK PLATE TO COVER EXISTING PREP. REMOVE EXISTING SURFACE BOLT.

USE FILLER PLATE TO COVER EXISTING STRIKE PREP SO NEW STRIKE CAN BE INSTALLED (THIS MAY NEED CUSTOM FILLER).

REMOVE EXISTING THUMB-TURN AND FILL REMAINING HOLE.

ACTIVE LEAF MAY BE DOGGED BY THUMB-TURN INSIDE. SECURITY INDICATOR TO SHOW LOCKED/UNLOCKED STATUS. WHEN LOCKED, ENTRY BY KEY. FREE EGRESS THROUGH EITHER LEAF AT ALL TIMES.

HARDWARE SET: 18 - (SINGLE DOOR - NEW ENTRY LOCK WITH WRAP-PLATE- NO INDICATOR)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	Don-Jo Wrap Around	4 2 CW	630	DON
1	EA	ENTRANCE LOCK	ND53RD ATH	626	SCH
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

HARDWARE SET: 19 - (SINGLE DOOR - NEW ENTRY LOCK WITH WRAP-PLATE- NO INDICATOR)

QTY	,	DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	ENTRANCE LOCK	ND53RD ATH	626	SCH
2	EA	SERVICE PART	XN12-012 626	626	SCH
1	EA	1 3/8" Wrap Plate	3 CW	630	DON
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

HARDWARE SET: 20 - (SINGLE DOOR - NEW ENTRY LOCK WITH WRAP-PLATE- INSIDE INDICATOR)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	ENTRANCE LOCK W/ INSIDE INDICATOR	ND53RD ATH IS-LOC	626	SCH
1	EA	SERVICE PART	48029970 626	626	SCH
1	EA	1 3/8" Wrap Plate	3 CW	630	DON
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

HARDWARE SET: 21 - (SINGLE DOOR - NEW ENTRY LOCK WITH WRAP-PLATE- NO INDICATOR)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	ENTRANCE LOCK	ND53RD ATH 14-047	626	SCH
2	EA	SERVICE PART	XN12-012 626	626	SCH
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

HARDWARE SET: 22 - (SINGLE DOOR - NEW CYLINDER AND CYLINDER PULL)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	CYLINDER PULL	1874-Cylinder Pull	630	DON
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

HARDWARE SET: 23 - (SINGLE DOOR - NEW CYLINDER AND CYLINDER PULL)

C	ΥTΩ	DESC	CRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	A CYLII	NDER PULL	1874-Cylinder Pull	630	DON
1	EA	A RIM (CYLINDER	20-057 358 CKC XB11-958 EV29 T	626	SCH
1	E/	A BALA	NCE OF HARDWARE	EXISTING TO REMAIN		EXI

HARDWARE SET: 24 - (SINGLE DOOR - NEW RIM PANIC WITH LEVER TRIM AND SECURITY INDICATOR)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	FIRE EXIT HARDWARE	98-L-F-2SI-07	626	VON
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	RIM CYL THUMBTURN, ADA	XB13-379	626	SCH
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

HARDWARE SET: 25 - (PAIR WITH MULLION - NEW RIM PANICS, ONE WITH SECURITY INDICATOR)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	FIRE EXIT HARDWARE	98-EO-F-990	626	VON
1	EA	FIRE EXIT HARDWARE	98-L-F-2SI-07	626	VON
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	RIM CYL THUMBTURN, ADA	XB13-379	626	SCH
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

FURNISH EO DEVICE WITH 990 EO EXIT TRIM PLATE AS SPECIFIED TO COVER EXISTING LEVER PREP.

RHR LEAF TO HAVE LEVER TRIM.

VERIFY DEVICE BACKSET AND CONFIRM APPROPRIATE STRIKE (EG. USE 264 INSTEAD OF 299F AS REQUIRED).

BALANCE OF HARDWARE TO REMAIN.

HARDWARE SET: 26 - (PAIR WITH MULLION - NEW PANIC HARDWARE REQUIRED)

(ΥTΩ	DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	LD-98-EO-990	626	VON
1	EA	PANIC HARDWARE	LD-98-L-07	626	VON
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

RHR LEAF WITH ACTIVE LEVER.

LHR LEAF EXIT ONLY WITH 990EO PLATE TO COVER EXISTING PREP.

CONFIRM LEVER FUNCTION AT INSTALLATION. IF ELECTRIC STRIKE EXISTS, INSTALL AS NL FUNCTION.

HARDWARE SET: 27 - (SINGLE DOOR - NEW RIM PANIC WITH FREE EGRESS AND KEY ACCESS FROM PULL-SIDE)

QT	Υ	DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	LD-98-NL	626	VON
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

REMOVE EXISTING LATCH MECHANISM AND STRIKE.

HARDWARE SET: 28 - (PAIR WITH INDICATOR DOGGING ON ACTIVE LEAF)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	CDSI-9827-NL-4'-LBR	626	VON
1	EA	PANIC HARDWARE	LD-9827-EO-4'-LBR-990	626	VON
1	EA	MORTISE CYL TURN	09-900 114 XB11-720 36-083	626	SCH
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

RHR LEAF ACTIVE. LHR EXIT ONLY WITH 990 EO PLATE.

ACTIVE LEAF MAY BE DOGGED BY THUMB-TURN INSIDE. SECURITY INDICATOR TO SHOW LOCKED/UNLOCKED STATUS. WHEN LOCKED, ENTRY BY KEY. FREE EGRESS THROUGH EITHER LEAF AT ALL TIMES.

HARDWARE SET: 29 - (SINGLE DOOR - NEW RIM PANIC WITH SECURITY INDICATOR DOGGING)

(QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
	1	EA	PANIC HARDWARE	CDSI-98-NL	626	VON
	1	EA	MORTISE CYL TURN	09-900 114 XB11-720 36-083	626	SCH
	1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
	1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

HARDWARE SET: 30 - (SINGLE DOOR - NEW RIM PANIC WITH EXIT-ONLY FUNCTION)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	LD-98-EO-990	626	VON
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

FURNISH DEVICE WITH 990 EO PLATE

HARDWARE SET: 31 - (SINGLE DOOR - NEW RIM PANIC WITH LEVER TRIM AND SECURITY INDICATOR)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	FIRE EXIT HARDWARE	98-L-F-4'-2SI-07	626	VON
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	RIM CYL THUMBTURN, ADA	XB13-379	626	SCH
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

HARDWARE SET: 32 - (NEW PAIR WITH PANIC HARDWARE)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
6	EA	HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	FIRE EXIT HARDWARE	9827-EO-F-LBR-499F	626	VON
1	EA	FIRE EXIT HARDWARE	9827-L-F-2SI-LBRAFL-07-499F	626	VON
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	RIM CYL THUMBTURN, ADA	XB13-379	626	SCH
2	EA	SURFACE CLOSER	4040XP SCUSH	689	LCN
2	EA	KICK PLATE	8400 10" X 1" LDW B-CS	628	IVE

FURNISH HARDWARE FOR NEW DOORS AS SPECIFIED. RHR LEAF ACTIVE - LHR LEAF EXIT ONLY. DOORS FURNISHED UNDER PHASE 1 CONTRACT - COORDINATE DOOR PREPS.

HARDWARE SET: 33 - (PAIR - NEW VERTICAL ROD EXIT HARDWARE REQUIRED)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	LD-9827-EO-LBR-990	626	VON
1	EA	PANIC HARDWARE	LD-9827-L-NL-LBR-07	626	VON
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

LEVER TRIM ON RHR LEAF.

LHR LEAF EXIT ONLY WITH 990EO PLATE TO COVER EXISTING PREP.

HARDWARE SET: 34 - (SINGLE DOOR - NEW RIM PANIC WITH LEVER TRIM AND SECURITY INDICATOR - FILLER PLATES)

QTY	(DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	FIRE EXIT HARDWARE	98-L-F-2SI-07	626	VON
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	RIM CYL THUMBTURN, ADA	XB13-379	626	SCH
1	EA	FILLER PLATE KIT	FPK 86	622	DON
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

FURNISH FILLER PLATE KIT FOR EXISTING MORTISE LOCK PREPS. INSTALL NEW RIM PANIC AS SPECIFIED.

HARDWARE SET: 35 - (SINGLE DOOR - NEW RIM PANIC WITH LEVER TRIM AND SECURITY INDICATOR - FILLER PLATES)

QT\	Y	DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	LD-98-L-2SI-07	626	VON
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	RIM CYL THUMBTURN, ADA	XB13-379	626	SCH
1	EA	FILLER PLATE KIT	FPK 86	622	DON
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

FURNISH FILLER PLATE KIT FOR EXISTING MORTISE LOCK PREPS. INSTALL NEW RIM PANIC AS SPECIFIED.

HARDWARE SET: 36 - (SINGLE DOOR - NEW RIM PANIC WITH LEVER TRIM AND SECURITY INDICATOR - FILLER PLATES AND CLOSER)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	LD-98-L-2SI-07	626	VON
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	RIM CYL THUMBTURN, ADA	XB13-379	626	SCH
1	EA	FILLER PLATE KIT	FPK 86	622	DON
1	EA	SURFACE CLOSER	4040XP EDA	689	LCN
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

FURNISH FILLER PLATE KIT FOR EXISTING MORTISE LOCK PREPS. FURNISH AND INSTALL NEW CLOSER.

HARDWARE SET: 37 - (SINGLE DOOR - NEW RIM PANIC WITH SECURITY INDICATOR DOGGING - FILLER PLATES)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	CDSI-98-NL	626	VON
1	EA	MORTISE CYL TURN	09-900 114 XB11-720 36-083	626	SCH
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	FILLER PLATE KIT	FPK 86	622	DON
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

FURNISH FILLER PLATE KIT FOR EXISTING MORTISE LOCK PREPS. INSTALL NEW RIM PANIC AS SPECIFIED.

HARDWARE SET: 38 - (SINGLE DOOR - NEW RIM PANIC WITH SECURITY INDICATOR DOGGING - FILLER PLATES AND CLOSER)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	CDSI-98-NL	626	VON
1	EA	MORTISE CYL TURN	09-900 114 XB11-720 36-083	626	SCH
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	FILLER PLATE KIT	FPK 86	622	DON
1	EA	SURFACE CLOSER	4040XP EDA	689	LCN
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

FURNISH FILLER PLATE KIT FOR EXISTING MORTISE LOCK PREPS. INSTALL NEW RIM PANIC AS SPECIFIED.

HARDWARE SET: 39 - (SINGLE DOOR - NEW RIM PANIC WITH SECURITY INDICATOR DOGGING - FILLER PLATES)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	CDSI-98-NL	626	VON
1	EA	MORTISE CYL TURN	09-900 114 XB11-720 36-083	626	SCH
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	DEADBOLT FILLER PLATE	BF 161	622	DON
1	EA	FILLER PLATE KIT	FPK 86	622	DON
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

FURNISH FILLER PLATE KIT FOR EXISTING MORTISE LOCK PREPS. INSTALL NEW RIM PANIC AS SPECIFIED.

HARDWARE SET: 40 - (PAIR - NEW SVR PANICS - LEVER WITH SECURITY INDICATOR FOR ACTIVE LEAF - FILLER PLATES - EXTENSION RODS)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	FIRE EXIT HARDWARE	9827-EO-F-LBR-499F	626	VON
1	EA	FIRE EXIT HARDWARE	9827-L-F-2SI-LBRAFL-07-499F	626	VON
2	EA	SHIM KIT	98-GBK-SV	689	VON
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	RIM CYL THUMBTURN, ADA	XB13-379	626	SCH
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

RHR LEAF ACTIVE WITH LEVER TRIM - LHR LEAF EXIT ONLY.
GLASS BEAD KIT SPECIFIED IN CASE EXIT DEVICE NEEDS TO SPAN EXISTING VISION KIT.

OUTSIDE LEVER ON ACTIVE LEAF MAY BE LOCKED OR UNLOCKED BY KEY OUTSIDE OR THUMB-TURN INSIDE. SECURITY INDICATOR TO SHOW STATUS OF OUTSIDE LEVER. FREE EGRESS THROUGH EITHER LEAF AT ALL TIMES.

HARDWARE SET: 41 - (SINGLE DOOR - NEW RATED RIM PANIC WITH EXIT-ONLY FUNCTION)

QT'	Υ	DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	FIRE EXIT HARDWARE	98-EO-F	626	VON
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

HARDWARE SET: 42 - (SINGLE DOOR - NEW RATED RIM PANIC WITH EXIT-ONLY FUNCTION)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	FIRE EXIT HARDWARE	98-EO-F-4'-990	626	VON
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

HARDWARE SET: 43 - (PAIR - NEW SVR PANICS - EXIT ONLY)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
2	EA	PANIC HARDWARE	LD-9827-EO-LBR	626	VON
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

HARDWARE SET: 44 - (PAIR - NEW SVR PANICS - LEVER WITH SECURITY INDICATOR FOR ACTIVE LEAF - FILLER PLATES-DOOR CLOSERS)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	FIRE EXIT HARDWARE	9827-EO-F-LBR-990-499F	626	VON
1	EA	FIRE EXIT HARDWARE	9827-L-F-2SI-LBRAFL-07-499F	626	VON
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	RIM CYL THUMBTURN, ADA	XB13-379	626	SCH
1	EA	FILLER PLATE KIT	FPK 86	622	DON
2	EA	SURFACE CLOSER	4040XP SCUSH	689	LCN
2	EA	PA MOUNTING PLATE	4040XP-18PA TBWMS 1 3/4"	689	LCN
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

RHR LEAF ACTIVE WITH LEVER TRIM - LHR LEAF EXIT ONLY.
FURNISH EO DEVICE WITH 990 EO PULL-SIDE BLANK PLATE TO COVER EXISTING PREP.

OUTSIDE LEVER ON ACTIVE LEAF MAY BE LOCKED OR UNLOCKED BY KEY OUTSIDE OR THUMB-TURN INSIDE. SECURITY INDICATOR TO SHOW STATUS OF OUTSIDE LEVER. FREE EGRESS THROUGH EITHER LEAF AT ALL TIMES.

HARDWARE SET: 45 - (SINGLE - NEW RIM PANIC AND CLOSER REQUIRED)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	LD-98-NL-OP-110MD	626	VON
1	EA	CYLINDER PULL	1874-Cylinder Pull	630	DON
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	FILLER PLATE KIT	FPK 86	622	DON
1	EA	SURFACE CLOSER	4040XP EDA	689	LCN

HARDWARE SET: 46 - (PAIR - NEW ENTRY LOCK WITH WRAP-PLATE- NO INDICATOR AND SURFACE BOLT)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	Don-Jo Wrap Around	4 2 CW	630	DON
1	EA	SURFACE BOLT	SB360 12" T	604	IVE
1	EA	ENTRANCE LOCK	ND53RD ATH	626	SCH
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

FURNISH SURFACE BOLT AT TOP OF INACTIVE LEAF ONLY.

HARDWARE SET: 47 - (PAIR - NEW ENTRY LOCK WITH WRAP-PLATE- NO INDICATOR)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	Don-Jo Wrap Around	4 2 CW	630	DON
1	EA	ENTRANCE LOCK	ND53RD ATH	626	SCH
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

HARDWARE SET: 48 - (SINGLE DOOR - NEW RIM PANIC WITH EXIT-ONLY FUNCTION AND DOOR CLOSER)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	LD-98-EO-990	626	VON
1	EA	SURFACE CLOSER	4040XP EDA	689	LCN
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

FURNISH EXIT DEVICE WITH 990EO PLATE AS SPECIFIED. FURNISH AND INSTALL NEW CLOSER AS SPECIFIED.

HARDWARE SET: 49 - (SINGLE DOOR - NEW RIM PANIC WITH EXIT-ONLY FUNCTION WITH FILLER PLATES AND DOOR CLOSER)

QTY	•	DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	LD-98-EO-990	626	VON
1	EA	FILLER PLATE KIT	FPK 86	622	DON
1	EA	SURFACE CLOSER	4040XP EDA	689	LCN
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

HARDWARE SET: 50 - (SINGLE DOOR - NEW RIM PANIC WITH EXIT-ONLY FUNCTION)

QTY	′	DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	LD-98-EO-990	626	VON
1	EA	DEADBOLT FILLER PLATE	BF 161	622	DON
1	EA	FILLER PLATE KIT	FPK 86	622	DON
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

REMOVE EXISTING MORTISE LOCK AND DEADBOLT . PROVIDE FILLERS AS SPECIFIED.

HARDWARE SET: 51 - (SINGLE DOOR - NEW RIM PANIC WITH EXIT-ONLY FUNCTION)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	LD-98-EO-990	626	VON
1	EA	FILLER PLATE KIT	FPK 86	622	DON
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

REMOVE EXISTING MORTISE EXIT DEVICE.

PROVIDE FILLERS AS SPECIFIED.

PROVIDE DEVICE WITH 990EO PLATE AS SPECIFIED TO COVER EXISTING LEVER PREP.

HARDWARE SET: 52 - (PAIR - NEW SVR PANICS - SECURITY INDICATOR DOGGING - FILLER PLATES AND CLOSERS)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	CDSI-9827-DT-LBR	626	VON
1	EA	PANIC HARDWARE	CDSI-9827-NL-LBR	626	VON
2	EA	MORTISE CYL TURN	09-900 114 XB11-720 36-083	626	SCH
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	FILLER PLATE KIT	FPK 86	622	DON
2	EA	SURFACE CLOSER	4040XP SHCUSH	689	LCN
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

RHR LEAF TO HAVE CYLINDER OVERRIDE. LHR DUMMY PULL

REMOVE EXISTING MORTISE LOCK AND SURFACE BOLT AND USE FILLER PLATES FOR EXISTING PREPS.

TEMPLATE CLOSERS FOR 90 DEGREE STOP AND HOLD.

EXIT DEVICES DOGGED BY THUMB TURN OR PUSH PULL OPERATION. SECURITY INDICATOR TO SHOW LOCKED/UNLOCKED STATUS. DOORS CAN BE QUICKLY LOCKED BY THUMB TURN FORM INSIDE.

FREE EGRESS THROUGH EITHER LEAF AT ALL TIMES.

HARDWARE SET: 53 - (PAIR - NEW SVR PANICS - SECURITY INDICATOR DOGGING)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	CDSI-9827-DT-LBR	626	VON
1	EA	PANIC HARDWARE	CDSI-9827-NL-LBR	626	VON
2	EA	MORTISE CYL TURN	09-900 114 XB11-720 36-083	626	SCH
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

RHR LEAF TO HAVE CYLINDER OVERRIDE. LHR DUMMY PULL.

EXIT DEVICES DOGGED BY THUMB TURN OR PUSH PULL OPERATION. SECURITY INDICATOR TO SHOW LOCKED/UNLOCKED STATUS. DOORS CAN BE QUICKLY LOCKED BY THUMB TURN FORM INSIDE

FREE EGRESS THROUGH EITHER LEAF AT ALL TIMES.

HARDWARE SET: 54 - (PAIR - NEW SVR PANICS - SECURITY INDICATOR DOGGING - AND CLOSERS)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	CDSI-9827-DT-LBR	626	VON
1	EA	PANIC HARDWARE	CDSI-9827-NL-LBR	626	VON
2	EA	MORTISE CYL TURN	09-900 114 XB11-720 36-083	626	SCH
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
2	EA	SURFACE CLOSER	4040XP EDA	689	LCN
2	EA	WALL STOP/HOLDER	FS495	626	IVE
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

RHR LEAF TO HAVE CYLINDER OVERRIDE. LHR DUMMY PULL. FURNISH WALL MOUNTED STOPS/HOLDERS AS SPECIFIED TO ALLOW 180-DEGREE HOLD OPEN.

EXIT DEVICES DOGGED BY THUMB TURN OR PUSH PULL OPERATION. SECURITY INDICATOR TO SHOW LOCKED/UNLOCKED STATUS. DOORS CAN BE QUICKLY LOCKED BY THUMB TURN FORM INSIDE.

FREE EGRESS THROUGH EITHER LEAF AT ALL TIMES.

HARDWARE SET: 55 - (PAIR - NEW SVR PANICS EXIT ONLY)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
2	EA	PANIC HARDWARE	LD-9827-EO-LBR-990	626	VON
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

FURNISH EO DEVICES WITH 990 EO PULL-SIDE BLANK PLATES TO COVER EXISTING PREP.

HARDWARE SET: 56 - (PAIR - NEW SVR PANICS EXIT ONLY)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
2	EA	PANIC HARDWARE	LD-9827-EO-LBR-990	626	VON
1	EA	FILLER PLATE KIT	FPK 86	622	DON
1	EA	SURFACE CLOSER	4040XP EDA	689	LCN
1	EA	BALANCE OF HARDWARE	EXISTING TO REMAIN		EXI

FURNISH EO DEVICES WITH 990 EO PULL-SIDE BLANK PLATES TO COVER EXISTING PREP. FURNISH CLOSER FOR LEAF THAT DOES NOT CURRENTLY HAVE ONE.

HARDWARE SET: 57 - (SINGLE DOOR - DOGGING PANIC WITH INDICATOR)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	CDSI-98-NL	626	VON
1	EA	MORTISE CYL TURN	09-900 114 XB11-720 36-083	626	SCH
1	EA	RIM CYLINDER	20-057 CKC EV29 T	626	SCH
1	EA	FILLER PLATE KIT	FPK 86	622	DON
1	EA	SURFACE CLOSER	4040XP EDA	689	LCN
1	EA	WALL STOP/HOLDER	FS495	626	IVE

FURNISH WALL MOUNTED STOP/HOLDER AS SPECIFIED TO ALLOW 180-DEGREE HOLD OPEN.