

Stay Active, Stay Strong, Stay Standing!



Fall Prevention Guidebook

Why Fall Prevention Is Important:

Falls are the leading cause of injury among older Americans. Every year nearly one third of older adults experience a fall, and in Massachusetts, falls are the leading cause of injury related hospital stays and emergency room visits. It is important to understand that Falls are not just a “sign of aging.” Falls can be a sign of a new medical issue, muscle weakness, a balance problem, or medication side effects. Falls can be the result of your environment, like a slippery floor or a scatter rug. The good news is that **preventing falls is one of the most important things we can do to maintain our independence as we age!** Moreover, **MOST FALLS ARE PREVENTABLE!** This is great news, and it means that by taking a little care and making some simple changes, we can greatly reduce the risk of falling!

INDEX

Your Health: Page 3	Stairs: Page 8
Vision: Page 3	Bathroom: Page 9
Physical Fitness: Page 4	Bedroom: Page 9
Osteoporosis: Page 5	Footwear: Page 10
Low Blood Pressure: Page 5	Outside: Page 10
Medications: Page 6	Being Prepared: Page 11
Nutrition: Page 6	Reduce your risk: Page 12
Talk with your Doctor: Page 7	Plan to get help: Page 12
Know Your Environment: Page 7	Medication Check List: Page 13
Around the House: Page 8	Resources: Page 14-18

YOUR HEALTH

Your health is a key component of Fall Prevention.

Quiz yourself:

1. Do I eat enough fruits and vegetables and drink enough water?
2. Am I physically active at least several times a week?
3. Do I have my vision checked yearly?
4. Have I discussed my medications with my doctor?
5. Do I ever feel dizzy or lightheaded upon standing?

If you answered “No” to questions 1-4, or “Yes” to question 5 you may be at increased risk of suffering a fall.

Did you know there are some health issues that can increase your chance of falling?

Stroke, Parkinson’s disease, and Arthritis can affect your ability to move and catch yourself from stumbling.

Diabetes may make you feel faint or dizzy if you have unstable blood sugar levels. It can also cause problems with eyesight and can reduce feeling in feet and legs. This can make it more difficult to move safely.

Short Term Illness such as the flu or surgery can cause confusion, dizziness, and difficulty walking while you are sick, and even for a few days afterward.

Incontinence may cause you to rush to the toilet, increasing the risk of falling (especially at night).

VISION

As we age, our eyesight gets weaker. It may take our eyes longer to adjust to changes in light and less able to judge distance and depth.

Steps you can take:

- Have your eyes checked by your doctor or optometrist every year to maintain optimal vision.
- Be extra cautious when wearing bifocals, they can make walking a bit difficult.

If lighting levels change suddenly, give your eyes time to fully adjust before moving around.

PHYSICAL FITNESS

Being active is very important for avoiding falls. Inactive or unfit people tend to have poorer balance and weaker muscles. It is common for people who feel unsteady to do less walking, making you more likely to fall because your muscles become weaker, and joints become stiffer.

Physical activity reduces your risk of falling by:

- ☐ Improving balance.
- ☐ Improving muscle strength and flexibility.
- ☐ Increasing energy levels.
- ☐ Keeping your bones strong.

- ☐ Helping to control blood pressure, blood sugar levels and weight.

Steps you can take:

- ☐ Try to remain as active as possible. Many exercises may be done sitting or standing to improve strength and balance.
- ☐ Consider joining a fitness class, balance class, or starting a walking routine with a friend.
- ☐ Try an exercise tape that can be done in the home.
- ☐ Even house chores can count as activity, so enjoy yourself by doing something you love like playing with the grandkids, gardening, or even dancing.

Always talk to your doctor before beginning any exercise program.

To learn more about where you can sign up for exercise, fitness and/or balance classes, see page 14 in this guidebook.

Stay Active, Stay Strong, Stay Standing!

OSTEOPOROSIS

This is a condition that results in thin, weak bones. People who have osteoporosis are more likely to break or fracture a bone if they fall.

Steps you can take:

☐ Make certain you get the recommended amount of Calcium and Vitamin D. Calcium strengthens your bones and Vitamin D strengthens both bones and muscle.

☐ Physical activity can help to strengthen bones. Be active and have fun!

☐ Talk to your doctor or a nutritionist if you think a calcium supplement may be right for you.

☐ Limit your alcohol intake.

☐ If you smoke—stop. Smoking interferes with building healthy bones.

LOW BLOOD PRESSURE

Many people experience a drop in blood pressure when they stand up which can lead to light-headedness, dizziness, or unsteadiness.

Steps you can take:

- Stand up slowly after lying down or sitting. This will allow your blood pressure to adjust more slowly and prevent any dizziness.
- Take extra care when bending down.
- Always make sure you feel steady and secure before walking.

Stay Active, Stay Strong, Stay Standing!

MEDICATIONS

Some medications can cause side effects that increase your risk of falling. Taking four or more medicines also increases your risk for a fall.

Steps you can take:

- ☐ Notify your doctor right away, if you are experiencing any side effects with your medications (drowsiness, confusion, dizziness, etc.).
- ☐ Be sure to tell your doctor ALL medications you are taking including over-the-counter drugs and any herbal supplements. Be sure to carry your medication list with you and share the list with all your healthcare providers.
- ☐ Always follow all of the instructions on your medications.
- ☐ Consider having a “Checklist for a Medication Checkup” on page 13 of this guidebook.

NUTRITION

Staying healthy is essential to staying standing! Improper nutrition can make us feel weak and tired.

Steps you can take:

- ☐ Eat a wide variety of fruits and vegetables to ensure a good balance of vitamins and minerals.
- ☐ Drink plenty of water to stay hydrated.
- ☐ If you have osteoporosis, eating more foods with calcium such as milk or cheese can help keep your bones strong.
- ☐ Talk to your doctor or a nutritionist if you think a dietary supplement is right for you.
- ☐ Even a small amount of alcohol can lead to unsteadiness when walking and slow your reaction time. Drink responsibly and take extra care while moving around after drinking.

COMMUNICATE WITH YOUR DOCTOR

One important thing to remember is that if you have a fall or have a near fall; you need to **talk to your doctor** as soon as possible. Do not assume that a doctor is too busy to listen. Patients are a doctor's first priority. When you speak with your doctor try to give them as much information regarding the fall as possible such as what time of day it was, what you were doing at the time, and how you were feeling just before. The doctor may be able to identify the cause of the fall and may even be able to make a small change that will make a **world of difference**.

KNOW YOUR ENVIRONMENT!

Most falls happen in the home. Educating yourself about the possible risks around your home and taking simple steps to avoid them will help you keep standing tall. Consider speaking with your doctor about a **“home assessment.”** The home assessment is usually conducted by a healthcare professional and are meant to help you identify risk factors in your home.

Often when ordered by a doctor, home assessments are covered by insurance.

Quiz Yourself:

1. Have I looked around my home to identify possible hazards?
2. Do I always wear appropriate footwear?
3. Do I take extra care in the bathroom and use safety measures such as grab bars to keep myself safe?
4. Do I have proper lighting in and around my home?
5. Do I take extra care to keep my home free of clutter and other tripping hazards?

If you answered **NO** to any of the above questions, you may be at an increased risk for a fall. Consider discussing fall prevention strategies with your doctor.

AROUND THE HOUSE

Although many of us know our houses inside and out, it is a good idea to do a walk through to try identifying possible risk factors. Having a friend or family member do this may also help to identify problems we do not notice.

Steps you can take:

- ☐ Bring frequently used items down to the lower shelves to avoid reaching and stepstools.
- ☐
- ☐ Keep all electrical cords around the edges of the room.
- ☐
- ☐ Keep walkways free of clutter.
- ☐
- ☐ Make sure rugs are secured with double stick tape or nonskid pads.
- ☐
- Keep a close eye on your pets. They like to stay close, so ~~check where they are before walking around.~~ — — — — — .

Ensure that you have proper lighting, especially in stairwells and hallways.

STAIRS

Stairs can be dangerous to people of all ages. Take extra caution to stay safe!

Steps you can take:

- ☐ Install non-skid tape on the edges of stairs.
- ☐
- ☐ Mark stair edges with brightly colored tape or paint to make them easier to see, as our eyes have trouble judging depth as we age.
- ☐
- ☐ Have handrails installed so that you can always hold on.

☐ **DO NOT** try to carry too many things up or down stairs, **saving time is not worth risking safety.**

☐ Always turn the light on before going up or down stairs. If possible, have a light switch installed at both the top and bottom of the stairs or consider battery-operated lights that can be mounted on the wall.

BATHROOM

The bathroom can be a dangerous place, slippery floors and high showers and tub greatly increase the risk of falling. However, do not be afraid, there are **easy steps** you can take to be safe!

Steps you can take:

☐ Use non-slip mats in the shower and floor to avoid slipping on wet surfaces.

☐ Have grab bars installed to make standing up from the toilet and entering and exiting the shower easier.

☐ Ensure that doors open outward so you can always be reached in case of a fall.

☐ Consider using a bath gel instead of a bar of soap that can create a hazard if dropped.

☐ Use a shower seat to make getting in and out of the shower safer.

- ☐ If you have a high tub, sit on the edge of the tub, and swing your legs in to enter and exit the tub, instead of trying to step up into the tub.
- ☐ Consider having a handheld shower head put in so that you can sit down to shower.
- ☐ Check bathmats to ensure that they have a non-slip backing.

BEDROOM

Getting a good night rest is important. Keeping your bedroom safe will keep you sleeping soundly and free from worry.

Steps you can take:

- ☐ Avoid long robes or nightgowns to prevent tripping.
- ☐ Consider having nightlights installed.
- ☐
- ☐ Always turn the lights on before getting up to go to the bathroom.
- ☐ Make your bed. It will be more inviting when you are ready for bed and will prevent tripping on quilts and bedspreads.

FOOTWEAR

Proper shoes help to keep our feet firmly planted on the floor and can minimize slipping.

Steps you can take:

- ☐ Shoes that fit firmly and comfortably with a thin sole and low heel will help your feet to feel changes in walking surfaces. Also, remember a good tread is important to prevent slipping.

- ☐ Avoid slippers, stockings and socks as they do not provide the grip or support necessary to stay standing.



OUTSIDE

Being outside is a great way to relax and entertain friends. It is also a great place to work on your fitness by gardening or even just walking around the neighborhood. Just remember to keep safety in mind to stay safe and standing outdoors.

Steps you can take:

- ☐ Pay attention to your surroundings and do not rush. You will enjoy your time outside more.
- ☐ Wear proper footwear.
- ☐ Always roll up the hoses and put away gardening tools to avoid tripping.
- ☐ Keep pathways clear of moss, slime, and fallen leaves.
- ☐ Consider a waling aid. Outdoor surfaces are often un-even and a walking aid can provide some support.
- ☐ Be extra cautious on buses and trains. Always sit or hold onto the railings when the vehicle is in motion.

BEING PREPARED

Most of us do not want to think about falling, but the truth is we will be much safer if we think carefully about ways to stay standing. This includes having an action plan in case we do suffer a fall.

Things to Consider:

- ☐ If I fall and am injured or cannot get up, how will I contact help?
 - o Cordless or mobile phones are a great option. They can be kept in your pocket around the house so that you may call for help.
 - o A Personal Emergency Response System is another option. The device is worn around the wrist or neck as a pendant. This device is linked to an operator who can check on you or contact emergency services if needed. All you need to do in an emergency is push the button.
 - o Consider setting up a system with a friend or neighbor. Check in on each other every day. That way someone will know to call for help if you are unreachable.
- ☐ If I fall and am injured or cannot get up, how will help access my home?
 - o If you do not feel comfortable giving a key to someone, consider hiding a spare key outside or investing in a

spare key box with a combination lock that you can tell about to friends or emergency workers when they arrive.

- o If you do fall, remain calm. Check yourself for injuries and if you feel you can, stand up VERY SLOWLY. Rest afterwards. Discuss the fall with your doctor as soon as possible.

Have a Plan - Use the next two pages to plan ways to reduce your risk of falling **AND** to plan how to get help if you should have a fall.

MY PLAN TO REDUCE MY RISK:

I will speak with my doctor about:

I will make the following changes:

MY PLAN TO GET HELP IF NEEDED:

CHECKLIST FOR A MEDICATION CHECK-UP:

Did you know you could be at risk for a fall if you check any of the following:

- ☐ I take five or more medications
- ☐ I am taking over the counter medications, herbals and/or supplements
- ☐ I see more than one physician
- ☐ I use more than one pharmacy
- ☐ I have recently experienced a fall

I take medications for:

- ☐ anxiety
- ☐ depression
- ☐ sleep

☐seizures☐pain☐diabetes☐thyroid☐heart/blood pressure

If you checked any of the above, you should consider having a medication check-up. You can call the MCPHS Pharmacy Outreach Program of Massachusetts College of Pharmacy and Health Sciences, at (866) 633-1617 (toll free) and they can review your medications with you.

RESOURCES FOR FITNESS & BALANCE PROGRAMS

Many Councils on Aging - Senior Centers offer classes and services such as aerobics, Zumba, ballroom dancing, Silversneakers®, line dancing, Tai Chi, yoga, meditation, Walking Clubs, Strength and Balance Exercise, osteoporosis prevention exercise, and Matter of Balance Workshop. Contact the Council on Aging for the most up to date in information. Or visit www.healthyliving4me.org to find a Healthy Living Program.

Worcester Senior Center

128 Providence Street, Worcester, MA 01604
508-799-1232

YMCA of Worcester, Central Branch

766 Main Street, Worcester, MA 01610
508-755-6101

YMCA, Greendale Branch

75 Shore Drive, Worcester, MA 01605
508-852-6694

YWCA, Central Massachusetts

1 Salem Square, Worcester, MA 01608
508-767-2505

Jewish Community Center

633 Salisbury Street, Worcester, MA 01609
508-756-7109

AUBURN COUNCIL ON AGING (508) 832-7799

4 Goddard Drive, Auburn, MA 01501

Exercise classes offered: strength and balance, yoga, line dancing, and muscle building.

BARRE COUNCIL ON AGING (978) 355-5004

557 South Barre Road, Barre, MA 01005

GRAFTON COUNCIL ON AGING (508) 839-9242

30 Providence Road, Grafton, MA 01519

HOLDEN COUNCIL ON AGING (508) 210-5570

1130 Main Street, Holden, MA 01520

LEICESTER COUNCIL ON AGING (508) 892-7016 40

Winslow Avenue, Leicester, MA 01524 **RESOURCES**

FOR FITNESS & BALANCE PROGRAMS

MILLBURY SENIOR CENTER (508) 865-9154

1 River Street, Millbury, MA 01527

OAKHAM COUNCIL ON AGING (508) 882-3358

2 Coldbrook Road, Oakham, MA 01068

PAXTON SENIOR CENTER (508) 756-2833

19 West Street, Paxton, MA 01612

RUTLAND SENIOR CENTER (508) 886-7945

53 Glenwood Road, Rutland, MA 01543

SHREWSBURY SENIOR CENTER (508) 841-8640

98 Maple Avenue, Shrewsbury, MA 01545

WEST BOYLSTON SENIOR CENTER (508) 835-6916

127 Hartwell Street #100, West Boylston, MA 01583

COMMUNITY RESOURCES FOR SENIORS**City of Worcester**

Elder Affair Division/Senior Center

128 Providence Street, Worcester, MA 01604

508-799-1232

<http://www.worcesterma.gov/senior-center>**Central Mass Agency on Aging**

360 West Boylston Street, Suite 216

West Boylston, MA 01583

508-852-5539

www.seniorconnection.org**Central Mass Housing Alliance**

Elder Home Repair Program

6 Institute Road, Worcester, MA 01609

774-243-3815 www.cmhaonline.org**Elder Services of Worcester Area, Inc.**

67 Millbrook Street, Suite 100

Worcester, MA 01606 508-756-

1545 www.eswa.org

Mass College of Pharmacy and Health Sciences**Pharmacy Outreach Program**

25 Foster Street, Worcester, MA 01608

1-866-633-1617 www.massmedline.com

St. Paul's Elder Outreach Program

19 Chatham Street, Worcester, MA 01609

508-799-5009

FALL PREVENTION RESOURCES**Centers for Disease Control and Prevention**

www.cdc.gov/Features/OlderAmericans

Fall Prevention Center of Excellence <http://stopfalls.org>

Healthy Living Center of Excellence

280 Merrimack Street

Suite 400

Lawrence, MA 01843

978-946-1211 www.healthyliving4me.org

National Council on Aging – Falls Prevention Falls

Prevention for Older Adults (ncoa.org)

NIH-National Institute on Aging**Go4Life**

Exercise and Physical Activity | National Institute on Aging
(nih.gov)

Senior SAFE program www.mass.gov/dfs

This document, in its original format, was created by the Worcester Senior Center, City of Worcester Elder Affairs Division. Our thanks go out to Director, Amy Waters, for permission to use.

Disclaimer: This resource comes as a courtesy from Elder Services of Worcester Area, Inc. You are hereby notified that Elder Services of Worcester does not recommend, guarantee, or assume liability for the performance or lack thereof, for any of the resources listed.

Revised: February 2022